# TOOLS & EQUIPMENT

NEW

**NEW** 

Professional quality parts, service and solutions dedicated to your shop.

2nd Quarter 2025 - Canada Only

IN THE SPOTLIGHT

# TIRE & WHEEL ERVICE

**70000 GOZIS** John Dean

See p. 26-34 for details







#### Autel® MaxiSYS MS906MAX AUTEL

- 10.1-inch touchscreen wireless professional diagnostics and service tablet
- Extensive vehicle coverage of U.S., Asian and European vehicles, 1996 and newer
- Perform all-systems diagnostics including read and erase codes, view and graph Live Data
- Perform bi-directional Active Tests and Special Functions
- Extensive service and maintenance task menu
- · Perform coding and adaptations
- Includes Bluetooth-enabled MaxiVCI V200 for support of standard and advanced communication protocols
- 128GB storage and extended battery life
- Supports direct battery, starter and charging system testing and videoscope use with additional product purchases
- Includes one-year free software updates and is covered by one-year Limited warranty



#### AIT MS906MAX

\* Contact your local store for pricing and availability

FINANCE IT

## Milwaukee® M12 FUEL™ Stubby Impact Wrenches

- Up to 550 ft-lbs of Nut-Busting Torque
- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power. Includes auto shut-off and bolt-removal mode
- Tri-LEDs deliver high definition lighting to increase workspace visibility with less shadows
- Compatible with all M12™ REDLITHIUM™ batteries and chargers

NOTE: Battery not included

3/8" MLK 2562-20

**SPECIAL** 

**OFFER** 

MLK 2563-20

1/2"









THIS LIMITED TIME OFFER IS AVAILABLE FROM APRIL 1, 2025 -JUNE 30, 2025.

See p. 60 for



#### **Autel® Tesla-Compatible Diagnostic Adapter Cable**

- Two-in-one cable design, compatible with Tesla X, S, Y and 2021 and newer 3 models
- Connect to Autel MaxiSYS Ultra series tablets to perform diagnostic pre and post scans
- Features 12 pin and 20 pin adapters to 16 pin connection
- Connect to X437 port in Tesla S and X models
- Connect to CAN port on Y and 2021 and newer 3 Tesla models
- · Covered by one-year limited warranty



**NEW** 

**BONUS** 

OFFER

#### CPS® Maxxair MSX3030 R134a/R1234yf A/C Service System

- Fully Automatic R134a & R1234yf RRR unit. Choose between SAE mode or international mode which provides faster service times
- Quickly switch between refrigerants in 10 minutes. Requires on-board tank & service hoses to be changed
- 7" colour touchscreen with quick access to all functions from the main screen and step by step guidance for all processes
- Integrated refrigerant identifier detects foreign refrigerants and prevents contamination of on-board recovery tank
- Automatic oil drain indicates how much oil was removed from the system during recovery • Hybrid/EV certified, automated hose flush process to prevent cross contamination of A/C oils
- A/C refrigerant capacity database allows users to lookup
- vehicle charge capacity and oil type directly on the machine
- Bluetooth enabled for wireless temperature sensors
- WiFi enabled for exporting reports for customers or insurance companies
- Patented 2/3HP oil-less compressor, recovery rates up to 1lb/min
- 2CFM vacuum pump, customizable vacuum time and leak check to identify major leaks in a system
- 30lb on-board recovery tank, 10ft service hoses
- 2-year Full coverage (parts & labour) warranty



Limited Time offer:

Buy CPS MSX3030 and receive a Bonus UView Leak Detector Kit in pack - UVW 480550

CPS MSX3030

\* Contact your local store for pricing and availability

FINANCE IT CDS



**HOMAK PRO II SERIES TOOL STORAGE** 

Homak

See p. 60 for details





#### **INDEX**

INDLY
A/C & Cooling Service
Air Compressors
Air Hose & Air Accessories22, 23
Air Tools21, 22
Battery Chargers
Battery Service
Battery Operated Grease Guns52
Bench Vices
Brake Service 8
Chassis/Suspension Service9
Creepers/Shop Seats24
Diagnostic Tools
Engine & Drivetrain
EV Chargers and Tools
Generators3, 4
Grease Guns
Impact Socket Sets
Inventory Reduction58, 59
Jack Stands40
Jump Starters
Lifting & Support 40, 41, 42, 43, 44, 45
Lighting
Locking Pliers
Oil/Lube Service
Power Tools
Pressure Washers
Service/Bottle Jacks40, 41
Specialty Tools8, 9, 10, 11, 12, 13, 14, 15, 16, 17
Sockets14, 15, 16, 17
Tire Changers
Tire Service26, 27, 28, 29, 30, 31, 32, 33, 34
TPMS Service
Tool Boxes/Storage
Trailer/Towing 46, 47, 48, 49, 50
Transfer Pumps53, 54
Warning Strobes & Signal Lights47
Welding54, 55, 56, 57
Welding Helmets55
Wheel Alignment Systems32, 33
Wheel Balancers26, 27, 28

# **EV CHARGERS**

## **EV CHARGING STATIONS**

Installation by a qualified electrician required

#### Autel® MaxiCharger MCC50AHI AUTEL

- Post Bundle
- Compatible with all EV and Hybrid Plug-in Vehicles
- Specially designed for indoor or outdoor use
- 25ft long Universal (J1772) Charging Cable and Hardwired installation
- Adjustable charging up to 50 Amps
- In-body holster
- · For commercial use only
- Interactive LCD touchscreen
- Includes (1) pedestal post
- FREE 1-Year Cloud Service Subscription

#### AIT C50POST

\* Contact your local store for pricing and availability

FINANCE IT

Autel® MaxiCharger MCC50AHI Wall-Mount Bundle

AIT C50WALL \$109995

# Autel® MaxiCharger Level 2 40A AUTEL EV Charging Station

with Side Holster NEMA 14-50

- · Compatible with all EV and Hybrid Plug-in Vehicles
- Specially designed for Indoor or Outdoor use
- Adjustable charging up to 40 Amps
- · For residential use only
- Autel Charge app enables remote start, stop, monitoring and scheduling

Installation by a qualified electrician required

AIT MC40AP14S

\$**699**<sup>99</sup>



# Autel® MaxiCharger Level 2 50A EV Charging Station

with Side Holster Hardwire

- Compatible with all EV and Hybrid Plug-in Vehicles
- Specially designed for Indoor or Outdoor use
- Adjustable charging up to 50 Amps
- For residential use only
- Autel Charge app enables remote start, stop, monitoring and scheduling

Installation by a qualified electrician required

AIT MC50AHS

\$**729**<sup>99</sup>

## **VDE INSULATED EV HAND TOOLS** P

#### **POWERBUILT® EV Hand Tool Sets**

- VDE tools are certified to IEC60900 standard for service and repair applications.

  Rated up to 1000V AC / 1500V DC
- $\bullet \ \, \text{Ergonomic double injection handles provide safety, comfort and dependability}$
- For use when servicing or repairing hybrid and electric vehicles

#### 33-Piece; VDE Tool Set with Pouch

 Includes: roll pouch storage bag, screwdrivers, ratchet, sockets, extensions, pliers and more for quick and easy access to a wide variety of fastener types and sizes

TLS 642938 \$38995



## **SALES POLICY**

Participation in this promotional program by a Carquest® Auto Parts store is voluntary. Every promotion is a bona fide offer. Occasionally, an advertised tem may not be available because of sales that exceed anticipated demand or circumstances beyond our control. We reserve the right to substitute an item of equal or better value in the event that stock of an advertised product is depleted. Prices may vary in different styles and from market to market. Additional delivery and freight charges may be incurred. Errors in prices, descriptions and/or illustrations are not the responsibility of the Carquest® Auto Parts store.

#### PRICES GOOD IN CANADA ONLY.

Additional freight charges may apply on drop ship orders.

PRO 21666971-CAN-ENG


#### **FINANCING**

#### One CALL Does it ALL with Affiliated Financial Services

Affiliated Financial Services (AFS), an industry leading financial services company across Canada, provides innovative lease-to own finance options for acquiring your NEW Tools & Equipment from CARQUEST® Auto Parts.

Financing your New Equipment is as easy as 1-2-3 with Affiliated Financial Services...





3 Upon credit approval and documentation, order your new equipment Lease terms of 24 through 60 months are available. All leases are subject to credit approval, 1st advance lease payment and a one time non-refundable documentation fee of \$100.00 will be charged on the 1st invoice upon completion of the executed agreement. Minimum financed amount is \$1,000.00 as noted by sample payment information provided by each item.

Please note that finance payments will vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All offers subject to change without notice.





# **EV TOOLS / GENERATORS**

#### VDE INSULATED EV HAND TOOLS POWERBUILT

13-Piece; 3/8" Drive Metric VDE Ratchet and Socket Set

 Includes: 13 piece metric VDE ratchet, socket and extension set provide safe, easy access to service a wide variety of the most popular fasteners of EV and Hybrid vehicles



TLS 642937 **521499** 

4-Piece; VDE Plier Set with Zipper Pouch

• Includes 4 of the most popular plier sets and provides a variety of fastener and electrical service coverage





7-Piece; VDE Screwdriver Set with Zipper Pouch

• Includes 6 of the most popular slotted and phillips head screwdriver sizes, and a voltage tester for quick and easy power tests

TLS 642936





# **SCHUMACHER® GENERATORS**



- Rechargeable lithium ion battery power is guiet and safe for indoor use
- 1000W Pure Sine Wave Inverter for running sophisticated electronic appliances
- Two 110V AC Household Outlets provide back-up power for home appliances
- Four USB Ports: 3A/2.4A for charging USB devices, including smartphones, mp3 players and tablets
- Two 12 Volt DC Output Ports
- One 12V DC Accessory Port
- Provides all day power and fully recharges in only 10.5 hours

CBC SL1467 \$ 1699

#### Schumacher® 535 Wh Portable Power Generator

- Powered by a rechargeable lithium ion battery
- No fumes or fuel quiet and safe for indoor use
- Built-in 500W Pure Sine Wave Inverter for running sophisticated electronic appliances
- Two 110V AC Household Outlets provide back-up power for home appliances
- Four USB Ports: 3A/2.4A for charging USB devices, including smartphones, mp3 players and tablets
- Two 12 Volt DC Output Ports
- One 12V DC Accessory Port
- Runs for up to 22 hours
- · Recharges in only 12 hours







## FIRMAN® WHISPER SERIES GENERATORS

#### FIRMAN® Whisper Series 3300/3000 Watt Remote Start Gas Portable Generator

- Max Pro Series 171cc FIRMAN Engine
- 1.8 gallon tank provides up to 9 hours of run time
- Outlets (1) TT-30R (RV Ready) 120V 30A, (1) 5-20R Duplex 120V - 20A, 12V (W/Battery Charging Cables), (1) USB (5V, 2.1 amps)
- 3000 running watts/ 3300 starting watts



FRM W03083

#### FIRMAN® Whisper Series 2100/1700 Watt **Recoil Start Gas Portable Generator**

- Max Pro Series 80cc FIRMAN Engine
- .9 gallon tank provides up to 9 hours of runtime
- Outlets (1) 5-20R Duplex 120V 20A, 12V (W/Battery Charging Cables), (1) USB (5V, 2.1 amps)
- 1700 running watts/ 2100 starting watts



FRM W01782

#### FIRMAN® Hybrid 10,000 Watt Tri Fuel **Portable Generator**

Gasoline, Propane, and Natural Gas

- 439cc Tri fuel engine with low oil shut off and cast iron sleeve
- 8 gal tank provides 12hrs of run time. Propane tank not included
- Outlets: (2) 5-20R 20A-120V, (1) 14-50R 50A-120/240V,
- (1) L14-30R 30A-120V/240V Twist Lock,
- (1) L5-30R 30A-120V Twist Lock



FRM T08071

# **Emerging Tire Technology**

 $In today's \ rapidly \ evolving \ automotive \ landscape, tire \ technicians \ face \ a \ myriad \ of \ challenges \ that \ extend \ beyond \ traditional \ tire$ maintenance. Modern vehicles are equipped with advanced technology, such as TPMS (Tire Pressure Monitoring Systems) and run-flat tires, which require specialized knowledge and tools for proper servicing. Additionally, the rise of electric vehicles (EVs) introduces unique tire specifications and increased torque demands that standard tires might not accommodate. Technicians must stay updated with continuous training to handle these advancements and ensure safety and efficiency. Furthermore, the future integration of "smart tires" with embedded sensors adds another layer of complexity.

A "smart tire" is an innovative advancement in tire technology that incorporates embedded sensors and communication systems to monitor and report various aspects of tire performance and condition. These sensors can measure parameters such as tire pressure, temperature, tread depth, and even road conditions in real-time. The data collected by smart tires can be transmitted to the vehicle's onboard computer or a connected app, providing valuable insights for both the driver and maintenance personnel. This real-time monitoring helps enhance safety, optimize tire performance, and extend the lifespan of the tires by allowing timely interventions and adjustments. Smart tires are part of the broader trend towards connected and intelligent vehicles, contributing to more informed and proactive vehicle maintenance.

Smart tires have a lot of potential applications across various types of vehicles such as:

- 1. Passenger Cars: Enhancing safety and performance by providing real-time data on tire health, enabling proactive maintenance and potentially preventing accidents due to tire failures.
- 2. Commercial Vehicles: Fleet managers can use smart tire data to optimize maintenance schedules, reduce downtime, and improve fuel efficiency by ensuring tires are always in optimal condition
- 3. Electric Vehicles (EVs): Smart tires can help manage the unique demands of EVs, such as higher torque and specific weight distributions, ensuring longer tire life and better performance.

- 4. Autonomous Vehicles: Smart tires can contribute to the overall data ecosystem of autonomous vehicles, providing crucial information on road conditions and tire performance to enhance safety and decision-making.
- 5. Racing: In motorsports, smart tires can provide teams with detailed insights into tire performance, helping to fine-tune strategies and improve overall race outcomes.

Servicing smart tires involves a combination of traditional tire maintenance and advanced diagnostics due to their embedded sensors and communication systems. Here are some key aspects:

- 1. Sensor Calibration: Technicians need to ensure that the sensors within the smart tires are properly calibrated to provide accurate data on tire pressure, temperature, and tread depth.
- 2. Data Analysis: Understanding and interpreting the data collected by smart tires is crucial. Technicians must be able to analyze this information to identify potential issues.
- 3. Software Updates: Smart tires often require software updates to keep the sensors and communication systems functioning correctly.
- 4. Electrical Diagnostics: Since smart tires have electronic components, technicians must be skilled in diagnosing and repairing electrical 5. Regular Maintenance: Despite their advanced technology, smart tires still require regular maintenance such as tire rotations, balancing,
- and alignment, just like traditional tires. Overall, servicing smart tires requires a blend of mechanical skills and knowledge of electronic systems, making continuous training and staying updated with the latest technology essential for technicians.

**QUEST** Technical

Institute<sup>®</sup>

<sup>\*</sup> Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# **GENERATORS / BATTERY SERVICE**

# FIRMAN® PERFORMANCE SERIES GENERATORS

## FIRMAN® 7125/5700 Watt Performance Series Generator

- 8 Gallon Tank with 13 hour Run Time
- Max Pro Series 389cc FIRMAN Engine • 4-in-1 Data Minder Measures Volts, Hertz,
- Hours, and Low Oil Indicator Outlets – (2) 5-20R 20A-120V, (1) L14-30R 30A-120V/240V Twistlock, (1) L5-30R 30A-120V Twistlock
- With remote start



FRM P05703

#### FIRMAN® 10000/8000 Watt Performance Series Generator

- 8 Gallon Tank with 12 hour Run Time
- Max Pro Series 439cc FIRMAN Engine
- 4-in-1 Data Minder Measures Volts, Hertz, Hours, and Low Oil Indicator
- Outlets (1) 14-50R 120V/240V 50A, (1) L14-30R 120V/240V 30A Twistlock, (1) L5-30R 120V - 30A, (1) 5-20R Duplex 120V – 20A
- 10000 running watts/ 8000 starting watts
- · With remote start



#### FIRMAN® Gas Portable Generator 1500W Recoil Start

- 80cc engine with low oil shut off and cast iron sleeves
- 1.7 gallon tank with fuel gauge provides up to 10 hours of run time
- 5-20R 120V 20A Duplex, 12V – 8.3A DC Outlet
- 1200 running watts/ 1500 starting watts



#### FIRMAN® 4450/3550 Watt Generator

- Max Pro Series 208cc FIRMAN Engine
- 5 gallon tank with fuel gauge provides up to 14 hours of run time
- Outlets (1) TT-30R (RV Ready) 120V 30A, (1) L5-30R 120V 30A Twistlock, (1) 5-20R Duplex 120V – 20A
- 3550 running watts/ 4450 starting watts





# WHEEL CHARGERS

• Charges standard, AGM and Gel, and deep-cycle batteries

 Microprocessor-controlled, automatically adjusts amperage rate, to charge and maintain

• Multi-stage charging for precision, safety and battery life

Float mode monitoring maintains optimum battery charge

• Reverse hook-up protection

#### 6/12/24V 330A Proseries **Battery Charger/ Engine Starter**

 300A (6V)/330A (12V)/250A (24V) engine start, 15A fast charge

· With flash re-programming

CBC DSR124 \$102699

#### 12/24V 250A Proseries **Battery Charger/ Engine Starter**

• 250A (12V)/150A (24V) engine start, 15A fast charge

CBC DSR123 \$76999

12V 250A Proseries Battery **Charger/Engine Starter** 

· 250A engine start, 15A fast charge

CBC DSR121 **564199** 



#### DSR® 12V/24V 200A ProSeries Manual Battery Charger/Engine Starter

- Charges standard, AGM and Gel batteries
- Heavy-duty construction for strong starting power
- Solid State circuitry with silicon diodes for optimum performance
- 135 minute timer for precision control over the charging process
- Easy-to-Read meter shows charging levels

CBC DSR140



#### Schumacher® 250A 6/12V Automatic **Battery Charger/Engine Starter**

- 250A Engine Start/40A Boost
- Charges standard, AGM, Gel and deep-cycle batteries
- Microprocessor-controlled, automatically adjusts amperage rate, to charge and maintain batteries
- · Multi-stage charging for precision, safety and battery life
- Float mode monitoring maintains optimum battery charge

CBC SC1325





FRM P03501

# **BATTERY SERVICE**

## WHEEL CHARGERS

# Schumacher® 150A 6/12V Manual Timer-Controlled Charger/Engine Starter

- For use on all 12V Standard, AGM, Gel and Deep Cycle batteries
- 135-minute timer keeps you in control of the charging process
- 150A 12V Engine start is powerful enough to jumpstart SUVs, trucks and large engines
- 25A 12V Boost modes can quickly bring deeply discharged batteries back to life
- 6A 12V Charge mode for your basic charging needs

CBC SC1437

\$**299**99





- Delivers 200-amp 12-volt jump starts, powerful enough for larger engines
- A 40-amp boost mode quickly restores charge to depleted batteries
- Charger/maintainer is compatible with 12-volt standard, AGM, gel, and deep-cycle batteries
- Provides complete control of the charging process with a 135-minute timer and a charge rate selector switch.
- It also features a 6-amp charge rate
- Heavy-duty clamps and 8-gauge booster cables with a 12-foot total reach feature superior power transfer

CBC DH0168 \$29999

**DieHard** 

#### DieHard® 300 Amp/200 Amp 12-Volt/6-Volt Automatic Wheel Charger

- Delivers 300-amp (12-volt) and 200-amp (6-volt) jump starts, powerful enough for larger engines
- A 60-amp (12-volt) boost mode quickly restores charge to depleted batteries
- It features a 6 amp/2 amp charge/maintain rate
- Monitor battery health and diagnose electrical issues in your vehicle with the built-in battery and alternator tester
- Fully automatic operation with multi-stage charging, auto-voltage detection & float mode
- Compatible with 6-volt and 12-volt standard, AGM, gel, and lithium (LiFEPO<sub>A</sub>) batteries

CBC DH0164 \$47099

**DieHard** 

# DSR® Proseries 2200 Peak Amp 12V Jump Starter/Portable Power Station

- Jump starts 8-cylinder gas and 6-cylinder diesel engines
- Powered by a high-output AGM battery tailored for 12V systems
- On/Off switch prevents accidental sparking of clamps for added safety
- 4-gauge, 60-inch cables with heavy-duty color-coded clamps ensure easy and secure connections
- Digital display indicates internal battery percentage and connected battery voltage
- Rust and corrosion-proof case with protective side caps for durability
- Can be used in both vertical and horizontal positions for convenience
- Reverse connection warning emits an alarm if clamps are connected incorrectly

CBC DSR165

\$**292**99





## **DSR® JUMP STARTERS**

#### DSR® Proseries 4400 Peak Amp 12V Jump Starter/Portable Power Station

- Compatible with 12V and 24V AGM, deep-cycle, gel, lead-acid, and wet cell batteries
- 2 AWG, 60-inch heavy-duty booster cables
- Reverse hook-up warning system to safeguard against reversed connections
- · Rust- and corrosion-resistant case, featuring protective side caps for added durability
- Safe to use in vertical or horizontal position
- Red On/Off power switch, designed to prevent accidental sparking and ensure safety at all times
- Digital display provides clear and accurate information at a glance
- Designed and built for professionals

CBC DSR166

\$**627**<sup>99</sup>





# DSR® 12V 1200 Peak Amp Ultracapacitor/Lithium Ion Hybrid Jump Starter

1200 Peak Amps, 900 Cold Cranking Amps

- Suitable for gasoline and diesel engines
- Quick and easy to charge from vehicle battery, DC port or backup lithium battery
- Heavy-duty clamps
- Reverse polarity protection. Override Mode to start engine without any battery mounted
- · Glow Mode for cold start of diesel engine

CBC DSR132

D) eHard

\$**539**<sup>99</sup>



#### DSR® ProSeries 12V 2200 Peak Amp Jump Starter

525 Cranking Amps, 350 Cold Cranking Amps

- High Output AGM battery
- Reverse Connection Warning audio warning will sound if clamps are connected in reverse
- 12V DC output port
- 2.1A USB port

CBC DSR114 \$30



#### DSR® ProSeries 12V 1800 Peak Amp Jump Starter

- High-output AGM battery for 12V systems
- Rust and corrosion-proof case
- 12V DC power outlet to power 12V devices and recharge the unit while driving
- LED indicators for battery status
- 280 cranking amps and 225 cold cranking amps
- 4 AWG. 28-inch cables

CBC DSR119 \$19799



# DSR® ProSeries 12V 2000 Peak Amp Lithium Ion Jump Starter with USB

- 2 Lithium Iron Phosphate (LiFePO<sub>4</sub>) batteries
- Dual 2.1A USB ports
- 12V DC output port
- Reverse connection alarm and warning
- 12V 3-pin socket for recharging
- 2A external automatic charger
- Professional clamps with ergonomic grips

CBC DSR128

\$**581**99







# **BATTERY SERVICE**

## **DSR® BATTERY CHARGING STATIONS**

# DSR® 6V/12V 8-Bank Automatic Battery Charging Station

- Eight independent, fully automatic, microprocessor-controlled charging banks
- Automatically adjusts from 5A to 12A output per bank
- Charges 6V and 12V standard, AGM, gel, deep-cycle and LiFePO<sub>4</sub> batteries

CBC DSR127 \$119995



# DSR® 6V/12V 4-Bank Automatic Battery Charging Station

- Four independent, fully automatic, microprocessor controlled charging banks
- Automatically adjusts the charge rate based on the battery condition up to 10 amp
- Charges 6V and 12V standard, AGM, Gel, deep-cycle and LiFePO, batteries

CBC DSR125 \$51399



# **DIEHARD® JUMP STARTERS** DieHard

# DieHard® Platinum Four-in-one 1500-Amp Jump Starter and Portable Power Station

- · Advanced lithium battery is lightweight, provides longer battery life and more charge cycles
- A four-in-one device, including a jump starter, portable power station, air compressor, and LED light
- 1500 peak amp jump start feature easily starts up to 6.0L gas and 3.0L diesel engines
- 2.4-amp USB port charges your mobile devices two times faster
- 150-PSI air compressor quickly adds air to bike or car tires and comes with an air compressor gauge, nozzles, and a storage bag
- The smart cable/clamps provide protection against reverse polarity, short circuit, low voltage, high temperature, and reverse charging

CBC DH0166 \$257

# DieHard® Gold 6-in-1 Portable Power Station and Jump Starter

- $\bullet$  Six  $\bar{\rm f}$  unctions Portable power station, jump starter, inverter, air compressor, inflator/deflator, and LED light
- Easily starts up to 6.0L gas engines using the 1200 peak amp jump start feature
- It features fast 15-amp charging and 5-amp charge/maintain modes
- 200 continuous watt/400 peak watt power inverter provides stable household power to the two 120-volt AC outlets
- It also features two 12-volt DC accessory outlets, and two 2.1-amp (total) USB ports
- High-volume, low-pressure inflator and deflator ports allow you to quickly inflate/deflate mattresses, pool toys, and more

CBC DH0167

\$319<sup>99</sup>

# ots, DieHard

#### DieHard® 800 Peak Amp Lithium Jump Starter and Power Pack

- 800 peak amp jump start feature easily starts up to 4.0L gas engines up to 20 times on a single charge
- 2.4-amp USB ports delivers two times faster charging and the 3-amp USB port charges four times faster
- The LED light is ideal for emergencies with three lighting modes steady glow, flash SOS, and strobe
- Smart cable/clamps provide spark-free protection against short circuit, temperature, low voltage, and reverse polarity
- The unit's LCD display shows battery percentage of charge and charging status





## **DIEHARD® JUMP STARTERS DieHard**

#### DieHard® Platinum 2000 Peak Amp LithiumJump Starter and Power Pack

- Advanced four-cell lithium-ion battery for longer battery life and more charge cycles
- Holds 75% of its charge level after two years
- The 2000 peak amp jump start feature easily starts up to 8.0L gas and 6.0L diesel engines up to 50 times on a single charge
- Provides reliable jump-starts in temperatures down to -20°C.
- Comes with 10W wireless charging pad to charge smart phones and other mobile devices

CBC DH0170 **\$249** 



#### DieHard® Gold 1200 Peak Amp Lithium Jump Starter and Power Pack

- Delivers 1200 peak amp jump starting power which can easily start up to 6.0L gas engines
- Provides reliable jump-starts in temperatures down to -20°C
- Advanced four-cell lithium-ion battery ensures up to 35 jump starts on one charge, as well as a longer life than traditional AGM batteries
- The 2.4-amp USB port delivers 2x faster charging and the 3-amp USB port charges 4x faster
- The LED light is ideal for emergencies with three lighting modes

CBC DH0165 **\$222**95



## **JUMP STARTERS**

# Schumacher® 800 Peak Amp Water Resistant Lithium Ion Jump Starter/Power Pack

- Water Resistant –IPX3 enclosed output ports
- Jump starter designed to charge vehicles with up to 6 cylinders
- Lithium Polymer battery Provides longer life and more charge cycles
- Safe smart cable/clamps -Spark-free protection against overcurrent, short-circuit, overload, overvoltage and overcharge
- 2.4A + 1A USB ports Fast charging for all USB devices, including smartphones, mp3 players and tablets

CBC SL1473 \$154







# Schumacher® 1000 Peak Amp Lithium Ion Jump Starter/Portable Power

- Compatible with 4 to 6 cylinder cars, motorcycles, and powersports vehicles
- Lithium iron phosphate battery that boasts a longer battery life and spark-free protection against over current, short circuit, overload, overvoltage and overcharge
- 12V DC port adaptor, 2A USB port

CBC SL1316 \$27499





## Schumacher® 1200 Peak Amp Lithium Jump Starter & Power Pack

- Quickly jump starts vehicles as low as -50C
- Safe smart cable/clamps deliver spark-free protection against overcurrent, short circuit, overload, overvoltage, and overcharge
- 2.4A USB port charges USB devices, including smartphones, mp3 players, and tablets

CBC SL1582 **\$2829** 





#### Schumacher® 1200 Peak Amp Portable Power Station

- Works with 4 to 8 cylinder engines
- 400 Peak watt converter Two 120V AC outlets
- 150 PSI automatic digital air compressor with pressure gauge, nozzles and storage area
- 2A USB port
- Built-in ultra-bright LED light







# **BATTERY SERVICE**

#### Schumacher® ProSeries 800A **Ultracapacitor Batteryless Jump Starter**



- No battery inside
- 100% maintenance-free
- Microprocessor controlled
- Built-in voltmeter
- · Override Mode to start engine without any battery mounted
- · Glow Mode for cold start of diesel engine
- Short circuit and reverse polarity protection

CBC DSR109 \$45799



## **BATTERY CHARGERS/MAINTAINERS**

- Digital display provides step by step charging process, charging status and alerts
- Fully automatic with auto voltage detection, multi stage charging and float mode
- Compatible with 6V & 12V Standard, AGM, GEL & LiFEPO, (lithium) batteries

DieHard® Silver 10-Amp 6-Volt/12-Volt **Automotive Battery Charger and Maintainer** 

• Features a 10amp charge and 3amp maintain rate

CBC DH0161 \$10999

**DieHard** 

#### DieHard® Gold 15-Amp 6-Volt/12-Volt **Automotive Battery Charger** and Maintainer

• Features 15amp charge and 5amp maintain rate

CBC DH0162 \$11999 DieHard

#### DieHard® 3-Amp 6-Volt/12-Volt Automotive **Battery Charger and Maintainer**

- Features 3-amp 12-volt charge and 2-amp 6-volt charge rates
- The digital display takes you step-by-step through the charging process, shows charging status, and displays alerts
- It features fully automatic operation with multi-stage charging, auto-voltage detection, float mode monitoring
- · Compatible with 6-volt and 12-volt standard, AGM, and lithium (LiFEPO,) batteries
- Quick-connect clamps and ring adapters lets you connect the charger in seconds

CBC DH0160 \$79

DieHard



#### DieHard® 2-Amp 6-Volt/12-Volt Automotive Battery Charger and Maintainer, Fully Automatic

- Features a 2 amp 6V/12V charge/maintain rate
- Can be used with ATVs, cars, boats, farm equipment, motorcycles and more
- · Fully automatic with auto voltage detection and multi-stage charging
- Compatible with 6V & 12V Standard, AGM, GEL & LiFEPO, (lithium) batteries

**DieHard** 

## Schumacher® 15A 12V 3-Bank On-Board **Marine Sequential Battery Charger**

- Ideal for marine deep-cycle batteries
- IP65 waterproof construction
- Charges up to three batteries sequentially
- Microprocessor controlled automatically adjusts the amperage rate to charge and maintain batteries
- Multi-stage charging for added precision, safety and battery life
- Float mode monitoring automatically maintains optimum battery charge







## **BATTERY CHARGERS/MAINTAINERS**

#### Schumacher® 1.5A 6/12V Fully Automatic Battery Maintainer

- Works with standard and AGM batteries
- · Specifically designed for vehicles in storage and cold weather
- Includes double-sided adhesive and cable tie for mounting
- Approved for under-the-hood mounting
- Multi-stage charging and float mode monitoring

CBC SC1300





#### Schumacher® 6A 12V Automatic Battery Charger

- Charges Lithium ion (LiFePO4), Standard and AGM vehicle batteries
- Charges small batteries and keeps stored lead-acid batteries charged
- Microprocessor controlled multi-stage charging for added precision, safety and battery life
- · Float mode monitoring automatically maintains optimum battery charge

CBC SP1298 **\$103** 





## BATTERY CHARGERS/ENGINE STARTERS

#### DSR® DSR118 6/12V Battery Charger/Engine Starter

- 125A Engine Start powerful enough for SUV's, trucks and large engines
- Fully Automatic prevents overcharging by monitoring and switching to maintenance mode when fully charged
- Boost mode quickly brings deeply discharged battery back to life
- Service Mode maintains voltage at 13.6V to prevent discharge
- Reverse Hook-up Protection charger does not operate if clamps are reversed on the battery

CBC DSR118



#### DieHard® Gold 125-Amp 6-Volt/12-Volt **Battery Charger and Engine Starter**

- Delivers 125-amp jump start to 6V and 12V batteries
- 40-amp/15-amp boost mode quickly restores charge to depleted batteries
- Features a 6-amp (12V) and a 2-amp (6V) charge/maintain rate
- Built-in battery and alternator tester
- · Compatible with 6V & 12V standard, AGM and LiFEPO, (lithium) batteries
- Fully automatic with auto voltage detection, multi stage charging and float mode



CBC DH0163 **521999** DieHard.

#### Schumacher® 80A 12V Battery Charger/Engine Starter

- 80A engine start/20A Boost
- Charges standard, AGM, Gel, and deep-cycle batteries
- · Microprocessor-controlled, automatically adjusts amperage rate, to charge and maintain batteries
- Multi-stage charging for precision, safety and battery life

CBC SC1306 **\$199** 



# Schumacher® Digital 12V Battery Tester • Hand-held tester checks the battery, starting and

- charging systems with digital accuracy
- For 12V SLI, VRLA, AGM and Gel batteries
- Accepts rating types CCA, CA, EN, IEC, DIN and SAE
- Operating range: 100-1200 CCA (SAE)
- Testing voltage: 7-15V







#### A/C SERVICE

#### Lisle® Master Disconnect Set Lisle



- A complete set of (8) popular disconnect tools
- Can be stored in a handy blow-moulded case





#### Lisle® 6-Piece Disconnect Tool Set

- Set of six tools which disconnect the spring lock couplings on Ford and Chrysler A/C line
- · Also works on fuel line quick connect couplings found on GM, Ford, and Chrysler
- The 5/16" size fits on push lock connectors found on Ford radiators and transmission lines
- Set includes six sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"







#### **BRAKE SERVICE**

#### Lisle® Speedy Brake Pad Spreader Lisle®


- Squeeze the handle and the fast acting plunger compresses disc brake pistons in seconds
- · Makes brake pad replacement an easier job





#### Lisle® Disc Brake Pad Spreader Lisle






•Tool compresses disc brake piston for easy pad installation





#### Lisle® Brake Spring Pliers Lisle



Handle ends remove and install spring over anchor post





#### Lisle® Brake Piston Tool Lisle



- Rotates piston back into the caliper when replacing pads
- Fits most domestic and some import applications
- Use with 3/8" drive ratchet and extension





#### Lisle® Double Flaring Tool Kit Lisle



- Makes both single and double SAE flares
- · Includes everything to flare thin wall steel, aluminum or .040 wall soft copper tubing
- Includes 5 thread dies and adapters for forming double flares on the following tubing sizes: 3/16", 1/4", 5/16", 3/8" and 1/2"





- **OTC® Bubble (I.S.O.) Flaring Tool Kit** • Designed for crack-free bubble flares on soft steel tubing used in automotive brake systems
- Includes forged steel yoke, flaring bar, and all the adapters needed for ISO bubble flaring
- Includes four dies: 4.75, 6, 8 and 10mm adapters and moulded case







#### OTC® Double Flaring Tool Kit

- Designed for double or single flare in copper, aluminum soft steel brake line, and brass tubing (to 45 degrees)
- Includes five adapters 3/16" through 1/2" (4.8mm through 12.7mm)
- · Chrome swivel, made of alloy steel reduces friction
- Forged voke made of heat treated steel
- Includes moulded case

OTC 4503





## ENGINE AND DRIVETRAIN

#### **OTC® Valve Spring Compressor**

- Designed to compress valve springs on Ford 3V 4.6L & 5.4L
- Similar to OE p/n 303-1039

OTC 6684 **\$29999** 



- For all types of metal tubing
- Handles smallest tubing to 5/8" O.D.
- Completely non-corrosive

LST 50000



HellColl

#### Heli-Coil® SAE & Metric Spark Plug Thread Repair Kits

• Kits contain a tap, installation tool, a quantity of inserts and detailed instructions

- The inserts are precision formed coils of extremely hard stainless steel (18-8) diamond shaped wire
- When installed into a tapped hole, the insert provides permanent conventional screw threads

#### Metric Kits Size (Number of Inserts)

M5 x 0.8 (12) M6 x 1 (12)

HC 5546-5 **\$32.99** HC 5546-6 **\$32.99** 

M8 x 1.25 (12) M9 x 1.25 (12) HC 5546-8 **\$29.99** HC 5546-9 **\$42.99** 

M10 x 1.25 (12) M10 x 1.5 (12) HC 5546-10 **\$36.99** HC 5543-10 **\$49.99** 

M12 x 1.5 (12) M12 x 1.25 (6) HC 5544-12 **\$64.99** HC 5543-12 **\$58.99** 

M12 x 1.75 (6) M14 x 1.5 (6) HC 5544-14 **\$82.99** HC 5546-12 **\$48.99** 

SAE Kits Size (Number of Inserts)

1/4"-20 (12) 5/16"-18 (12) HC 5521-4 **\$21.99** HC 5521-5 **\$21.99** 

3/8"-16 (12) 7/16"-14(6) 1/2"-13 (6) HC 5521-6 HC 5521-7 HC 5521-8 **\$21.99** \$23.99 **S28.99** 

#### Heli-Coil M14 x 1.25 Sav-A-Thread Kit HeliColl

- Can be used to repair both taper seat and gasket type spark plug assemblies
- Three insert lengths available to accommodate all spark plug reaches
- Piloted reamer tap means no drilling is necessary and perfect alignment of the tapped hole







#### **ENGINE AND DRIVETRAIN**

#### Lisle® Stone Type Glaze Breaker

- Controlled pressure assures positive, adjustable contact through full range
- Operates with any electric drill
- Furnished with 3" long 220 grit stones
- Adjustable stop collar permits quick selection of two range settings, from 2" to 4" and from 4" to 7'
- · Stone arms are easily compressed to eliminate cylinder scratches







- Special 22mm socket with cut away slot to provide clearance for wire harness
- · Provides adequate depth to fit over sensor
- Use with 3/8" square drive or 1" wrench







- Removes broken spark plugs from 2004 and newer Triton 3 valve per cylinder engines
- · Blow-moulded storage case included

LST 65600





## Lisle® Broken Spark Plug Remover for Ford 3 Valve Lisle®



Branick® 7600 Strut Spring Compressor **Granick** 

· Multi-position upper spring hooks can be arranged for ultimate flexibility

· Handles the heaviest coil-over-shocks, on light trucks and SUV's,

- OTC 7249 359
- Includes a unique porcelain pusher tool and a tapered left-hand thread remover for
- removing the broken spark plug without leaving the porcelain in the engine cylinder

- POWERBUILT® 23 Piece Ball Joint & U-Joint Service Kit
- · Designed for safe, efficient removal, and installation of "Press Type" Ball Joints
- Adapter set allows ball joint and driveshaft service on multiple makes and models including 2 wheel drive, 4 wheel drive, SUV's, trucks, and many more

TLS 648617

**CHASSIS SERVICE** 

without needing additional adapters

to fit "factory" coil spring configurations

 Wall, bench or mobile cart mounting options Max Spring Compression Capacity: 3,000 lbs Minimum Spring Diameter: 3-1/2' Maximum Spring Diameter: 11-1/2"

· Removes and installs press-fit parts such as ball joints, universal joints, and truck brake anchor pins • Contains: 3 receiver tubes (2-3/4" I.D. x 3" O.D., 2-1/4" I.D. x 2-1/2" O.D., and 1-3/4" I.D. x 2" O.D.)

Longer handles for extra torque

Heavy duty acme thread

BRN 7600 **\$129999** 

**OTC® Ball Joint Service Kit** 





#### **CHASSIS SERVICE**

#### Lisle® Strut Tool

- Safe, inexpensive strut spring compressor
- Fits all strut spring sizes, import and domestic
- Heavy-duty clamps bolt securely and hold spring during operation





## Lisle® Inner Tie Rod Tool Lisle®

- The rounded socket ends prevent access to the wrench flats
- This tool utilizes six crows feet, to engage the wrench flats
- Long socket slips over tie rod end and connects to the crows foot
- The inner tie rod can be removed and installed without removing the rack



LST 45750 **\$1** 

#### Lisle® Pickle Fork Kit Asle



- Kit consists of 1-1/8", 15/16" and 11/16" forks and two handles; one for hammering, the other for use with an air hammer (.401" shank)
- · All forks are threaded to interchange with either handle















## OIL/LUBE SERVICE

#### Hopkins® 16-Quart Super Duty **Drain Container**

Stores upright or flat without leaking



#### **Hopkins® Transmission Funnel**

· Made of tough, high-density polyethylene

CPM 06064MI



#### Plews® Galvanized Steel Filler Funnel

- Includes screen and 12" flexible extension with tapered tip
- 1 quart capacity, 5-3/4" funnel diameter, 17-1/2" overall length

CPM 75-007



#### Lisle® Spill-Free Funnel, 18 pc.

- Includes new Ford cap along with GM/VW Cap.
- Clear funnel allows a quick visual check of the coolant from across the shop.
- Comes with a lid to keep contaminants out as well as store the caps and adapters.
- Eliminates trapped air pockets which usually cause erratic cooling system and heater performance.
- It controls the proper amount of coolant entering system and enables unattended filling of the cooling system.
- The funnel eliminates squeaky belts caused by coolant overflow and protects the environment.








## OIL/LUBE SERVICE

Lisle® 8 Qt. Dispenser with Lid and Cap



- Marked in quarts and litres



#### Lisle® Transmission Drain Funnel Lisle

- · Heavy-duty plastic lift drain funnels extend the catch area of any lift drain
- Flexible, if run over it will return to its original shape

LST 17892 \$35<sup>99</sup>



#### Oil Filter Wrenches Liste

- Features the swivel handle, gripper "teeth" and 1" wide stainless steel band
- Swivel handle makes it easy to remove filters in hard to reach locations
- Vinyl covered handle

Standard 3-1/2" - 3-7/8" LST 53500

Large 4-1/8" - 4-1/2" LST 53250

No Slip Oil Filter Wrenches

Extra Small 2-7/8" - 3-1/4" LST 57020



#### Lisle® Oil/Fuel Filter Wrenches Lisle

- "Swivel Grip" handle makes it easy to turn in tight spots
- Tough, stainless steel bands with special "teeth" for extra gripping power won't slip when removing filters
- Handles made of tubular steel for increased strength

Standard 2-7/8" - 3-1/4"

LST 53700 **\$16** 

Small 2-3/8" - 2-5/8"

#### Lisle® Strap Wrench Lisle

- · Loosen or tighten cylindrical or rectangular objects
- Range from 1" to 6-5/8" round
- Tensile strength of strap is 1350 PSI

LST 28500



#### Lisle® Big Range Filter Wrench Lisle®

- Range: Up to 6"
- Use with 1/2" drive or 3/4" socket wrench

LST 63500

#### Lisle® Import Car Filter Wrench Lisle®

- Range: 2-1/2" to 3-1/8"
- · Fits most import car filters and many domestic filters
- Use with 3/8" drive socket to remove filters



## OIL/LUBE SERVICE

#### 



Туре	Line Code	Part Number	Price
65mm - 14 flutes	LST	61600	\$5.99
74/76mm - 15 flutes	LST	61560	\$11.99
65/67mm - 14 flutes	LST	61540	\$11.99
80mm - 15 flutes	LST	61550	\$11.99
76mm - 30 flutes	LST	61650	\$11.99



#### 

- Fits most truck and tractor oil filters including: Case, Caterpillar, Cummins, Detroit Diesel, John Deere, Mack and other applications
- Range: 3-5/8" to 6"

LST 50950 \$67.99



#### **Lisle® Oil Filter Pliers**

- Two-position, slip-joint handle produces the range of three separate conventional filter wrenches
- laws are bent at a 20° angle to fit more applications
- Sure grip teeth prevent slipping when removing filter
- Range: 2-1/4" to 4"

LST 50750 **\$4.799** 



#### Lisle® Transmission Oil Cooler Line Scissors 3/8" x 1/2"

- Two sizes to work on Ford and Cadillacs
- 3/8" size for use on 2003 2010 Ford V8 Explorer, 2004 and later Ford F150 and Cadillac CTS
- 1/2" size for use on Ford Super Duty Trucks F250, F350 and F450



# PULLERS/SLIDE HAMMERS

OTC® 9-Way Slide Hammer Puller Set Pulls flange-type rear axles and most

front-wheel drive hubs

 Internal and external jaws provide a variety of combinations to pull bearings, gears and seals



#### Lisle® No Slip Pulley Puller

- Removes and installs pressed on power steering, alternator and air pump pulleys
- Fits most domestic models including GM 3.1 and Quad 4 engines
- Works on traditional V shaped pulleys and serpentine belt system pulleys



#### Lisle® Harmonic Balancer Puller Lisle

- · Designed to ease the operation of pulling the balancer pulley It reduces damage to both the pulley
- and the shaft







LST 63600 \$

#### PULLERS/SLIDE HAMMERS

#### Lisle® Pitman Arm Puller Lisle

- Designed to work on even the most stubborn Pitman arm pulling jobs
- · Puller body is drop-forged and heat-treated for strength





#### Lisle® Battery Terminal & Wiper Arm Puller Lisle®

- Dual-purpose puller
- · Easily removes stuck battery terminals
- Also removes bolted on windshield wiper arms that fit over a tapered spline





#### Carquest® Gear Pullers

• 8-N-1 Puller 16 Pieces Makes 8-Different Pullers 2 or 3 Jaw Configurations, 2-Ton

Max Spread: 7" Max Reach: 5-1/2" CPE 31541







#### DIAGNOSTIC TOOLS

#### **OTC® Cylinder Leakage Kit**

- · Diagnose internal engine problems such as bad rings, valves and leaking head gaskets
- Dual 2-1/2" gauges and rugged protective outer boot
- Scales read 0-100 psi and 0-700 kPa
- Pressure regulated manifold with quick couplers
- · Long flex 24" 14 mm hose
- 10 mm, 12 mm and 18 mm thread adapters

OTC 5609



#### **Lisle® Compression Tester**

- Gauge registers 0-300 PSI and 0-2100 kpa
- Fits 14mm and 18mm thread sizes







## Lisle® Computer Safe Circuit Tester Lisle®

- Draws less than 21 mA at 12V DC
- Operating range 3-28V
- The red light indicates positive polarity, green indicates negative polarity





#### Lisle® Heavy Duty Circuit Tester Lisle

- Quickly test low voltage up to 12V
- Probe, handle, cord and clamp are reinforced for extra durability
- 49" cord with strain relief spring





- Lisle® Low Circuit Tester Lisle® • Quickly check both AC and DC current up to 12 volts with power on
- Helps locate shorts or breaks in wiring
- · Complete with insulated grounding clip





#### Lisle® Battery Carrier

- Spring-action handle turns lifting power into battery gripping pressure
- Form-fitting handle provides a solid gripping surface for your hand
- Opens up to 10"
- Saw-tooth jaw tips provide a no-slip battery gripping power and grips the battery just below the top lip for good balance

LST 57850 \$2699 Liste

## Lisle® Ratcheting Lock Nut Tool Asee



- Press tool into lock nut and rotate to release the ratchet inside the lock nut
- Use 1/2" Square Drive Torque wrench when installing

LST 28000



#### SPECIALTY HAND TOOLS

#### Lisle® 1/4" Pry Bar with Strike Cap

- Pocket Sized Pry Bar with Many Vehicle Applications and Features a Strike Cap.
- For use when removing seals, electrical connectors, O-rings, plastic clips, plastic caps, interior trim pieces, metal, and plastic retainers.
- The strike cap in the top of the handle can be tapped with a hammer.
- The 1/4" square shaft pry bar has a pocket clip and measures 5" in length.

LST 35100





#### Lisle® Pocket Pry Bars, 2 PC. Lisle®

- Pocket Sized Pry Bars with Many Vehicle Applications.
- For use when removing seals, electrical connectors, plastic clips, o-rings, plastic caps, interior trim pieces, metal and plastic retainers.
- The 1/8" and 3/16" square shaft pry bars each have a pocket clip and are 4.5" long.
- The 1/8" pry bar has a magnet in the top of the handle that will lift 1lb.

LST 35170 \$



Removes clamp grooves and rounds out pipes

• 1-5/8" to 2-7/16" (41.3mm - 61.9mm)

LST 32500 **\$7** 



#### Lisle® Magnetic Telescopic Pick-Up Tool Lisle

- · Magnet shielded to concentrate magnetic field at end of tool
- Super strong neodymium magnet
- Extends from 14-1/2" to 23-1/4"

LST 31000 **52499** 



#### Lisle® Magnetic Telescoping Pick-up Tool Lisle® • Has a super strong neodymium magnet

- Telescopes from 4 1/2" 16 1/4"

LST 66500 \$899







#### SPECIALTY HAND TOOLS

#### Lisle® Radiator Genie Water/Air Cleaning Wand

- Patented fan head design increases cleaning efficiency
- Adjustable pressure for tailored cleaning
- · Air and water wands included for maximum cleaning
- Reaches and cleans parts that other tools can't
- Overall length of 22-3/4" for extended reach





- Comes with five stainless steel blades and a plastic blade
- · Spring-release allows easy interchange of blades

LST 52000 \$**1699** 



#### Lisle® Door Upholstery Remover Lisle

For Plastic Fasteners





• 31 blades • One brass blade

LST 68100



#### **Grote® Heavy Duty Wire Stripper, Cutter & Crimping Tool**

- Adjustable stopper for a clean strip every time
- Self-adjusting wire stripper for 26-10 Gauge wire
- Built-in cutter, cushion grip for comfort Crimps insulated and non-insulated terminals 22-10 gauge
  - Makes a clean cut and crimp without damaging the conductor
  - High quality tool
  - · Ergonomic design

LTG 83-6512 \$2699 Grote





# SNAP RING PLIERS

#### OTC® Snap Ring Pliers Set Internal & External

· For internal or external snap rings; thumbscrew permits quick conversion

- · Made of heavy-gauge tempered steel
- · Also includes two stainless steel picks with handles

OTC 4512



#### Lisle® Heavy-Duty Snap Ring Pliers Lisle

- Reversible action for internal and external applications
- Conical tip ends prevent the snap ring from slipping off the tips

LST 49200 \$4 \(\Omega 99\)



#### **Lisle® Convertible Internal & External Snap Ring Pliers**

- Compresses internal rings in one position
- Move the quick change reversing lever to expand external rings
- Comes with four sets of tips in a plastic box





#### **Lisle® CV Boot Clamp Pliers**

- For all ear-type clamps including GM FWD outboard CV joints
- Designed for use with a torque wrench, as required for stainless steel bands

LST 30800 \$4899 Asle



#### Lisle® Electrical Disconnect Pliers

- Easily Removes Locking Push Tab Style Electrical Connectors Found on Mass Air Flow Sensors, Fuel Injectors, Ignition Coils and Other Applications.
- Use the hook on the end of the pliers to pull out tab to unlock and then use the point to engage the tab.
- Squeeze the tabs together and lift to separate the connector from sensor without damage.
- Allows the technician to use the tool with one hand, and to work on sensors in tight spots.
- The tool is 8" long and has dual durometer grips for comfort.

LST 37960 \$3099 Lisee





## **POWERBUILT®PLIERS**

**Powerbuilt® Locking Pliers** 

• With ergonomic cushioned grips

10" TLS 646540 **\$1499** 

7" TLS 646539

**POWERBUILT** 



**Long Nose** 

6" TLS 645015

Diagonal 6" TLS 640386 Diagonal 7" TLS 640387

**Groove Joint** 10" TLS 640389

**Long Nose** 8" TLS 640393

**Long Reach Long Nose** 11" TLS 640860

90-Degree Long Nose

11" TLS 640862



## **IRWIN® Diagonal Cutting Pliers**

7" PET 2078307





## LOCKING PLIERS

IRWIN® Vise Grips®

5" PET 902L3

7" PET 702L3

10" PET 0502L3



IRWIN® Vise Grips®

10" PET 0102L3 7" PFT 030213





#### IRWIN® Vise Grips® Long Nose

9" PET 1502L3

6" PET 1402L3









TLS 644999

3/8" Drive Click Torque Wrench 10-80 ft.-lbs. TLS 644998





**OWERBUILT** 

#### WRENCHES

#### POWERBUILT® Metric & SAE Combination Wrenches

• Crafted from premium chrome vanadium steel

• 15° offset and chamfered openings for easy mating to fasteners

Z-Drive box end contacts the flat walls of fasteners

Туре	Line Code	Part Number	Price
7MM	TLS	644111	\$2.99
8MM	TLS	644112	\$3.49
9MM	TLS	644113	\$3.49
10MM	TLS	644114	\$3.99
11MM	TLS	644115	\$3.99
12MM	TLS	644116	\$3.99
13MM	TLS	644117	\$4.99
14MM	TLS	644118	\$4.99
15MM	TLS	644119	\$5.99
16MM	TLS	644120	\$5.99
17MM	TLS	644121	\$6.99
18MM	TLS	644122	\$6.99
19MM	TLS	644123	\$6.99
21MM	TLS	644125	\$8.99
22MM	TLS	644126	\$9.99
24MM	TLS	644128	\$11.99
30MM	TLS	644134	\$20.99
1/4"	TLS	644140	\$2.99
5/16"	TLS	644141	\$3.49
3/8"	TLS	644142	\$3.99
7/16"	TLS	644143	\$3.99
1/2"	TLS	644144	\$4.99
9/16"	TLS	644145	\$4.99
5/8"	TLS	644146	\$5.99
3/4"	TLS	644147	\$6.99
13/16"	TLS	644148	\$8.99
7/8"	TLS	644149	\$9.99
15/16"	TLS	644150	\$11.99
1"	TLS	644152	\$13.99
1-1/16"	TLS	644153	\$15.99
1-1/8"	TLS	644154	\$18.99
1-1/4"	TLS	644155	\$22.99

More sizes available at select stores



## **ADJUSTABLE WRENCHES**

Powerbuilt® Adjustable Wrenches PowerBuilt®

· Extra thick 1" I-beam design

6" TLS 644040

8" TLS 644041

10" TLS 644042

12" TLS 644043



## RATCHETING COMBO WRENCH SETS

7-Piece Set

Crafted from high quality Chrome Vanadium Steel

Meets or exceeds ANSI standards

Metric Set

• 8MM to 19MM

TLS 642762 **\$9099** 

**SAE Set** 

• 5/16 to 3/4'

TLS 640990 \$**6999** 



## Milwaukee® 15pc Combination Wrench Set

• Max bite open-end grip - 25% more torque



**SAE Set** MLK 48-22-9415

**Metric Set** MLK 48-22-9515


#### Milwaukee® 4-Piece Pry Bar Set

- Includes 8", 12", 18" and 24" pry bars
- I-Beam design and all metal core for prying strength
- Comfortable tri-lobe handles with hammer-ready strike cap

MLK 48-22-9214







## **RECIPROCATING SAW BLADES**

**CFNTURY® Reciprocating Saw Blades** 

CENTORT Reciprocating	5 July Die	uucs		- ma Chun-	2
Туре	Size	Line Code	Part Number	Price	
Contractor Bi-Metal Blades	18TX6	CPE	07618	\$4.99	6
Contractor Bi-Metal Blades	24TX6	CPE	07624	\$4.99 \$4.99	1

#### **IRWIN® Metal Cutting Reciprocating Bi-Metal Blades**



PET 372618B



<sup>\*</sup> Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# POWERBUILT® RATCHETS POWERBUILT 1/2" Drive Flex Handle 18" TLS 640853 24" TLS 640854 1/2" Drive 36-Tooth Quick Release Gear-to-Gear Ratchet TLS 642509 **\$2899** 1/2" Drive 72-Tooth Sealed Head Gear-to-Gear Ratchet TLS 649932 **\$2399** 1/2" Drive 45-Tooth Spin Disc Ratchet TLS 642505 **\$1899** 1/4" Drive 36-Tooth Quick Release Gear-to-Gear Ratchet 3/8" Drive 36-Tooth Quick Release Gear-to-Gear Ratchet 3/8" Drive 72-Tooth Sealed Head Ratchet TLS 649931 **\$1899** 3/8" Drive Spin Disc Ratchet TLS 641505 **\$1299** 3/8" Drive 72-Tooth Sealed Head Flex Ratchet TLS 649934 **\$2999** 1/4" Drive XT90 90-Tooth Professional Ratchet TLS 649937 **\$2199** 3/8" Drive 90-Tooth Pro Tech (XT90) Professional Ratchet TLS 649938 **\$2199**



#### Powerbuilt® Deep Sockets

Line Part

Туре	Code	Number	Price
3/8" Deep - 3/8"	TLS	641200	\$2.49
3/8" Deep - 7/16"	TLS	641201	\$2.49
3/8" Deep - 1/2"	TLS	641202	\$2.49
3/8" Deep - 9/16"	TLS	641203	\$2.49
3/8" Deep - 5/8"	TLS	641204	\$2.49
3/8" Deep - 3/4"	TLS	641206	\$3.49
3/8" Deep - 13/16"	TLS	641207	\$3.49
3/8" Deep - 7/8"	TLS	641208	\$3.49
3/8" Deep - 9MM	TLS	641209	\$2.49
3/8" Deep - 10MM	TLS	641210	\$2.49
3/8" Deep - 11MM	TLS	641211	\$2.49
3/8" Deep - 12MM	TLS	641212	\$2.49
3/8" Deep - 13MM	TLS	641213	\$2.49
3/8" Deep - 14MM	TLS	641214	\$2.49
3/8" Deep - 15MM	TLS	641215	\$2.69
3/8" Deep - 16MM	TLS	641216	\$2.69
3/8" Deep - 18MM	TLS	641218	\$2.69
3/8" Deep - 19MM	TLS	641219	\$2.69
3/8" Deep - 7MM	TLS	641225	\$2.69
1/2" Deep - 9/16"	TLS	642200	\$4.49
1/2" Deep - 5/8"	TLS	642201	\$4.99
1/2" Deep - 11/16"	TLS	642202	\$4.99
1/2" Deep - 3/4"	TLS	642203	\$5.99
1/2" Deep - 13/16"	TLS	642204	\$5.99
1/2" Deep - 7/8"	TLS	642205	\$6.69
1/2" Deep - 15/16"	TLS	642206	\$7.49
1/2" Deep - 1"	TLS	642207	\$8.49
1/2" Deep - 14MM	TLS	642208	\$3.99
1/2" Deep - 15MM	TLS	642209	\$3.49
1/2" Deep - 16MM	TLS	642210	\$3.49
1/2" Deep - 17MM	TLS	642211	\$3.99
1/2" Deep - 18MM	TLS	642212	\$3.99
1/2" Deep - 19MM	TLS	642213	\$4.29
1/2" Deep - 20MM	TLS	642214	\$5.49
1/2" Deep - 1-1/8"	TLS	642215	\$8.49
1/2" Deep - 1-1/4"	TLS	642216	\$9.99
1/2" Deep - 10MM	TLS	642217	\$4.99
1/2" Deep - 11MM	TLS	642218	\$4.99
1/2" Deep - 12MM	TLS	642219	\$4.99
1/2" Deep - 13MM	TLS	642220	\$4.99
1/2" Deep - 21MM	TLS	640836	\$4.99
1/2" Deep - 22MM	TLS	640837	\$4.99
1/2" Deep - 23MM	TLS	640838	\$4.99
1/2" Deep - 24MM	TLS	640840	\$5.99










#### Powerbuilt® 1/2" Drive Sockets

TLS

Туре	Line Code	Part Number	Price
1/2" Axle Nut - 30MM	TLS	648469	\$10.99
1/2" Axle Nut - 32MM	TLS	648470	\$11.99
1/2" Axle Nut - 34MM	TLS	648471	\$12.99
1/2" Axle Nut - 36MM	TLS	648472	\$12.99

640841


**P**OWERBUILT







\$6.99



1/2" Deep - 27MM

	Ś	•
LST 39510	•	4



1/2" Drive XT90 90-Tooth Professional Ratchet

Powerbuilt® 9-Piece Ball End Long Arm Hex Key Sets

Includes 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16"

Includes 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm,

EACH POWERBUILT

**HEX KEY SETS** 

& 3/8" hex keys TLS 640081

& 10mm hex keys. TLS 640082

YOUR CHOICE

Powerbuilt® 1/2" Drive Deep Impact Sockets  PowerBu	
Line Part Type Code Number Price	
1/2" DR - 9/16" Deep Impact TLS 647171 <b>\$6.99</b>	
1/2" DR - 5/8" Deep Impact TLS 647172 <b>\$6.99</b>	
1/2" DR - 3/4" Deep Impact TLS 647174 <b>\$7.99</b>	
1/2" DR - 13/16" Deep Impact TLS 647175 <b>\$7.99</b>	

Туре	Code	Number	Price
1/2" DR - 9/16" Deep Impact	TLS	647171	\$6.99
1/2" DR - 5/8" Deep Impact	TLS	647172	\$6.99
1/2" DR - 3/4" Deep Impact	TLS	647174	\$7.99
1/2" DR - 13/16" Deep Impact	TLS	647175	\$7.99
1/2" DR - 7/8" Deep Impact	TLS	647176	\$8.99
1/2" DR - 15/16" Deep Impact	TLS	647177	\$9.99
1/2" DR - 1" Deep Impact	TLS	647178	\$9.99
1/2" DR - 1-1/8" Deep Impact	TLS	647179	\$11.99
1/2" DR - 1-1/4" Deep Impact	TLS	647180	\$13.99
1/2" DR - 12MM Deep Impact	TLS	647181	\$6.99
1/2" DR - 14MM Deep Impact	TLS	647183	\$6.99
1/2" DR - 15MM Deep Impact	TLS	647184	\$6.99
1/2" DR - 17MM Deep Impact	TLS	647186	\$6.99
1/2" DR - 18MM Deep Impact	TLS	647187	\$7.99
1/2" DR - 19MM Deep Impact	TLS	647188	\$7.99
1/2" DR - 20MM Deep Impact	TLS	647192	\$7.99
1/2" DR - 21MM Deep Impact	TLS	647189	\$7.99
1/2" DR - 22MM Deep Impact	TLS	647190	\$8.99
1/2" DR - 24MM Deep Impact	TLS	647191	\$9.99
1/2" DR - 26MM Deep Impact	TLS	647193	\$9.99



11-Piece 6 point Set Metric Set

**SAE Set** 

IMPACT SOCKET SETS

 Includes 10mm -14mm, 16mm, 17mm, 19mm, 21mm - 24mm, deep well impact sockets

Powerbuilt® 1/2" Drive Deep Well Impact Socket Sets

TLS 647049

**\$7**099

Milwaukee® SHOCKWAVE Impact Duty™ 3/4" Drive SAE Deep Socket Set 8-Piece 6 pt.

Includes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"





OWERBUILT

Milwaukee® SHOCKWAVE Impact Duty™ 3/4" Drive Metric Deep Socket Set 8-Piece 6 pt.

Includes: 26mm, 27mm, 29mm, 30mm, 32mm, 35mm, 36mm, 38mm

MLK 49-66-7020





#### SOCKET SETS

Powerbuilt® 3/8" Drive Metric Deep Socket Set 12-Piece 6 pt. Set

 Contents 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm





Powerbuilt® 8-Piece 1/2" SAE & Metric Deep Socket Sets

SAE 1/2" - 15/16" Metric 12mm - 23mm

TLS 640055

TLS 640056


YOUR CHOICE





## Lisle® Tap Socket Set Lisle

- Fits all number and fractional M.C.T.I. standard taps thru 1/2"
- Also fits 1/8" NPT taps and metric taps thru 12mm







#### **POWERBUILT** IMPACT SOCKET SETS

Powerbuilt® 1/2" Drive Impact Socket Sets 18-Piece 6 point Set

• Includes 10 - 19mm, 21mm - 24mm, 27mm, 30mm, 32mm impact sockets, 5" impact extension, storage case

TLS 940838

#### **SAE Set**

• Includes 5/16" - 1-5/16" impact sockets, 5" impact extension, storage case

TIS 940837

**YOUR CHOICE** 

**EACH** 



#### Powerbuilt® Impact Adapter 1" (F) x 3/4" (M)

SOCKET ADAPTERS

**POWERBUILT** 3/4" (F) x 1/2" (M)

Powerbuilt® 1/2" Drive Impact Universal Joint

**P**OWERBUILT

Powerbuilt® Socket Adapter Set

4-Piece Set



Powerbuilt® 3/8 Drive Universal Joint

TLS 641507 **\$5.99** 



## TORX®/HEX BIT & SOCKET SETS

Powerbuilt® 13 Piece Star Bit Socket Set

• Includes 1/4"; T-10 to T-30, 3/8"; T-40 to T-55 & 1/2"; T-60 & T-70 bit sockets



Powerbuilt® 10 Piece E-TORX Socket Set

• Contains 1/4" Drive E-4 thru E-8 and 3/8" Drive E-10, E-12, E-14, E-16, E-18





#### Powerbuilt® 7 Piece 3/8" Drive Metric Hex Bit Socket Set

 Includes 3mm-8mm and 10mm chrome vanadium bit sockets in reusable plastic holder







## TORX®/HEX BIT & SOCKET SETS


# Lisle® 12-Piece TORX® Bit Set Lisle



- Includes the T-10 through T-50; and T-47, T-55 and T-60 bits
- T-10 through T-30 are 1/4" drive, T-40 through T-55 are 3/8" drive, T-60 is 1/2" drive
- · Convenient vinyl holder included







- Seven sizes E-6 thru E-16
- The three smaller sizes are 1/4" drive; the four larger sizes are 3/8" drive
- Made of heat-treated alloy steel
- Sockets are kept in a convenient vinyl holder





#### Lisle® 7-Piece Tamper Resistant TORX® Bit Set

- Bit sizes T-10 through T-40
- Fits tamper-resistant TORX® fasteners



LST 26000

#### **Lisle® Master Triple Square Bit Set**

- For head bolts, brake caliper bolts, door handle screws, axle bolts and other applications
- 5/16" Hex Drive sizes 4mm, 5mm
- 1/2" Hex Drive sizes 6mm, 8mm, 10mm, 12mm
- 5/8" Hex Drive sizes 14mm, 16mm
- 3/4" Hex Drive size 18mm







## **EXTRACTOR SETS**

**CENTURY® Spiral Flute Extractor Set** 

6-Piece Set #1-#5







#### Powerbuilt® 6 Piece Screw Extractor Set 6 Piece Set

- Removes broken studs, screws, bolts, etc
- Left-hand spiral blade design grips screw when turned into hole drilled to specified size





# OWERBUILT

#### POWERBUILT® 1/2" Drive Impact

- With a single strike of a hammer, this impact driver loosens frozen or rusted screws
- Includes: A 1/2" drive impact wrench; 5/16" bit socket; 2 slotted steel bits 3/8" and 5/16"; 2 Phillips head steel bits #2 and #3









#### Milwaukee® Ratchet and Socket Sets

- FOUR-FLAT™ socket sides for wrench-ready design that deter rolling
- 90-Tooth ratchet offers 4° arc swing
- Slim profile ratchet head with flush direction lever
- Steel storage case with removable inner tray

#### 50-Piece; 1/4" Drive; SAE & Metric

- Includes (1) 90-Tooth ratchet, (1) 3" extension, (1) 6" extension and (1) universal socket
- SAE sockets: (11) standard from 5/32" 9/16"; (11) deep from 5/32" - 9/16"
- Metric sockets: (12) standard from 5mm -15mm; (12) deep from 5mm - 15mm

MLK 48-22-9004



#### 56-Piece; 3/8" Drive; SAE & Metric

- Includes (1) 90-Tooth ratchet, (1) 3" extension, (1) 6" extension and (1) universal hose adapter
- SAE sockets: (12) standard from 1/4" 1"; (10) deep from 1/4" - 7/8"
- · Metric sockets: (14) standard from 6mm 19mm; (14) deep from 6mm - 19mm

MLK 48-22-9008







#### 47-Piece; 1/2" Drive; SAE & Metric

- (1) 90-Tooth ratchet, (1) 3" extension and 1) 5" extension
- SAE sockets: (11) standard from 1/2" 1-1/8"; (8) deep from 1/2" - 15/16"
- Metric sockets: (15) standard from 10mm 24mm; (10) deep from 10mm - 19mm







## POWERBUILT®TOOL SETS




#### Powerbuilt® 152 Piece Master Mechanic's Service Tool Set

- 1/4". 3/8" & 1/2" Drive 72 Tooth Ouick Release Sealed Head Ratchets
- 19 Pc. SAE sockets: 3/16" 13/16"
- 9 Pc. deep well SAE sockets: 7/32" 11/16"
- 19 Pc. metric Sockets: 4 thru 19mm
- 8 Pc. deep well metric sockets: 7 thru 15mm
- 1/4" Drive 3" Extension Bar
- 1/4" Drive Spinner Handle
- 1/4" Drive Bit Coupler
- 3/8" Drive Spark Plug Sockets: 5/8", 13/16"
- 3/8" Drive Hex Bit Sockets: 1/4", 5/16", 3/8", 8mm, 10mm
- 3/8" Drive Torx Bit Sockets: T-40, T-45, T-50, T-55
- 3/8" Drive Extension Bars: 3", 6"
- 3/8" F Drive x 1/4" M Drive Adapter
- 3/8" Drive Universal Joint

- 1/2" Drive 5" Extension Bar
- 1/2" F Drive x 3/8" M Drive Adapter
- 6 Pc. SAE long handle combination wrenches: 5/16" - 5/8"
- 6 Pc. metric long handle combination wrenches: 8 thru 15mm
- 11 pc. SAE hex key wrenches: 0.05"- 1/4"
- 11 Pc. metric hex key wrenches: 1.27 thru 6mm
- Screwdriver bits: Torx: T-10, T-15, T-20, T-25, T-27, T-30, T-40; Phillips: #0 (2 ea.), #1 (2 ea.), #2 (2 ea.), #3 (2 ea.); Flat: 1/8", 5/32", 3/16" (2 ea.), 1/4" (2 ea.), 5/16"; Hex: 3/32", 1/8", 5/32", 3/16", 1/4", 3mm, 4mm, 5mm, 6mm, 7mm; Square: S-1, S-2, S-3
- Durable Storage Case





# POWERBUILT® TOOL SETS POWERBUILT®

Powerbuilt® 80 Piece Auto Mechanic's Service Tool Set

- 15 Pc. SAE sockets: 5/32" 3/4"
- 10 Pc. deep well SAE sockets: 7/32" 3/4"
- 18 Pc. metric sockets: 4 thru 19mm
- 13 Pc. deep well metric sockets: 4 thru 19mm
- 72 Tooth quick release sealed head ratchets
- 3" Extension bars
- Spinner handle & bit coupler
- 18 Pc. specialty tools including: star, hex, Phillips, & slotted bits
- Durable Storage Case


TLS 642452



11/16", 3/4", 13/16" • 6 Pt. deep well SAE sockets: 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

- 12 Pt. metric sockets: 6 thru 19mm
- 6 Pt. deep well metric sockets: 6 thru 19mm
- 72 Tooth quick release sealed head ratchet
- 3" Extension bar
- · Durable storage case

TLS 642451 **\$769**5



- 6 Pt. SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 6 Pt. Deep Well SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 6 Pt. Metric Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12mm
- 6 Pt. Deep Well Metric Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12mm
- 72 Tooth Quick Release Sealed Head Ratchet
- 2" Extension Bar
- Durable Storage Case

TLS 642450 **\$4199** 

#### Powerbuilt® 33-Piece Socket Set

1/4" & 3/8" Drive SAE/Metric Socket Set

• Includes 1/4" Drive SAE; 5/32" - 1/2" and Metric; 6mm -8mm 6 pt. sockets & 3/8" Drive SAE; 3/8" - 5/8", and Metric; 9mm - 18mm 12 pt. sockets.3/8" Drive Spin Ratchet. 3" extension, 3/8"(F) x 1/4"(M) adapter, 5/8" spark plug socket

TLS 640071 **\$3999** 



## **MS GREGSON PRESSURE WASHER SPRAY GUNS**

#### **Industrial Spray Guns**

Cold water 36" wand, 4000 PSI MSG MS-GUN36QC2

Cold water 36" wand, 2750 PSI MSG MS-GUN36QC1

## **MS Gregson 4 Nozzles Kit**

• Includes: 15°, 25°, 40° and soaping 3.5 Orifice

MSG MS-QMEGKIT035



#### PRESSURE WASHERS

#### MS Gregson Electric Powered, **Cold Water**

1200 PSI @ 2.0 GPM

- 36" spray gun/wand
- 25' industrial hose
- Redesigned chassis with exceptional maneuverability, 12" flat free tires on dual ball bearings

MSG JET1220E

**Light Commercial Electric Power**, **Cold Water Pressure Washer** 

1300 PSI @ 1.85 GPM MSG KL1400XT



Specialty & hand tools / Shop equipment

#### SHOP PRESSES

#### STRONGARM® Shop Press **Super Heavy Duty**

• For metal bending, straightening, flattening and compression

- Aids in installing or removing gears, bushings and bearings
- Welded frame for added strength
- Includes: Protective guard, combination V block and pressing adapter set
- Press head moves from side to side for added pressing flexibility
- · Liquid filled gauge accurately shows operator pressing force applied

30 Ton

**JET 032182** 

20 ton and 30 ton capacity units available

#### 20 Ton JET 032181

store for pricing

\* Contact your local and availability **FINANCE IT** 

and availability **FINANCE IT** 

\* Contact your local

store for pricing

## **BENCH VISES**

## JET® Tools Heavy Duty Bench Vises

- Exclusive integrated anvil provides extra work area for added versatility
- Heavy duty 30,000 PSI ductile iron casting provides excellent strength and high clamping pressures
- CNC machined mating surfaces provide smooth, reliable action
- Replaceable machinist iaws provide safe, secure grip on a variety of materials
- · Safety stop prevents jaw from separating from body
- Unbreakable SG Iron vise nut is easily replaced when worn
- · Limited Lifetime Warranty

5" Swivel Base Vise - HD IET 320152

8" Heavy Duty British Pattern Bench Vise IET 320335

4" IRPV Series JET 320332

5" IRPV Series JET 320333

6" Bench Vise - HD



# **POWER TOOLS**

#### 1" POWER IMPACTS

#### Milwaukee® M18 FUEL™ 1" D-Handle Ext. Anvil 111 Milwaukee High Torque Impact Wrench w/ ONE-KEY™ Kit



- Delivers up to 2000 ft-lbs of nut busting torque
- AUTO SHUT OFF™ enabled through ONE-KEY™ prevents over-torquing
- Unmatched Performance with the runtime to service up to 120 lug nuts on a single HIGH OUTPUT™ HD12.0Ah battery



## Milwaukee® M18 FUEL™ 1" D-Handle High Torque Impact Wrench w/ ONE-KEY™ Kit



• POWERSTATE™ Brushless Motor delivers up to 2,000 ft-lbs. Nut-Busting Torque, Making it the World's Most Powerful Cordless Impact Wrench

4-Mode DRIVE CONTROL™ provides greater control over output speed and power

• Unmatched Performance with the runtime to install Up To 200 1-1/4" Bolts on a single HIGH OUTPUT™ HD12.0Ah battery



#### MLK 2868-22HD

\* Contact your local store for pricing and availability

#### FINANCE IT

#### Milwaukee® M18 FUEL™ ONE-KEY™ 1" High Torque Impact Wrench Kit

 Includes M18 FUEL™ ONE-KEY™ High Torque 1" Impact Wrench, (2) M18™ HIGH OUTPUT™ XC8.0 batteries, a M18™ & M12™ Rapid Charger, a Tool Free Adjustable Handle, Lanyard Loop, and Contractor Bag

• Delivers up to 1500 ft/lbs of fastening torque, 1800 ft/lbs of nut-busting torque

 ONE-KEY™ technology allows users to customize, track and manage tool's performance and location

#### MLK 2867-22

\* Contact your local store for pricing and availability



#### Milwaukee® M18 FUEL™ 1/2" Drill/Driver Kit

 Includes M18 FUEL™ 1/2" Drill/Driver, (2) M18™ RED LITHIUM XC5.0 Extended Capacity Batteries, Multi-Voltage Charger, Side Handle, Belt Clip, and Hard Case

Brushless motor delivers 1,400 in-lbs of torque and 2,000 RPMs



## 1/2" POWER IMPACTS

#### Milwaukee® M18 FUEL™ Mid-Torque 1/2" Impact Wrench

with Friction Ring - Bare Tool

- Delivers 650 ft/lbs of nut-busting torque
- 4-mode DRIVE CONTROL™ provides greater control over output speed and power
- Friction ring design ensures quick and easy socket changes
- LED light to illuminate the work area

NOTE: Battery not included



#### Milwaukee® M12 FUEL™ 1/2" Right Angle Impact Wrench w/ Friction Ring Kit

- Up to 220 ft-lbs. of Nut-busting Torque
- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power.
- Compact design offers more access in tight spaces
- Includes: 2564-20 M12 FUEL™ 1/2" right angle impact wrench, (2) M12™ REDLITHIUM™ CP2.0 battery pack (48-11-2420), (1) M12<sup>™</sup> charger (48-59-2401), contractor bag





Milwaukee

Milwaukee® M18 FUEL™ 1/2 " Compact

- Impact Wrench w/ Pin Detent Kit Premium quality construction
- Multi-purpose functionality
- Cordless and battery-powered
- · Ergonomic design for comfort Precision cutting and handling

MLK 2855P-22R





• Delivers 1000 ft/lbs of fastening torque, 1400 ft/lbs of nut-busting torque

Most repeatable torque

Most compact cordless high torque impact wrench in its class at 8.39" in length

• Includes: M18 1/2" high torque impact wrench, (2) REDLITHIUM™ batteries, M18/M12 dual voltage charger and molded case

MLK 2863-22R





Milwaukee

# Milwaukee® M18 FUEL™ High Torque 1/2" Impact Wrench

• Delivers 750 ft/lbs of fastening torque, 1100 ft/lbs of nut-busting torque

 Easily toggle up to four custom performance profiles that can be saved to the memory of the tool

- Features a pin detent design for maximum socket retention
- LED light to illuminate the work area
- Includes: M18 1/2" High Torque Impact Wrench, (2) REDLITHIUM batteries, M18/M12 dual voltage charger and molded case



MLK 2862-22R

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services

MLK 2903-22

# **POWER TOOLS**

#### 3/8" POWER IMPACTS

Milwaukee® M18 FUEL™ 3/8" Compact Impact Wrench with Friction Ring - Bare Tool

- Delivers up to 250 ft-lbs. of nut-busting torque
- 4-Mode DRIVE CONTROL™ includes auto shut-off and bolt-removal modes
- Only 4.8" in length for access in tight spaces
- Tri-LEDs to increase workspace visibility
- REDLINK PLUS™ to prevent overloading or overheating NOTE: Battery not included





#### Milwaukee® M12 FUEL™ 3/8" Right Angle Impact Wrench

with Friction Ring Kit

- Up to 220 ft-lbs. of Nut-busting Torque
- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power.
- Compact design offers more access in tight spaces
- Includes: 2564-20 M12 FUEL<sup>™</sup> 3/8" Right Angle Impact Wrench, (2) M12<sup>™</sup> REDLITHIUM<sup>™</sup> CP2.0 Battery Pack (48-11-2420), (1) M12<sup>™</sup> Charger (48-59-2401), Contractor Bag



MLK 2564-22



#### DEWALT® 20V MAX 3/8" Impact Wrench Kits

- Includes (1) Impact Wrench, (2) 20V Li-Ion 3 Ah batteries, (1) Fast Charger and Kit Box
- Hog ring anvil for quick and easy socket changes
- 3 LED lights with 20-second delay after trigger release

SBD DCF883M2

#### DeWALT® 20V MAX 1/2" **Compact Drill Driver Kit**

- Includes (1) 1/2" Compact Drill/Driver, (2) 20V MAX Batteries, (1) Battery Charger and Contractor Bag
- 2-speed 450 RPM and 1,500 RPM
- 1/2" single sleeve ratcheting chuck

SBD DCD771C2



#### Milwaukee® 1-5/8" **Electromagnetic Drill Kit**

- Includes 1-5/8" Electromagnetic Drill Kit, Safety Strap, Lubrication Spray Bottle, Chuck Key, 3/4" Weldon to 1/2" Chuck adapter, (2) 1" retractable pilot pins and Hard Carrying Case
- 13A motor delivers fast drilling with annular cutters or twist drill bits
- 2-speed gear box: 475/730 RPM



MI K 4272-21

\* Contact your local store for pricing and availability





## POWER POLISHERS

#### Milwaukee® M18 FUEL™ 15mm Random Orbital Polisher Kit

- Power to correct heavy defects 8-speed dial with RPM's ranging from 2,650-5,100 RPM
- Variable speed trigger

• (1) M18 FUEL™ 15mm Random Orbital Polisher, (1) 5" Backing Plate (49-36-0401), (2) M18 REDLITHIUM™ HIGH OUTPUT™ XC6.0 Battery Packs (48-11-1865), (1) M18™ & M12™ Rapid Charger (48-59-1808), (1) Contractor Bag



MLK 2684-22HD

#### **DEWALT® 7"/9" Variable Speed Polisher with Soft Start**

- Powerful 12A motor with electronic control
- Non-mar rubber gear case reduces surface imperfections
- 1,250 Max Watts Output
- · Wool ingestion shield increases tool life
- Comes with Professional Velcro Polishing Pad
- No Load Speed of 0-600 / 0-3,500 RPM

SBD DWP849X

# HIGH SPEED DRILL BIT SETS

#### **CENTURY® 5-Piece Left Hand Drill Bit Set**

- Includes 1/8" to 3/8"
- · Stubby mechanics length drill bit for additional strength



#### **CENTURY® Extractor & Drill Set 10-Piece Set**

• Includes 5/64"-17/64" guick cut-point drills and #1 - #5 spiral screw extractors







#### DeWALT® 20V MAX XR Brushless Cordless 3/8" & 1/2" Sealed Head Ratchet Bare Tool



- No Load speed of 0-300RPM
- Quickly swap between 3/8" and 1/2" square drives
- Forward/Reverse Switch allows for efficient working in tight spaces
- Oil resistant glass filled nylon tool housing resists effects of harsh automotive oils and solvents
- Integrated LED light and trigger lock
- Battery and Charger not included





<sup>\*</sup> Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# **POWER TOOLS**

#### **POWER GRINDERS**

#### Milwaukee® M12 FUEL™ 1/4" Right Angle Die Grinder

- 0.3 HP motor output, Max RPM 24,500
- · 4-speed RPM control for safer operation
- 20% more power than pneumatic
- Includes: M12™ 1/4" right angle die grinder, (2) M12 REDLITHIUM<sup>™</sup> 2.0 batteries, M12 charger, Carrying case, (2) Wrench





#### Milwaukee® M18 FUEL™ 4-1/2" / 5" Braking Grinder Paddle Switch, No-Lock Kit

- POWERSTATE™ brushless motor: Purposely built for the M18 FUEL™ 4-1/2" / 5" angle grinder delivers 8,500 RPM to provide the power to complete the toughest grinding and cutting applications
- REDLITHIUM<sup>™</sup> HIGH OUTPUT<sup>™</sup> battery pack provides 50% more power and runs 50% cooler versus standard REDLITHIUM<sup>™</sup> battery. Superior pack construction, electronics and performance deliver more work per charge and more work over pack lifespan than any battery on the market
- · Tool-Free guard adjustment for faster guard installations and adjustments

MLK 2880-22







#### Milwaukee® M18 FUEL™ 4-1/2"/5" Grinder

With Slide Switch Lock-On - Bare Tool

- Delivers up to 135 cuts per charge
- Slide switch reduces user fatigue
- · Compatible with all M18 batteries

NOTE: Battery not included

MI K 2881-20



#### Milwaukee® 4-1/2" Small Angle Grinder

- Compact and lightweight at 10.2" long and 3.5 lbs
- 7.0 Amp. 750 MWO motor
- · Built in advanced airflow system, including debris baffles and Multi-Port exhaust

MLK 6130-33



#### **DEWALT® 20V MAX Lithium Ion Angle Grinder Tool Kit**

- Quick-Change<sup>™</sup> wheel release allows wrench-free wheel removal
- · 2-finger trigger switch
- 2-position side handle
- Includes: (1) DCG412 Grinder (2) DCB205: 20V MAX\* XR Premium Li-Ion Battery (5.0 Ah), (1) Fast Charger,
- (1) Hex wrench, (1) 5" type 27 (Grinding) guard, (1) 2-Position side handle, (1) Contractor bag

SBD DCG412P2





#### **DEWALT® 4-1/2" Small Angle Grinder**

with One-Touch™ Guard

- Includes 2-position side handle and depressed centre wheel
- One-Touch<sup>™</sup> guard and hex wrench
- 7 amp AC/DC, 12,000 rpm motor designed for faster material removal and higher overload protection





#### Carquest® 7" Variable Speed **Electric Polisher**

• Spindle size: 5/8" - 11, Variable speed: 1,000 - 3,000 RPM







#### JET® Heavy Duty Bench Grinder

- Steel wheel covers with rear dust exhaust ports
- · Eye shields and spark guards for operator safety
- Includes coarse and medium grinding wheels

6" 1/3 HP JET 240153


8" 1/2 HP **IET 240154** 





#### **MULTI TOOL KITS**

# Milwaukee® M18 FUEL™ 1/2" HTIW &



- POWERSTATE™ brushless motor delivers up to 1,100 ft-lbs of fastening torque & 1,500 ft-lbs of Nut-Busting torque w/ M18™ REDLITHIUM™ XC5.0 battery
- Up to 2" shorter length. 7.6" in length provides most access in tight spaces
- Fastest removal rpeeds. Maximize productivity on the jobsite and in the shop
- Patented battery isolation system ensures a secure battery connection and controls vibration transmitted to the pack
- POWERSTATE™ brushless motor delivers up to 550 ft-lbs of fastening torque & 600 ft-lbs of Nut-Busting torque on the mid-torque
- 6.0" in length provides most access in tight spaces on the mid-torque
- M18<sup>™</sup> REDLITHIUM<sup>™</sup> XC5.0 resistant batteries included provides increased protection against oils, greases, and solvents



#### Milwaukee® M18 FUEL™ 2-Tool Combo Kit

- Kit Includes: 1/2" hammer drill, 1/4" hex impact driver, (2) M18" REDLITHIUM™ XC 5.0Ah battery pack, charger and carrying case.
- Brushless motor delivers unmatched power for full range of capability to complete the widest variety of applications
- · Increase productivity on the jobsite with the fastest driving speed of any impact driver without sacrificing power or control
- · Fastest drilling and driving applications under load
- Mechanical clutch for consistency in driving a wide range of fasteners

MLK 3697-22CXC





## Milwaukee® M18 FUEL™ SAWZALL® Recip Saw

- SAWZALL™ is designed to perform in the most demanding applications and is our most durable cordless reciprocating saw yet
- A Wear-Resistant blade change, anti-corrosion blade clamp, and metal reinforced battery rails provide longer component life and stand up to the toughest jobsite conditions

NOTE: Battery not included MLK 2821-20





## Milwaukee® M12 FUEL™ 3/8" X 13" Bandfile

- POWERSTATE™ brushless motor delivers the power to remove spot welds with the best-in-class material removal rate
- Two-Speed settings (High 3,600 SFM/Low 1,800 SFM), Forward & reverse functionality
- · Lock-On button, variable speed trigger
- •Tool-free 360° arm rotation

NOTE: Battery not included







# **POWER TOOLS / AIR TOOLS**

#### **BATTERIES & CHARGING**

#### Milwaukee® M18™ REDLITHIUM™ HIGH OUTPUT™ HD12.0 Battery Pack

- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger
- Best-in-class construction: Offers long-lasting performance and the best protection against jobsite conditions
- Fuel gauge onboard: Displays remaining run-time
- Versatility: Powers more than 150 M18<sup>™</sup> cordless solutions



MLK 48-11-1812 **\$4.** 

Milwaukee® M18™ RED LITHIUM™ XC5.0 Extended Capacity Battery Pack

MLK 48-11-1850

Two Pack MLK 48-11-1852





Milwaukee

M18™ High Output XC6.0 Battery

Milwaukee® M18™ REDLITHIUM HIGH OUTPUT™ XC8.0 Battery

- Most powerful M18<sup>™</sup> extended capacity battery
- Onboard fuel gauge displays remaining run-time
- Compatible with 175+ M18<sup>™</sup> cordless products

MLK 48-11-1880









Single Pack





 Includes M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery and Multi-Voltage Charger





MLK 48-11-2450





#### Milwaukee® M12™ Cordless LITHIUM-ION 3-Tool Combo Kit

 Includes M12<sup>™</sup> 3/8" Drill/Driver, M12<sup>™</sup> 1/4" Hex Impact Driver, M12<sup>™</sup> HACKZALL<sup>™</sup> Recip Saw, (2) M12<sup>™</sup> RED LITHIUM CP1.5 Batteries, M12™ Battery Charger, and Tool Bag

· Lightweight, hex impact driver delivers 1000 in/lbs of torque and 0-2000 RPM

 Drill/driver delivers up to 275 in/lbs of torque and 0-400/0-1500 RPM • Hackzall delivers 0-3,000 strokes per min



#### Milwaukee® M18™ 18V Cordless Tire Inflator Bare Tool

- · Ability to inflate tires over 100PSI, rated for 150 PSI Max
- PSI memory preset function
- Optimized for passenger, light truck and other medium duty tires
- Includes all brass schrader chuck, inflation needle, inflator nozzle, & presta chuck
- Fits all M18<sup>™</sup> batteries

NOTE: Battery not included MLK 2848-20





#### Milwaukee® M12™ Rivet Tool Bare Tool

- 450 1/8" steel rivets on 1 charge
- Pull force: 2,000 lbs
- · Stroke length: 0.8"
- Nose pieces: 3/32", 1/8", 5/32", and 3/16"

NOTE: Battery not included





#### Milwaukee® M18™ Compact Heat Gun

- High Performance Heating Coil: Reach operational temperature in 7 seconds
- Most compact electric heat gun: 6.4" long
- REDLINK™ Intelligence: Temperature management system provides maximum life
- Compatible with all M18™ REDLITHIUM™ Battery Packs





#### SHOP VACS

Milwaukee® M18™ 2-Gallon Wet/Drv Vacuum

**Bare Tool** 

- Powerful suction for wet & dry applications
- 45 CFM & 32" of Suction
- Includes 6' flexible hose, crevice tool, utility nozzle, and certified HEPA filter

NOTE: Battery not included

MLK 0880-20





- HEPA rated wet/dry filter traps dust with 99.97% efficiency at 0.3 microns
- 2-gallon capacity wet or dry
- Includes on-board hose, cord and accessory storage

SBD DCV581H **\$21589** 



#### **DeWALT®** Air Chisel Hammer

- Medium barrel design with shock resistant housing bumpers and ergonomic handle
- · Comes with an assortment of chisels

2.600 Blows Per Minute SBD DWMT70785



#### **ProValue™ Accessories**

Туре	Size	Line Code	Part Number	Price
4-Piece Heat Treated Chisel Set	7"	EQP	2550-PV	\$26.99



<sup>\*</sup> Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services

# **AIR TOOLS / AIR ACCESSORIES**

#### JET 6-Piece Air Hammer Kit – Super Heavy Duty

- Super Duty .401" shank, long barrel air hammer
- · Shock Vibration Reduction" technology ensures operator comfort, safety and prevents potential physical damage
- Hits harder with less effort
- Designed with an ergonomic "T" handle grip for balance and comfort
- Developed for demanding use such as: exhaust systems, front end work, bushing driving, cutting, general repairs and heavy production work
- · Equipped with heavy duty quick coupler retainer for quick bit changes
- Complete with 5 bits in a blow mould case





#### JET® 2-in-1 Air Die Grinder

- Ball bearing construction for maximum tool life and durability
- · Lever throttle for positive speed control

IET 402148





#### JET 1/4" Mini 90° Angle Head Die Grinder

- Quality advances for longer service life include: steel end plate inserts, brass collar, reinforced air inlet and cylinder made of higher quality steel
- · Precise bevel gear systems reduces speed for powerful confined area work
- Featuring deeper cut gears locked in place by slot and pin mechanism for improved service life
- · All ball bearing construction and lever throttle for positive speed control

JET 402110 **\$129**99 JET

#### Carquest® Angle Die Grinder

- · Features a teasing throttle with built-in power regulator
- Free Speed: 20,000 RPM

**EOP 7448** 





## 1/2" AIR IMPACTS

#### DeWALT® 1/2" Heavy-Duty Air Impact Wrench

- One-hand operation-forward/reverse switch
- Shock resistant housing bumpers help prevent scuffing

Ultimate Torque: 650 ft.-lbs. SBD DWMT70773L





## DeWALT® 1/2" Medium-Duty Air Impact Wrench

- · Heavy duty twin-hammer mechanism
- · Composite body with shock resistant housing bumpers to prevent scuffing
- · Adjustable power regulator Ultimate Torque: 600 ft.-lbs.



SBD DWMT70774



#### 3/8" AIR RACHETS

#### ProValue™ 3/8" Air Ratchet

- Ergonomic square handle for positive comfort grip
- Teasing throttle for precise speed control
- Free Speed: 160 RPM

Maximum Torque: 60 ft.-lbs. EQP 2328-PV

ProValue

#### DeWALT® 3/8" Air Ratchet

• Ergonomic handle with rubber cushion grip and touch control trigger





- All steel balance minimizes vibration while blending and smoothing
- Bolt style hub mounting
- Orbital motion

**EQP 2310-PV** 



## **BLOW GUNS AND ACCESSORY KITS**

# Compressor Accessory Kit

 Includes 1/4" Body Couplers and Plugs, Ball-Foot Chuck, Dual-Foot Chuck, 50 PSI Tire Gauge, Thread Seal Tape, Blowgun Kit, Ball and Tapered Nozzles for inflating toys and recreational equipment and Storage Box

CPM 41-225 **\$19** 

#### Tru-Flate Airline Regulator with Gauge

- Easy "on the tool" air adjustment
- · Helps keep air flow at exact operating pressures





## FITTINGS, PLUGS, AND COUPLERS

#### Tru-Match™ A-StyleCouplers & Plugs Kit

• Contains one (1) 1/4" Male Coupler, one (1) Female Coupler and two (2) Female Plugs and three (3) Male Plugs



CPM 13-309G **\$2899** 

## Tru-Flate Hi-Flo Couplers & Plugs Kit Ten Piece Kit

• Contains one (1) 1/4" Male Coupler, two (2) Female Couplers, three (3) Female Plugs, and four (4) Male Plugs



CPM 13-907

## **AIR HOSES**

## FITTINGS, PLUGS, AND COUPLERS

#### Tru-Flate Air Hose Fittings, Plugs and Couplers



Туре	Size	Quantity	Line Code	Part Number	Price
1/4" FNPT Combo Coupler	1/4"	1	CPM	13-515	\$5.99
3/8" ID Hose Splicer	3/8"	1	CPM	21-467	\$3.99

#### Milton® Air Hose Fittings, Plugs and Couplers



Туре	Size	Quantity	Line Code	Part Number	Price
MNPT 3/8" ID Hose End Fitting	1/4"	10	MIL	S602	\$5.99

#### Milton® air chucks

1/4" FNPT Dual Head Air Chuck





#### AIR HOSES

#### **PVC Air Hose**

· Ideal for general purpose applications

Size	NPT	Line Code	Part Number	Price
3/8" x 50'	1/4"	CPM	576-50A	\$34.99



#### **Rubber Air Hose**

• Ideal for rugged applications where hoses come in contact with concrete or other rough surfaces

Size	MNPT	Line Code	Part Number	Price
3/8" x 50'	1/4"	CPM	552-50AE	\$49.99



#### **Ultra Air Hybrid Air Hose**

- Ideal for general purpose applications
- Lighter in weight than rubber and more flexible than PVC

Size	NPT	Line Code	Part Number	Price
3/8" x 50'	1/4"	CPM	575-50A	\$51.99
1/2" x 50'	3/8"	CPM	573-50A	\$79.99

#### **Nylon Recoil Air Hose**

- Retains its self-coiling properties and stores itself when finished
- Can be used with all air-powered equipment on the job site and in garages, plants and service stations
- · Swivel end fittings reduce hose twist

Size	NPT	Line Code	Part Number	Price
1/4" x 25'	1/4"	CPM	4-25E-TF	\$12.99

#### Flexzilla® Pro Water Hose FLEXZILLA

- Field repairable Reusable anodized Extreme all-weather flexibility
- aircraft aluminum fittings. · Won't kink under pressure
- · Flexible Hybrid Polymer material

5/8" x 50" LEG HFZWP550







#### **AIR HOSES**

#### Flexzilla® Air Hoses

FLEXZILLA

• Extreme all-weather flexibility (-40° to 140°F) • Won't kink under pressure

Size	NPT	Line Code	Part Number	Price
3/8" x 25'	1/4"	LEG	HFZ3825YW2	\$49.99
3/8" x 50'	1/4"	LEG	HFZ3850YW2-CA	\$72.99
1/2" x 50'	3/8"	LEG	HFZ1250YW3-CA	\$96.99



#### Flexzilla® Pro Air Hoses

• Extreme all-weather flexibility (-40° to 140°F)

Field repairable – Reusable anodized aircraft aluminum fittings

Size	NPT	Line Code	Part Number	Price
3/8" x 50'	1/4"	LEG	HFZP3850YW2	\$79.99



#### Milton® EPDM 3/8" ID rubber air hose

- · Maximum working pressure is 250 pounds per square inch
- Burst pressure ratings up to 1,000 pounds per square inch
- solid structure

3/8" x 25'

MIL 1635 \$10999



## AIR HOSES REELS

#### Flexzilla® Enclosed Plastic Retractable Air Hose Reel with Hose

• Auto Retract/Latch Hose Mechanism - Simplifies every job by keeping excess hose out of the work space

3/8" x 50', 1/4" NPT LEG L8250FZ

FLEXZILLA



#### Flexzilla® PRO with Levelwind™

- · Features a Latching Mode Switch which allows user to choose from latching the hose every 3 ft. or switching to free run
- Includes a 7-position locking bracket

PRO 3/8" x 50', 1/4" NPT

LEG L8305FZ

PRO 3/8" x 75', 1/4" NPT LFG L8306F7



#### LINCOLN® All-Steel Hose Reels

- · All steel construction, spring-powered automatic recoil, 5-position adjustable outlet arm
- 8-position ratchet gearing locks the reel at the desired hose length
- Ball stop included

50' x 3/8"



#### **Hybrid Air Hose Reel**

- Vertical or Horizontal mount
- · Bend restrictors help keep hose from kinking
- · Slow rewind spring helps retract air hose at a slower, safer rate



#### Manual Air Hose Reel Unassembled

- · Can be mounted horizontally or vertically and available in three configurations
- Fittings size: 1/4" NPT

CPM 503HR-TF





## AIR COMPRESSORS

## **SDI - STANDARD DUTY** INDUSTRIAL AIR COMPRESSORS



#### 2-Year Warranty

Line Code	Part Number	SCFM @ Max. Pressure	НР	Voltage/ Phase	Tank Capacity (Gallons) H (Horiz.) V (Vertical)
DVR	IS5-10080V-03	18 SCFM @ 150 PSI	5 HP	230/60/1	80G V
DVR	IS5-4060-03	11.4 SCFM @ 125 PSI	5 HP	230/60/1	60G V
DVR	IS5-5580-03	15.4 SCFM @ 150 PSI	5 HP	230/60/1	80G V
DVR	IS7-10080-03	22.7 SCFM @ 150 PSI	7.5 HP	230/60/1	80G V

\* Contact your local store for pricing, delivery cost, and availability

FINANCE IT

ASME Approved Air Receivers, Cast Iron Compressor Pump, Totally Enclosed OSHA Belt Guard, Unloaded Starting. Ball Valve Air Outlet, Splash Lubrication

## **HDI - HEAVY-DUTY INDUSTRIAL PISTON AIR COMPRESSORS**



#### 7-Year Warranty

Line Code	Part Number	CFM@ 150 PSI	НР	Voltage/ Phase	Tank Capacity (Gallons) H (Horiz.) V (Vertical)
DVP	TACV 5052 02MC	25.0 CEM	7 5 UD	220/60/1	90C V

\* Contact your local store for pricing, delivery cost, and availability

FINANCE IT

Available with or without mounted and wired magnetic starter. Optional constant RUN-STOP-START controls. Duplex and other custom products available.



## **DRYERS**

#### DV Systems 100CFM REFR. AIR DRYER

- · Patented refrigerant circuit designed to adjust cooling capacity to suit volume and temperature of treated air
- Two stage heat exchanger to improve efficiency and energy savings
- High efficiency stainless steel moisture separator guarantees an extremely low pressure - drop and smooth operation even under heavy working conditions
- Microprocessor controls on all models keep stable dew point and eliminate the risk of freezing

#### DVR ASD100

\* Contact your local store for pricing, delivery cost, and availability

MK-55 For DEV-55 Pump

premium mineral oil, 2 air filters

· Includes 4L of

\* Contact your local store for pricing, delivery cost, and availability

STANDARD DUTY INDUSTRIAL AIR

**COMPRESSOR MAINTENANCE KITS** 

DVR MK100





## SHOP SEATS AND CREEPERS DieHard® Toolbox Roller Seat DieHard

- Maximum weight capacity: 350lbs
- 3 drawers system with side racks for tools storage.
- Vinyl padded seat cushion for maximum comfort and support
- Steel frame construction
- Four 2.5" polyurethane swivel casters for easy movement

EQP DH20002 \$15

#### DieHard® Pneumatic Shop Seat

- 17"-22" height adjustment
- Maximum weight capacity: 250 lbs.
- Ball bearing swivel casters

## **DieHard**

- Tool tray under seat
- Steel construction
- Full padded seat

EQP DH20017 \$7999

## DieHard® Creeper Seat

- All steel construction
- Thick vinyl seat

## **DieHard** Maximum weight capacity 300 lbs.

- · Heavy-duty supports
- Large tool tray

EQP DH20018



#### DieHard® 36" 6-Caster Steel Car Creeper

- · Padded head rest for added comfort
- · Maximum weight capacity 250 lbs

DieHard

## COMPRESSOR OILS

**DV Lube System Premium Mineral Compressor Oil** 



MK-100 For DEV-100 Pump

Includes 4L of premium

mineral oil, 2 air filters

SAE 30 4 Liters



#### DieHard® 40" Plastic Creeper

- Six swivel casters for easy maneuverability
- Molded storage trays on each side of creeper
- · Maximum weight capacity 250 lbs PFT DH20016





DVR PR-20-4 \$89 DieHard

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

SAE 20 4 Liters

# LIGHTING

#### LED WORKLIGHTS

Grote® BriteZone™ LED Work Lamps

• Rugged, durable construction for use in all kinds of tough conditions

Sizes and brightness to meet your needs

Round - 1600 Lumens LTG BZ101-5

Slim - 1400 Lumens LTG BZ301-5

Small Round - 1240

Square - 1100 Lumens LTG BZ201-5

**Lumens LTG BZ111-5** 

Rectangular - 1200 Lumens

Mini Square - 775 Lumens LTG BZ601-5



50', 18/2 SVT cord

BAY SL-864 \$18999 EAY

#### Bayco® 2-in-1 Rechargeable LED Worklight with Spotlight in Handle

• Includes (2) built-in magnets and detachable magnetic hooks

• Flat bottom design allows the light to stand up

**34 LED** BAY SLR2134 66 LED BAY SLR-2166

BAYCO

## **DEWALT® 20V MAX LED Handheld Area Light Bare Tool**

- Brightness settings; 1000 & 500 Lumens
- 140° Pivoting Head
- Built-in telescoping and 360° rotating hook

NOTE: Battery not included

SBD DCL050



#### Milwaukee® M18 Stick Light

- 300 lumens of TRUEVIEW high definition output
- Pivot allows for 180° of coverage
- Removable Lens Plate allows user the ability to replace lens plates when damaged

NOTE: Tool only. Battery not included

MLK 2352-20



#### Bayco® Nightstick Rechargeable Work Light

- · Dual-brightness 600/225 lumens floodlight
- · 3 integrated magnets and detachable magnetic hook
- · Lithium-ion rechargeable battery
- Includes both AC and DC power supply / charger

BAY NSR2168R

BAYCO NIGHT STICK

#### Cliplight Clipstrip™ Array LED Pocket Light

Includes pivoting magnetic clip and 3 AAA batteries





**CCLIPLIGHT** 

## LED WORKLIGHTS

#### HEMITECH™ 4 On Chrome Reel

- Patented Uni-Beam<sup>™</sup> technology
- 4 powerful LEDs emit 720 lumens
- Sliding hook and optional magnet

99 CCLIPLIGHT 40' SWL 223412

#### Cliplight HEMI Series CCLIPLIGHT

- Unique hemispherical lens design provides a super-wide 70° clean, powerful beam with no hot spots or halos
- · Sliding hooks and magnet (optional) allow highly flexible positioning in engine compartment or work area
- Easy to replace lens shield protects lens and LEDS, replaces in minutes
- Built Shop Tough with a no-slip grip and recessed on/off switch
- 10 plus years of reliable performance

#### Cliplight LED Rechargeable HEMImini™

- Super bright and compact light runs for 4 hours at 1000 lumens or for a full 8 hours at 500 lumens
- Powered by a single advanced LED and a smart lithium ion battery. Includes mini-USB charger

SWL 114301 \$10999

#### **HEMIPLUS™ 2** Rechargeable Worklight

- Rechargeable LED worklight that runs 8+ continuous hours at 600 lumens and 4+ hours with a full 1200 lumens of brightness
- Powered by two high-powered LEDs and a lithium ion battery charged by mini USB

SWL 114302 **\$169** 



## **CCLIPLIGHT**

- 600 and 300 Lumens
- 5 hour to 3 hour run time



SWL 111111



## EXTENSION CORDS

#### Cliplight Heavy-Duty Tri-Tap Cord Reel

• 15 amp circuit breaker 50', 12/3 SJTW cable

SWL 222315

**CCLIPLIGHT** 

#### Bayco® Retractable Metal Cord Reel with 3 Outlets

- 3 separate grounded outlets
- 13 amp rating
- Built-in LED status light
- · Includes mounting brackets

30', 14/3 SIT Cord

BAY SL-801

## Bayco® Retractable Polymer Cord Reel with 3 Outlets

- 3 separate grounded outlets
- 13 amp resettable circuit breaker

50', 14/3 SJT cable



## INCANDESCENT WORKLIGHT

Use With Rough Service Incandescent Light Bulbs Only! (Not Included)

Bayco® Incandescent Work Light with Metal Guard 50' with single outlet 25' with single outlet

BAY SL-426A













## **COATS® WHEEL BALANCERS**

#### A COATS® 885 Wheel Balancer

- Automatic 2D data entry on wheel diameter and offset measurement
- Direct Tape-A-Weight® placement with audible beep guides users to perfect placement
- Auto Start Hood starts balancing cycle when hood is lowered

#### COA 800885

\* Contact your local store for

FINANCE IT

Max Rim Diameter: 10" — 30" External Max Rim Width: 2" — 16" Max Tire Diameter: 38"

#### 1300 Wheel Balancer with Direct Drive

- STATIC-ON-SCREEN® simultaneously displays both static and dynamic unbalance data
- 2D AUTOMATIC DATA ENTRY Offers automatic data entry of distance and diameter
- BEHIND-THE-SPOKE mode allows you to hide the Tape-A-Weight behind the spokes of a decorative wheel quickly

pricing and availability

## **B** Coats® 1185 110V Wheel Balancer

#### coats

- Laser line weight placement guidance Easily visible laser line helps operators place weights right where they are needed
- · Colour LCD Display Vivid color display alerts operator to the imbalance location and identifies the optimal tape on or clip weight location
- · Live position indexing guidance Audio and graphics-based notifications alert operator when weight placement is needed
- 110V power, can be plugged in anywhere
- 130 Lbs max assembly weight
- Space saving design

\* Contact your local store for pricing and availability

FINANCE IT

10 - 30" External Max Rim Width: 2" - 16" Max Tire Diameter: 38"

# Max Rim Diameter:

\* Contact your local store for pricing and availability

**FINANCE IT** 

COA 80013002D

Max Rim Diameter: 8" — 30" External Max Rim Width: 2" — 20" Max Tire Diameter: 44"

**EDALS** 

## C 1600 Wheel Balancer with Direct Drive and Pro Balance™ Technology

- Offers all of the 1500 features and adds ProBalance Technology™
- Calculates precise corrective weight amounts and placement locations, and a touchscreen display

#### COA 80016003D

\* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: — 30" External Max Rim Width: 2" — 20" Max Tire Diameter: 44'

- 1500 Wheel Balancer with Direct Drive Powered by Direct Drive, the motor and spindle are combined into a single
- assembly that always stays calibrated to zero • Laser Guided Operation calculates precise corrective weight amounts and placement locations
- Static-On-Screen® simultaneously displays both static and dynamic unbalance data
- Stop & Lock assembly locks in place at proper weight placement location
- 8 Balancing modes and automatic 3-D data entry

#### COA 80015003D

\* Contact your local store for pricing and availability

**FINANCE IT** 

Max Rim Diameter: 8" — 30" External Max Rim Width: 2" -Max Tire Diameter: 44"





## **CORGHI WHEEL BALANCERS**

- Corghi EM9250-2D Wheel Balancer CompactLine
- Automatic input of wheel diameter and distance
- LED illuminator and laser line for easy adhesive counterweight application
- FSP-Smart Arm/automated balancing mode selection

Max Rim Diameter:

10" – 28" External

Max Rim Diameter:

10" – 28" External

Max Rim Diameter: 10" - 32" External

Max Wheel Width: 23.6"

# CORCH

Max Tire Diameter: 44'

Max Rim Diameter:

Max Wheel Width: 23.6"

Max Tire Diameter: 44"

Max Wheel Width: 23.6"

Max Tire Diameter: 44"

#### COR EM9250-2D

\* Contact your local store for pricing and availability

#### FINANCE IT

#### G Corghi EM9550-3D Wheel Balancer LaserLine

- · Automatic input of wheel diameter, distance and width
- LED illuminator and laser line for easy adhesive counterweight application
- FSP-Smart Arm/automated balancing mode selection

## CORCH

#### COR EM9550-3D

\* Contact your local store for pricing and availability

#### FINANCE IT

# Corghi EM9780C-Plus Wheel Balancer

- LaserLine
- Radial and Lateral diagnostic modes Touchscreen interface
- Contactless detection of dimensions
- WiNut automatic clamping system

#### COR EM9780C-PLUS

\* Contact your local store for pricing and availability

#### **FINANCE IT**

## Corghi EM9380EC Wheel Balancer

- · Automatic input of wheel diameter, distance and width
- Weight Management Program
- Touchscreen interface
- Equipped with power clamp
- Power requirements 120V/1PH/60 HZ

#### COR EM9380EC-TOUCH

\* Contact your local store for pricing and availability

**FINANCE IT** 

10" – 28" External Max Wheel Width: 23.6" Max Tire Diameter: 44"

## **IOHN BEAN® WHEEL BALANCERS**

#### John Bean® B400L Wheel Balancer

- easyWEIGHT™ pinpoint laser identifies exact weight placement location for increased accuracy and efficiency
- easyALU™ uses the gauge arm to enter rim dimensions and automatically selects the weight balancing mode
- SMART SONAR™ automatically calculates wheel width and detects offset; balancing cycle starts as soon as the wheel guard is lowered
- QuickBal™ for reduced measurement time
- Short start-stop cycle time: 4.5 seconds (15" rim)

#### JBN EEWB562AL

Contact your local store for pricing and availability

FINANCE IT

## مجحن بمرامل

Max Rim Diameter: 8" - 32" External Max Wheel Width: 21" Max Tire Diameter: 42"

## K John Bean® 9800 Heavy-Duty Wheel Balancer

- Designed to balance truck, bus, RV and automobile wheel and tire assemblies
- Pneumatic wheel lift aids in the proper wheel mounting and reduces related strains caused by lifting heavy tires
- Semi-automatic data entry inputs wheel diameter and distance utilizing the inner auto-assist data input arm, eliminating errors
- Operator can recalibrate the balancer in two easy steps, ensuring accuracy while saving costly service calls

#### JBN EEWB543AW

Contact your local store for pricing and availability

FINANCE IT















# **IOHN BEAN® WHEEL BALANCERS**





- SMARTSONAR™ Automatic rim width detection
- Quick Nut Wheel Clamp Easy to use manual clamping device
- Hand-operated gauge arm with easyALU™ assisted rim data entry for diameter and distance

#### **IBN EEWB556AS**

\* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 8" – 32" Max Wheel Width: 15" Max Tire Diameter: 42"

## B John Bean® B1200P Fully Automatic Wheel Balancer



- EasyWEIGHT™ pinpoint laser identifies exact weight placement location for increased accuracy and efficiency
- Quickbal™ optimizes the number of revolutions according to each wheel's specifications while always operating at maximum speed and reducing cycle time
- Patented automatic Power Clamp™ electromechanically clamps the wheel accurately with constant force, reducing the
  opportunity for chasing weight
- SMART SONAR™ automatically calculates wheel width and detects offset; balancing cycle starts as soon as the wheel guard is lowered
- Laser scanner automatically detects the number and position of rim spokes for the system to indicate weight placement behind wheel spokes and allow for split weights
   Max Rim Diameter:

#### JBN EEWB567AP230

\* Contact your local store for pricing and availability

**FINANCE IT** 

Max Tire Diameter: 42"

14" – 26" External Max Wheel Width: 20"

## C John Bean® B600P General Service Wheel Balancer



- Touchscreen with advanced user interface for easy mode selection and built-in LED rim lighting system aids rim cleaning and weight positioning
- easyWEIGHT™ pinpoint laser identifies exact weight placement location for increased accuracy and efficiency
- easyALU™ uses the gauge arm to enter rim dimensions and automatically selects the weight balancing mode
- Patented automatic Power Clamp™ electromechanically clamps the wheel accurately with constant force, reducing the opportunity for chasing weight
- SMART SONAR<sup>\*\*</sup> automatically calculates wheel width and detects offset; balancing cycle starts as soon as the wheel guard is lowered

#### JBN EEWB568AP

\* Contact your local store for pricing and availability

10" – 32" External Max Wheel Width: 23.6" FINANCE IT Max Tire Diameter: 44"



John Bean.

Max Rim Diameter:

- Intuitive Interface clearly marked with picture icons
- Torque-controlled Power Clamp device fast and accurate clamping of the wheel
- Stop-in-Position feature where the operator only has to touch the amount of unbalance on the screen and the wheel is automatically indexed to the correction position
- QuickBal™ for reduced measurement time
- Short start-stop cycle time: 4.5 seconds (15" rim)

#### JBN EEWB569AP

\* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 8" – 32" External Max Wheel Width: 21" Max Tire Diameter: 42"

## COATS®MAXX SERIES **GOALS**

- Dual nozzle, hi-flow bead sealing system
- Expanded capacity to 16" wheel width and up to 50" total diameter
- Advanced bead loosening option
- Steel and nylon duckhead included
- No-index table top for high efficiency use

Rim Diameter: 16" - 24" External, Max Rim Width: 16" Max Tire Diameter: 50"

#### **70X MAXX Tire Changers**

COA 800MAXX70 Electric (110v)

\* Contact your local store for pricing and availability

**FINANCE IT** 

COA 800MAXX70220 Electric(220v)

\* Contact your local store for pricing and availability

FINANCE IT

#### **80X MAXX Tire Changers**

- Dual control, hand or foot operated bead loosener system
- Included storage cabinet
  - COA 800MAXX80 Electric (110v)


\* Contact your local store for pricing and availability

**FINANCE IT** 

COA 800MAXX80220 Electric(220v)

\* Contact your local store for pricing and availability

**FINANCE IT** 







## **COATS® TIRE CHANGERS COALS**

#### G Coats® 80C Center Post Tire Changer Electric

- · Brand-new centre post design for ease of use and minimized metal-to-metal contact
- Available in rugged 220V, 2hp electric motor or air powered
- Redesigned RoboRoller® device for direct pressure on tough assemblies
- Standard auxiliary bead sealer system

Max Rim Diameter: 10" – 30" External Max Wheel Width: 15"

Max Tire Diameter: 50"

LEASE TO OWN AND DON'T PAY FOR 90 DAYS


#### COA 80080CEH220

\* Contact your local store for pricing and availability

FINANCE IT

## H Coats® 90C Leverless Tire Changer™

- Center Clamp Design for quick, easy operation while minimizing risk of wheel damage
- Leverless Duckhead® mount/demount tool acts as a traditional helper device and eliminates traditional tire tools that can mar the surface due to application difficulty
- RoboRoller® provides additional power when mounting difficult tires by preventing the bead from rolling back over the mount tool



K RC-45E



**RC-55** 

COA 80090CEH220

\*Contact your local store for pricing and availability FINANCE IT

Max Rim Diameter: 12" - 30" External Max Wheel Width: 15" Max Tire Diameter: 50"

#### Coats® APS 3000 Leverless Tire Changer

- Leverless Duckhead with Auto Offset prevents wheel damage
- · Integrated wheel lift
- Robo-Arm assists in changing low profile or run flat tires
- Manual locking system for fast and easy wheel clamping.
- Individually operated power rollers helps in bead loosening, mounting and demounting lower bead without a tire tool

COA 800APS3000

Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 12" – 34" External Max Rim Width: 16" Max Tire Diameter: 47"





- Tested up to 250,000 bead breaking cycles for ultimate durability in the harshest working environments.
- Dual Nozzle Bead Sealer
- No-Index Tabletop
- Polymer Duckhead Tool used for mounting and demounting tires without damaging the rim

COA 800MAXX50

\* Contact your local store for pricing and availability FINANCE IT

Rim Diameter: 16" - 24" External Max Rim Width: 16" Max Tire Diameter: 50"



- Designed to work on a wide variety of applications, including virtually all OE fitments
- Available with air or electric tabletop motor
- Includes set-up and training by a Authorized Coats Service Centre

RC-45E Rim Clamp® Tire Changer

COA 8560994901

\* Contact your local store for pricing and availability

**FINANCE IT** 

RC-55 Rim Clamp® Tire Changer with Robo-Arm, Electric COA 8560995001

\* Contact your local store for pricing and availability

**FINANCE IT** 

Max Rim Diameter: 10" — 24" External, Max Rim Width: 10.5" Max Tire Diameter: 50"

<sup>\*</sup> Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services

# WHEEL BALANCER









- Angled tilt-back for no interference on second bead removal
- Clamps Wheels Externally Up To 28"
- · Power taper rollers, pneumatic drop center, and swing-in rollers handle approximately 90% of the effort
- Protect Rims with the Cam Bead Loosener

#### COA 8009028

\* Contact your local store for pricing and availability

**COATS® TIRE CHANGER &** 

**BALANCER ACCESSORIES** 

Coats® Light Truck Cone Kit (40mm)

Improved Light Truck Front Cone Kit,

Backing Plate, Range: 4.80"-6.80"

COA 8113277C \$629

40mm I.D., Double Sided Cone & Metal

FINANCE IT

**FIRITS** 

**Plastic** 

COA 8184432

Max Rim Diameter: 10" — 28" External Max Rim Width: 14" Max Tire Diameter: 47"

## **CORGHI TIRE CHANGERS**

#### C Corghi A9824TI-DV-1000 Tire Changer with Swing Arm



- 2 speed Inverter Motor
- Pneumatic bead presser to maintain bead in drop centre
- Turntable with two pneumatic cylinders capable of securely clamping all types of rims
- Lateral adjustment of bead breaker pad
- Monoblock clamping jaws for best long term performance and durability

#### COR A9824TI-DV-1000

\* Contact your local store for pricing and availability

#### FINANCE IT

Max Rim Diameter: 10"-24" Max Rim Width: 3.5"-14" Max Tire Diameter: 47" Air Pressure: 150 lbs.

# Coats® High Spoke Duckhead® Mount/Demount Head

#### Orghi A222TI-DV-300 Tire Changer with Swing Arm

• 2 speed Inverter Motor

- SP300 helper makes mounting and demounting operations quicker, more precise and safer
- Turntable with two pneumatic cylinders capable of securely clamping all types of rims
- Monoblock clamping jaws for best long term performance and durability

#### COR A222TI-DV-300

\* Contact your local store for pricing and availability

Max Rim Width: 3.5"-12.5" Max Tire Diameter: 39.5"





Max Rim Diameter: 10"-22" Air Pressure: 145 lbs

# CHEETAH® BEAD SEATERS

#### Cheetah® Bead Seater 5-Gallon

- · Can be used on tires from small 4" to 24.5"
- 1 1/2" tank opening allows use of optional Magnum I barrel
- ASME certified steel tank







## B Corghi A9222TI-DV-SX1 Tire Changer with Swing Arm

- 2 speed Inverter Motor
- Pneumatic bead presser to maintain bead in drop centre
- Turntable with two pneumatic cylinders capable of securely clamping all types of rims
- Monoblock clamping jaws for best long term performance and durability

#### COR A9222TI-DV-SX1

\* Contact your local store for pricing and availability



Max Rim Diameter: 10"-22" Max Rim Width: 3.5"-12.5' Max Tire Diameter: 42 Air Pressure: 150 lbs.





- Center-post Touchless Tire Changer designed for all vehicle applications
- Dynamic bead breaking device with dual bead breaker discs
- SMART Corghi System allows you to never touch the rim during any of the work phases.
- Integrated premium wheel lift
- Pneumatic automatic wheel clamping system

#### **COR ARTIGLIO MASTER 28**

\* Contact your local store for pricing and availability

#### FINANCE IT

Max Rim Diameter: 12"-28" Max Rim Width: 16" Max Tire Diameter: 43" 120V/1PH/60HZ



# & TIRE CHANGERS









EEWH595AUA



#### Corghi AM5000 Artiglio 5000 Contactless Tire Changer

- Centre-post touchless tire changer designed for all vehicle applications
- Dynamic bead breaking device with dual bead breaker discs
- Machine designed for perfect ergonomics and versatility

\* Contact your local store for pricing and availability

FINANCE IT

- Integrated wheel lifter and pneumatic bead presser
- Power requirements 120V/1PH/60HZ

Max Rim Diameter: 13"-28" Max Rim Width: 15' Max Tire Diameter: 47"

#### G Corghi Artiglio Master Force Contactless Tire Changer

- Smart Corghi System can eliminate the tension between tire and rim, even on the most demanding low profile, runflat, and UHP tires
- Combined use of hydraulic and pneumatic drives has optimized the work cycle for lower working time
- Bead breaking with automatic lubrication
- Dual-function operation ensures first the lifting and, in quick succession, the accurate positioning of the wheel, ready to be clamped
- Integrated wheel lift

#### **COR MASTER FORCE**

\* Contact your local store for pricing and availability

FINANCE IT

## Max Tire Diameter: 47" 120V/1PH/60H7

Max Rim Diameter:

13" — 32" External

Max Rim Width: 16"

#### H) Corghi Artiglio 500-BP Tire Changer Leverless

- Centre-post Leverless Tire Changer designed for all vehicle applications
- Dynamic bead breaking device with dual bead breaker discs
- Machine designed for perfect ergonomics and versatility
- Integrated wheel lift

#### COR ARTI500-BP

\* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter:

#### 12" - 32" External Max Wheel Width: 15" Max Tire Diameter: 47"

#### Corghi A9830HPC-BPL Center Post Tire Changer

- Center post Tire Changer designed for all vehicle applications
- 2 speed Inverter Motor
- · Pneumatic bead presser to maintain bead in drop center
- Integrated wheel lift

#### COR A9830HPC-BPL

JBN EEWH595AUA

\* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 13"-30" Max Rim Width: 16" Max Tire Diameter: 43" 120V/1PH/60HZ

مججزا عراما

## John Bean® System II-E Swing-Arm Tire Changer

- Swing-arm, compact footprint
- Adjustable on-floor bead breaker shovel
- Self-centering, adjustable clamping jaws
- Twin cylinder clamping
- Integrated pressure limiter

- **FINANCE IT** Contact your local store for pricing and availability

Max Rim Diameter: 10" - 24" Max Wheel Width: 12" Max Tire Diameter: 40"



C EEWH586AUC

EEWH590AUB



EEWH589AUB

Image shown with

EAA0329G33BC

optional bead assist

**£** 6500

## IOHN BEAN® TIRE CHANGERS John Dean



John Bean® T7700 Leverless Tire Changer

- The pedal-operated pneumatic wheel lift assists in lifting heavy wheels to reduce technician fatigue and increase productivity
- The center-post clamp design has numerous benefits, most important is the drastically reduced risk of wheel damage and less clamping restriction than the turntable design
- The Pneumatic Bead Pusher assists in the mounting process of the upper bead. Its dual-purpose design offers a reverse-side hook to help lift heavy tires
- This ergonomic hand-held nozzle injects a high-speed blast of air into the tire to raise the bead and seat the tire to the rim.


#### **IBN EEWH574AUB**

Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 30" Max Wheel Width: 15" Max Tire Diameter: 47"

#### John Bean® System III Tire Changer with Swing Arm



- · Adjustable four-jaw clamps grip securely and protect the wheel
- · Twin cylinder clamping provides uniform clamping pressure and increased power
- Extra wheel protection to minimize wheel scratching

#### **IBN EEWH589AUA**


Contact your local store for pricing and availability

**FINANCE IT** 

Max Rim Diameter: 10" - 24" Max Wheel Width: 15" Max Tire Diameter: 50"

مججزا بدائر

## John Bean® T7800 Leverless All-In-One Tire Changer



- QUICKLOK™ electromechanical device firmly clamps onto wheel without the need for wheel protection
- PROspeed™ technology automatically optimizes the torque applied to the wheel and sets the maximum rotation speed
- Lower bead camera provides a clear view on the control panel monitor for lower bead breaking

#### JBN EEWH586AUC

Contact your local store for pricing and availability

**FINANCE IT** 

Max Rim Diameter: 10" - 30" External Max Rim Width: 15" Max Tire Diameter: 40"

#### John Bean® T1545T Swing-Arm Tire Changer With PROspeed™



- Patented PROspeed<sup>™</sup> technology optimizes the torque applied to the wheel and automatically sets the maximum rotation speed of the wheel
- Column Integrated Air Tank
- Adjustable four-jaw clamps
- Twin cylinder clamping

\*Contact your local store for pricing and availability FINANCE IT

Max Rim Diameter: 10" – 24" External Max Wheel Width: 15" Max Tire Diameter: 50"

#### John Bean® T2545T Swing Arm Tire Changer with PROspeed™



- · Adjustable four-jaw clamping provided by self-centering nylon-covered clamps and twincylinder clamping power for uniform pressure around the rim
- Traditional on-floor bead breaker shovel with rim protector
- Pneumatic bead assist provides single-operator assistance in mounting/demounting process
- PROspeed™ technology automatically optimizes the torque applied to the wheel and sets the maximum rotation speed
- Integrated pressure limiter stops the air flow once tire pressure reaches 55 PSI to prevent accidental over-inflation

Max Rim Diameter: 8" - 24" External

#### **IBN EEWH590AUB**

**FINANCE IT** 

Max Wheel Width: 15" Max Tire Diameter: 53"

Contact your local store for pricing and availability

## Coats® CWA 6500 Wheel Alignment System

#### • Lightweight, easy-to-use QC20 Clamps grip vehicle tires to prevent damage to wheels

- Large, movable LCD display is portable with multiple positions for user convenience
- Cabinet with wheels makes it easily movable from bay to bay to maximize productivity
- Simple to use software puts all measurements on display and includes a "quick check" feature
- Black Diamond Mini-Targets are low profile, the lightest in the industry, and easy to handle
- Automatic Power Tracking Camera Boom to allow alignments at any rack height possible without
- adjusting the machine
- Automatically enter year, make and model by scanning VIN

#### COA 8006500

\* Contact your local store for pricing and availability


**FINANCE IT** 







#### WHEEL ALIGNMENT





- Corghi user friendly graphics with ergonomic worktop
- High-resolution light target
- Drive on assistant for safe maneuvering in the workshop without additional operator or mirror
- High resolution HI-Q last generation camera for machine vision with optimized monolithic optics, integrated LPF filter and light operational indications
- New integrated lift with wormgear and safety system

#### COR EXACTLINEARPLUS

\* Contact your local store for pricing and availability

**FINANCE IT** 

## H John Bean® V2380 Imaging Wheel Aligner



- Streamline workflow with fast measurement compensation and an optimized alignment flow
- Exclusive high-speed cameras detect errors before they are made, automatically compensating and alerting the operator to problems with suspension stress, vehicle damage, and alignment procedural issues
- Quickly uncover extra service opportunities with alignment audit reports which includes measurement of track width, front and rear toe, camber, wheelbase, wheel diameter, and cross dimensions
- it retains ultimate accuracy while moving the vehicle

## Automatic camera tracking eliminates the need to readjust the cameras after raising the lift.

## alignment workflow that simplifies the alignment process **IBN EEWA542TH3**

measuring process and reduces trips from vehicle to aligner

\* Contact your local store for pricing and availability

information for corrective action

**FINANCE IT** 

#### Nobel Aligner

• Streamline workflow with fast measurement compensation and an optimized alignment flow

• Advanced notification system provides critical information without slowing down the

alignment process, automatically detecting and compensating suspension stress issues or environmental errors, only notifying the technician when necessary to provide additional

Video-speed cameras constantly monitor the alignment and provide critical information

• Streamlined rotating camera beam design for greater flexibility in smaller shops • Enhance productivity and cut down on unnecessary steps with an intelligent, predictive

throughout the process; patented VODI™ (Vehicle Orientation Directional Indicator) guides

- Exclusive high-speed cameras detect errors before they are made, automatically compensating and alerting the operator to problems with suspension stress, vehicle damage, and alignment procedural issues
- . Automatic camera tracking eliminates the need to readjust the cameras after raising the lift, it retains ultimate accuracy while moving the vehicle
- Eliminate manual data entry, speed up measuring, and increase accuracy using our specially designed, optional Ride Height Targets

#### **IBN EEWA545TBV3**

\* Contact your local store for pricing and availability

FINANCE IT



#### John Bean® V3300 Diagnostic Wheel Alignment System



- · Folding camera beam and integrated cabinet mobility allows flexibility to move around the shop
- Diagnostic alignment with "Compensate Warn Alert" intervention gets it right the first time
- Integrated drive-on camera that creates a visual record of the vehicle
- Automatic vehicle height tracking system
- Quickly uncover extra service opportunities with alignment audit reports

#### JBN EEWA552BV2

\* Contact your local store for pricing and availability

**FINANCE IT** 



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

JBN EEWA544TH3

## TIRE SERVICE / BRAKE SERVICE

#### TIRE GAUGES

Milton® Heavy-Duty Digital Tire Inflator and Air Pressure Gauge, Euro Chuck, 1/4" NPT, 15" Rubber Hose

 Highly accurate digital tire pressure gauge meets ANSI/ASME B40.1 standard. Extensive range of measurement capability: 0-255 PSI – resolution of 0.1 PSI, kPa (0-1800), kg/cm2 (0-18), and Bar (0-18)

• Digital backlit display perfect for low light applications; auto-on when tire pressure is detected; auto-off after 15 seconds of inactivity to save battery life (2 AAA batteries included)

 Equipped with an easy lock-on brass inflator air chuck, which allows for one-handed inflation

Max 300 PSI

MIL S-568 \$119

# MILTON

## MILTON® VALVE INSERTION TOOLS MILTON

Milton® Valve Core Removal and Insertion Tool

- · Works with both standard and large bore valves
- Overall length of 5"
- 3" molded handle

MIL S444

#### Milton® Valve Insertion Tool

• For installation or removal of snap in type tubeless tire valves



#### Milton® EXELAIR™ Digital Pistol Grip Tire Inflator/Deflator Gauge

- Measures in kPa, kg/cm2, and Bar; Meets ANSI/ASME B40.1 standard
- Auto-on when tire pressure is detected
- Clip directly to tire valve to adjust pressure for easy inflation
- Includes pistol grip gauge, boot, half-pull deflate, hose, easy-clip chuck and hang loop

MIL EX0500D **\$4.799** 



## Milton® NPT Mini Pressure Heavy Duty Regulator

- 1/4" national pipe thread
- 1/8" national pipe thread gage ports
- Low Pressure
- Maximum inlet pressure of 250 PSI
- 25 standard cubic feet per minute

MIL S1145





#### Milton® EXELAIR™ Analogue Pistol Grip Tire Inflator/ Deflator Gauge - 13" Air Hose and Easy-Clip Chuck

- Pre-calibrated; 4 units of measure: PSI (0-150), kPa (0-1000), kg/cm2(0-10) + Bar (0-10)
- Steel inflation trigger with deflate button in case of overshot tire pressure
- Clip directly to tire valve to adjust pressure for easy inflation with 1 hand
- Includes gauge, rubber boot, deflate button, 13" hose, easy-clip chuck (for standard/schrader valves), hang loop

MIL EX0500P \$1899





- Full swivel dual head chuck with 15" hose
- Range: 10—160 PSI



- Milton® Dual Head Chuck Service Gauges • Plated brass tube and 4-sided nylon indicator bar
- Max pressure of 160 PSI

MIL S693 \$ **1699** 



**Single Head Pencil Tire Pressure Gauge** 5 - 50 PSI

**MIL S921** 

**Pencil Tire Pressure Gauge** 20-120 PSI

**Dual Head Truck Tire Pressure Gauge** 20-120 PSI



#### Milton® Single Head Dial Gauge

- Range: 0—60 PSI
- Single head chuck
- Includes deflator valve





## Tru-Flate™ Tire Tread Depth Gauge

 Calibrated from 0 to 1" in 1/32" Increments and 0 to 25mm in 1mm Increments







## Mityvac® Pressure Bleed System Includes seven (7) master cylinder adapters

**BRAKE BLEEDING** 

- to connect to most domestic, import and Euro cars and light trucks
- Large 5 litre fluid capacity
- Fluid is dispensed under pressure for smooth continual flow
- Utilizes push-to-connect, quick-change style accessory connections



**LIN MV6840** 

mityvac:

#### Mityvac® Vacuum Brake Bleeder and Fluid Evacuator

- Bleeds up to (2) quarts (1.9 litres) per minute
- Variable thumb throttle holds desired flow rate
- Includes guick-disconnect couplers and auto shut-off valve to prevent overfill



#### Mityvac® Automotive Test & Brake Bleed Kit

 Includes a comfortable ergonomic handle design, one-finger lever vacuum release, includes durable, accurate gearless diaphragm style vacuum gauge with pinned connection for 360° rotation, field serviceable – service parts and kits available



**LIN MV8000** 



# **DIAGNOSTIC TOOLS**

#### AUTEL® MAXISYS SCANNERS AUTEL

#### **Autel® MaxiSYS Ultra EV**

- Advanced diagnostics for U.S., European and Asian electric, gas and diesel, and hybrid vehicles
- Rapid analysis of EV high-voltage system including ability to read and erase codes and view live data
- Comprehensive diagrams of high-voltage system block, components and sockets; Step-by-step system disassembly instructions
- 12.9" Touchscreen (2732px x 2048px)
- 2.3GHz+1.7GHz Octa-core Processor / 256GB Memory
- 18000 MAH battery for 8 hours continuous operation / 16MP Rear camera and 5MP front camera
- Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- Topology Mapping: all system module status screen (on equipped vehicles)
- Relevant Cases: Troubleshooting with real fix references / Repair tips video library
- Split screen display to view multiple functions at once
- Includes Advanced VCMI Converged VCI, Oscilloscope, and EVDiag Box

 FREE 1-Year Software and 1-Year Warranty



#### **AIT MSULTRAEV**

\* Contact your local store for pricing and availability

FINANCE IT

#### Autel® MaxiSYS Ultra

- 12.9" Touchscreen (2732px x 2048px) / Android 7.0 OS
- 2.3GHz+1.7GHz Octa-core Processor / 256GB Memory
- 18000 MAH battery for 8 hours continuous operation / 16MP Rear camera and 5MP front camera
- Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- Topology Mapping: all system module status screen (on equipped vehicles)
- Relevant Cases: Troubleshooting with real fix references / Repair tips video library
- Split screen display to view multiple functions at once
- ADAS Calibration software capable
- Includes Advanced VCMI Converged VCI and Oscilloscope
- · Includes connector kit,

carry case and 1 Year warranty and software subscription



#### AIT MSULTRA

\* Contact your local store for pricing and availability

FINANCE IT

#### **Autel® MaxiSYS MS909**

- 9.7" Touchscreen (1536px x 2048px)
- Android 7.0

AIT MS909

\* Contact your local store

**FINANCE IT** 

for pricing and availability

- 2.3GHz+1.7GHz Octa-core Processor / 128GB Memory
- 15000mAh 8hrs Continuous Operation / 16MP Rear Camera & 5MP Front Camera
- Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- Topology Mapping: All System Module Status Screen (on equipped vehicles)
- Relevant Cases: Troubleshooting with



Real Fix References / Repair Tips Video Library

- Includes MaxiFlash VCl with J2534, RP1210, ISO 22900, D-PDU, DoIP/CAN FD & Mega CAN Protocols
- FREE 1-Year Software and 1-Year Warranty

## AUTEL® MAXISYS SCANNERS AUTEL

## Autel® MaxiSYS MS909CV Commercial Vehicle Diagnostics Tablet

- 9.7" Touchscreen (1536px x 2048px) / Android 7.0 OS
- 2.3GHz+1.7GHz Quad-core Processor / 128GB Memory
- 15000 mAH battery / 16MP Rear Camera & 16MP Front Camera
- Intelligent Diagnostics with Module Topology on Select Vehicles and Enhanced AutoSCAN / VINScan and DTC Analysis / Repair Guided Assist
- Topology Mapping: All System Module Status Screen (on equipped vehicles)
- ADAS Calibration with new Class 6-8 Dynamic Calibration, Supporting Class 3-5
   Complete ADAS Coverage
- Includes MaxiFlash VCI with J2534 & MaxiBAS B200 Device
- FREE 1-Year Software and 1-Year Warranty

#### AIT MS909CV

\* Contact your local store for pricing and availability





#### **Autel® MAXISYS MS908CVII Commerical Vehicle Diagnostics & Service Tablet**

- 9.7" wireless touchscreen
- Performs advanced diagnostics on Class 1 Class 9 Heavy duty vehicles
- Read and Erase codes, view live data, perform bi-directional active tests
- Expert Mode for direct access to OE-specific system components, including engine, transmission, and braking systems
- Extensive service and maintenance functions menu
- including forced DPF regen, EPB, and OLs
- Perform injector cutout tests, injector coding
- Equipped with MaxiFlash wireless bluetooth VCI/|2534
- AutoScan of all available modules
- Supports newest communication protocols on light duty vehicles with purchase of MaxiVCI200

#### AIT MS908CVII

\* Contact your local store for pricing and availability

**FINANCE IT** 



#### **Autel® MaxiSYS MS919**

- 9.7" Touchscreen (1536px x 2048) / Android 7.0
- 2.3GHz+1.7GHz Octa-core Processor / 128GB Memory
- 15000mAh 8hrs Continuous Operation / 16MP Rear Camera & 5MP Front Camera
- Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- Topology Mapping: All System Module Status Screen (on equipped vehicles)
- Relevant Cases: Troubleshooting with Real Fix References / Repair Tips Video Library
- Includes Advanced VCMI Converged VCI and Oscilloscope
- FREE 1-Year Software and 1-Year Warranty

#### AIT MS919

\* Contact your local store for pricing and availability

FINANCE IT



#### **Autel® MaxiSYS MS906PRO-TS Diagnostic Tablet**

- · Advanced diagnostic tablet for U.S., Asian and European vehicles, 1996 and newer
- Complete TPMS servicing: Activate/read all known sensors, diagnose system, program 1-Sensor, relearn sensors
- 8-inch Wireless Touchscreen tablet with embedded antenna
- Bluetooth-enabled MaxiSYS VCI200 Octa-Core Processor/128 GB memory/4 GB RAM
- Read/Erase Codes, View Freeze Frame and Live Data
- Performs all system scan with ADAS identification/Customizable Pre & Post scans
- Bi-directional control capability including Active test/Performs coding and adaptations

#### AIT MS906PROTS

\* Contact your local store for pricing and availability

FINANCE IT



<sup>\*</sup> Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# **DIAGNOSTIC TOOLS**

#### Autel® MaxiCheck MX900

- 8" corded Wi-Fi-enabled touchscreen tablet
- · Compatible with U.S., Asian, and European vehicles, 1996 and newer
- Read and erase codes, view and graph live data, view freeze frame data
- Perform bi-directional Active Tests and Special Functions
- Extensive, 40-plus service menu including brake bleed, oil and service lights resets, battery registration, DPF regen, and electronic parking brake and steering angle resets
- Android 110S, 1.8 Ghz processor, and 7 hours of continuous battery life
- Update firmware and coverage software wirelessly
- One Year Limited Warranty

AIT MX900

\$**629**<sup>99</sup>

AUTEL



One-click I/M Readiness and LED Indicator
 Graph, record and playback live data and display

• Tests 02 monitor, on-board monitor, component

freeze frame data

and 02 sensor

Support all 10 OBDII test modes

Enhanced Mode 6 Diagnostics

## **CODE READERS**

#### Autel® AutoLink® AL529HD

- 320 x 240 LED display
- OBDII 16-Pin Cable
- Updates thru USB cable, print via PC
- Covers domestic, Asian and European Vehicle Manufacturers 1996 to present
- Auto VIN for quick DTC definitions
- Read and erase DTCs for engine
- Read enhanced powertrain codes on GM, Ford and Chrysler
- FREE Lifetime Software and 1-Year Warranty
- Deutsch-9 & Deutsch-6 adapters
- Supports J1939 & J1708 HD protocols vehicle manufacturers 1996 to Present

Autel® AutoLink® AL629 Code Reader

AIT AL529HD



AUTEL

- 320 x 240 LED display
- OBDII 16-Pin Cable
- Updates thru USB cable, print via PC
- Covers domestic, Asian and European Vehicle Manufacturers 1996 to present
- Auto VIN for quick DTC definitions
- Read and erase DTCs for ABS, SRS, engine and transmission
- Graph, record and playback live data and display freeze frame data
- I/M emissions readiness
- Support all 10 OBDII test modes
- Enhanced Mode 6 Diagnostics
- Tests 0<sup>2</sup> monitor, on-board monitor, component and oxygen sensor
- FREE Lifetime Software and 1-Year Warranty

AIT AL629

\$**219**99

#### Autel® AutoLink® AL329 Engine Code Reader AUTEL

- 320 x 240 LED display
- OBDII 16-pin cable
- Updates thru USB cable, print via PC
- Covers domestic, Asian and European Vehicle Manufacturers 1996 to present
- Auto VIN for quick DTC definitions
- Read and erase DTCs for engine
- One-click I/M Readiness and LED Indicator
   Display live and freeze
- frame data
   Support all 10 OBDII test modes
- FREE Lifetime Software and 1-Year Warranty



## **CODE READERS**

#### **Autel® Autolink AL549**

- Easily determines the causes of the Check Engine Light and ABS warning light, turns off lights, and erases codes
- Compatible with U.S., Asian, and European Vehicles, 1996 and newer
- AutoVIN function for quickly identifying manufacturer-specific codes
- Supports all 10 modes of OBDII test for complete diagnosis
- Patented one-click I/M readiness key with color coded LEDs, and built-in speaker provides both visual and audible tone for quick readiness verification
- Supports reading vehicle battery information from OBD port, including starting system test and charging system test

AIT AL549

\$13999

AUTEL

#### Launch CReader VII with Full Colour LCD Screen

- Read & clear OBD-II trouble codes, view and graph live data in full colour, perform oil service light resets and more
- Special tests include: I/M Readiness, MIL Status, O2 Sensor, EVAP System, Vehicle Info, Code Look-Up and On-Board Monitor Test

LCH 301050139

\$**79**99

LAUNCH

## **TPMS SERVICE**

#### Autel® MaxiTPMS TS508WF Advanced TPMS Service Tool

- 2.3" color display 320 x 240
- Read/Activate/Relearn all known sensors
- Detect & display TPMS system faults
- Display vehicle-specific relearn procedures; perform OBDII relearns
- Key fob signal test
- Quick mode & advanced mode options

AIT 700010

\$22999

#### Autel® MaxiTPMS ITS600Pro TPMS Tablet

- 5.5-inch, wireless touchscreen Android tablet
- Complete TPMS service tool
- All system diagnostics and service functions
- Activates, Reads and Relearns All Known Sensors
- Rapid VIN Acquisition Via Optical VINscan Function

AIT 700150

\$**689**<sup>99</sup>

AUTEL

# The second of th

## Autel® MaxiVideo MV480 Digital Videoscope

- Dual front & side 2 MP cameras take high resolution images & video (1920 x 1080)
- Dual front & side 10,000 lux 10-level adjustable LED lights
- 8.5 mm camera head with wider 70° field of view
- 4.1" Full color LCD display
- Record and playback still images and video clips
   On-screen horizontal/vertical reverse
- 7V disital as one familiary control investor
- 7X digital zoom for increased viewing
- 1 meter semi-rigid watertight cable
- Magnet and hook included



AUTEL



AIT AL329

\$**49**99



# **DIAGNOSTIC TOOLS**

### Launch X-431 Throttle III LAUNCH

- OE-level U.S. vehicle coverage as well as Asian, European coverage from 1996 and newer
- Optional ADAS calibration application to calibrate LDW, RCW, AVM, NV, BSD and ACC system accurately.
- OE-Level bi-directional functionality
- Support communication protocols CAN/CAFD/DoIP and automotive communication standards I/D-PDU/RP1210
- TECH 2 TECH remote diagnosis and technician collaboration
- Auto Detect VIN to access to vehicle info within seconds
- · OE vehicle approved Security Gateway access by FCA certified
- Code Assist by Identifix, access most common fixes and repair solutions with corresponding DTC
- Topology module mapping overview virtually the all-systems communication status



#### ICH 301180833

Contact your local store for pricing and availability

#### **FINANCE IT**

## Launch Millennium HD Pro LAUNCH

- For gasoline vehicles (I/M Readiness, O2 sensor test and EVAP test), Reads and Clears DTCs, Reads Vehicle Information, and Graphic Display
- For heavy duty vehicles (J1708 AND J1939) Reads and Clears DTCs, and Data Stream
- Supports Caterpillar Coverage
- Supports regen command for most makes and models
- Includes 6 pin, Type II 9 PIN, and 16 pin adapters
- Free lifetime updates

LCH 301050372 \$58999



### **LAUNCH I-Box 3**

#### Pass-Though Reprogramming

- Works with all OEM J-2534 applications, also supports both J2534-1 and J-2534-2
- Supported BUS Protocols: CAN/ISO 15765/GMLAN, 2nd CAN (Dual or Single Wire), Ford SCP (J1850PWM), GM Class2 (J1850VPW), Chrysler SCI (J2610), KWP2000 (ISO9141/14230)

**LAUNCH** 

• Compliant to SAE J2534 (Feb 2002), SAE J2534-1 (Dec 2004) and ISO 22900-1 MVCI Physical Laver

Vehicle Applications: GM's Tech 2 WIN and GDS2, Toyota Tech stream, VW/Audi ODIS, BMW ISTA, Jaguar Land Rover IDS, Honda HDS

LCH 301020526 \* Contact your local store for pricing and availability



#### **Autel® EV Diagnostics Upgrade Kit** AUTEL

• Includes EVDiag Box, testing software, and adapters for specific vehicles to enable testing of electric vehicle battery packs

EVDiag Box is compatible with the MaxiSys Ultra, MaxiSys Ultra ADAS, MaxiSys MS919, and MaxiSys MS909



## BATTERY TESTING

#### Autel® MaxiBAS BT608 Battery and **Electrical System Tester**

- Tests the battery, starter, alternator and parasitic draw
- Read and erase codes and view live data
- 5.5" Android-based touchscreen with user friendly graphic interface
- Wirelessly connects with VCI via Bluetooth
- Auto registration after battery replacement for 53 vehicle makes
- · Step-by-step electrical reset instructions
- AutoVIN & VINScan to automatically identify battery parameters by VIN
- · Illustrated instructions for battery positioning and testing
- Create customized customer repair reports and share with built-in thermal printer, WiFi printing via PC or email





## Autel® MaxiBAS BT506 Battery and Electrical Analysis Tool

- Includes Connected Cable with Clamps
- Support In-vehicle and Out-of-vehicle Testing of Passenger Vehicle Batteries
- Test 6- and 12-volt batteries: 100 2000 CCA
- Test 12 and 24 Volt Cranking/Charging Systems
- Test Flooded, AGM, AGM Spiral, EFB and GEL batteries
- · Compatible with CCA, CA, SAE, EN, IEC, DIN, JIS and MCA
- · Download Free App from Google Play and the App Store

AIT BT608

AUTEL



## AUTEL® TABLET ACCESSORIES AUTŒL

## \*\*Autel® Total Care 1-Year Software Updates

- Extends software subscription for additional 12 months
- Ensures tablet has latest vehicle coverage, Make, Models and Years
- No-Cost Battery and/or Tablet Replacement (excludes misuse and loss/theft)

Compatible Tablets	Line Code	Part Number	Price	CARE PROGRA
MS906BT	AIT	MS906BT1YRUPDAT	\$919.99	TO CARE P
MS906TS	AIT	MS906TS1YRUPDAT	\$919.99	CARE P
MS908S	AIT	MS9081YRUPDATE	\$989.99	
MSELITE	AIT	MSELITE1YRUPDAT	\$1489.99	
MSULTRA	AIT	MSULTRA1YRUP	Call for pri	cing
MS908P, MS908SP	AIT	MS908P1YRUPDATE	\$1439.99	
MS909	AIT	MS9091YRUPDATE	\$1639.99	
MS919	AIT	MS9191YRUPDATE	\$1829.99	
MS908CV	AIT	MS908CV1YRUPDAT	\$1489.99	
MS906BT, MS906Pro	AIT	MS906P1YR	\$689.99	
MaxiIM® IM608	AIT	IM6081YRUPDATE	\$1299.99	
MS906TS, MS906 Pro-TS	AIT	MS906T1YR	\$869.99	
MaxiIM® IM508	AIT	IM5081YRUPDATE	\$499.99	
MaxiSys® MS909CV	AIT	MS909CV1YRUP	\$1699.99	

# **COMBUSTION LEAK TESTER** Lisle® Combustion Leak Detector

- Checks for combustion leaks caused by bad head gaskets, cracked blocks, and cracked or warped heads
- Fluid changes from blue to yellow when exposed to combustion gases from the radiator
- With the engine running, the vehicle vacuum or the vacuum pump draws vapors through the indicating fluid for testing









## A/C SERVICE SYSTEMS



## R-134A SERVICE SYSTEMS — RECOVER, RECHARGE, RECYCLE



- Fully automatic up to 98.5% efficiency (per ROBINAIR®)
- Recover, vacuum, leak test and charge without operating panel valves
- · Automatic oil drain displays prompts to empty the container and shows the amount of oil to replace
- Oil inject function automatically injects oil back into the A/C system
- A/C system flush eliminates residual contaminants (flushing adapters not included)
- Visual and audible alarms
- Vacuum leak test function monitors level after evacuation and finds possible leaks
- Automatic air purge and refrigerant refill function
- · Optional refrigerant and oil database printer and refrigerant identifier available

#### **RAR 34788NI**

\* Contact your local store for pricing and availability

FINANCE IT

Test, Recover and Recharge R-134a A/C Systems

Robinair® 34288NI A/C Service System

- 98.5% recovery (per Robinair®)
- Automatic oil drain and air purge
- Programmable vacuum feature
- Multilingual display
- · Refrigerant management system displays use and monitors remaining filter life
- Optional Printer and Refrigerant and Oil Database: A/C system capacities for North American market vehicles available

#### **RAR 34288NI**

\* Contact your local store for pricing and availability

FINANCE IT

## Robinair® AC1234-4 Premier R-1234yf Recover, **Recycle and Recharge Machine**

- Fully automatic operation
- 98.5% recovery efficiency
- Charge accuracy within +/- 1/2 oz
- Automatic internal tank refill
- Automatic oil drain shows how much oil was removed from system during service
- · Automatic air purge removes the potential of air accumulating in the internal tank
- Integrated refrigerant identifier (meets SAE J2927)
- Programmable vacuum operation helps get to the necessary vacuum level in any condition quickly
- System leak test to identify gross leaks in a system
- Liquid refrigerant flushing function can flush A/C systems or individual components using liquid refrigerant instead of harsh chemicals
- Meets and exceeds SAE J2843 requirement for R-1234YF Recover, Recycle and Recharge equipment

#### RAR AC1234-4

\* Contact your local store for pricing and availability

**FINANCE IT** 



## Robinair AC1234-9 Connected R-1234YF ACS Machine

- Meets or exceeds SAE I2843 standards for R-1234vf recovery
- Integrated refrigerant analyzer protects machine and vehicle system
- Industry-leading 10.5" hi-res touch screen with easy-to-use controls
- Wi-Fi® and Bluetooth® connectivity for wireless accessories and performance enhancements
- · Legendary Robinair quality, field and service support
- Built-in training videos and speaker with web access for more training and A/C service info
- MOPRIA ready, with a report export option for customers or insurance companies
- Includes wireless software updates and refrigerant capacity database access

#### RAR AC1234-9

\* Contact your local store for pricing and availability

FINANCE IT

## **ROBINAIR® R-ID Refrigerant Analyzer ROBINAIR**

- Quickly analyzes refrigerant in a vehicle's A/C system to determine if it is good or bad, a requirement of R-1234yf service
- For use with either R134A or the newer R-1234yf refrigerant
- Certified to the SAE J2912 standard
- Capable of connecting directly to any SAE J2843 or 13030 AC service machine that has an external USB port
- · Large, easy to read colour display shows results quickly and accurately

#### **RAR 16990**

\* Contact your local store for pricing and availability

#### **R-ID Plus**

• Also features an internal printer to print final test results.

#### **RAR 16995**

\* Contact your local store for pricing and availability



Don't see the maintenance items you need for your A/C Service System? Contact your local store or sales representative for pricing and availability.

WiEW

240 mL services up to 64 Vehicles

# A/C SERVICE SYSTEMS



**Universal PAG Oil with Dye** 

UVW 488016P

355mL

UVW 499108A

PAG 46 Oil with A/C ExtenDye™

236mL UVW 488046PBD



## E CPS® Maxxair MSX1234 R-1234yf Refrigerant Management System

- Fully Automatic R1234yf RRR unit. Choose between SAE mode or international mode which provides faster service times
- 7" colour touchscreen with quick access to all functions from the main screen and step by step guidance for all processes
- Integrated refrigerant identifier detects foreign refrigerants and prevents contamination of on-board recovery tank
- Automatic oil drain indicates how much oil was removed from the system during recovery
- Hybrid/EV certified, automated hose flush process to prevent cross contamination of A/C oils
- A/C refrigerant capacity database allows users to lookup vehicle charge capacity and oil type directly on the machine
- Bluetooth enabled for wireless temperature sensors
- WiFi enabled for exporting reports for customers or insurance companies
- Patented 2/3HP oil-less compressor, recovery rates up to 1lb/min
- 2CFM vacuum pump, customizable vacuum time and leak check to identify major leaks in a system
- 30lb on-board recovery tank, 10ft service hoses
- 2-year Full coverage (parts & labour) warranty

**OFFER** 

Limited Time offer: Buy CPS MSX1234 and receive a Bonus UView Leak Detector Kit in pack - UVW 480550

\* Contact your local store for pricing and availability

FINANCE IT CDS



F CPS® MAXXAIR R-134a A/C Service System



- Fully Automatic R134a RRR unit
- 7" colour touchscreen with quick access to all functions from the main screen and step by step guidance for all processes
- On-Board automatic oil injection & Automatic oil-drain
- A/C refrigerant capacity database allows users to lookup vehicle charge capacity and oil type directly on the machine
- Bluetooth enabled for wireless temperature sensors
- WiFi enabled for exporting reports for customers or insurance companies
- Patented 2/3HP oil-less compressor, recovery rates up to 1lb/min
- 2CFM vacuum pump, customizable vacuum time and leak check to identify major leaks in a system
- 30lb on-board recovery tank, 10ft service hoses
- · 2-year Full coverage (parts & labour) warranty

#### CPS MSX134

\* Contact your local store for pricing and availability

**FINANCE IT** 

## **G** MAXXAIR™ MXHD Heavy-Duty Recovery Machine

- External tank design offers flexibility in tank size and tank changing during service
- Comes standard with a 50 lb. tank and is compatible with the optional 90 lb. tank
- Features a 6 CFM dual-stage vacuum pump to decrease cycle time for large systems
- Features a large 12.67 cc twin-piston oilless compressor for faster recovery and the ability to pass liquid refrigerant
- WiFi and Bluetooth® enabled

## CPS MXHD

\* Contact your local store for pricing and availability

FINANCE IT

CDS

**PAG Oil with** ExtenDye™ 236mL

UVW 488100PBD



## ExtenDye™ **Multi-Shot Cartridges**

• (4) 29.5 mL cartridges, services up to 40 vehicles

blue to yellow

UVW 399020A



## LEAK DETECTORS

#### **UView Combustion Leak Tester Works On Gasoline and Diesel Engines**

- A fast, economical and highly accurate method to test for combustion gas leaks in Head Gaskets, Cylinder Heads and Engine Blocks
- Features a dual-chamber design for higher accuracy to eliminate false readings
- First chamber will filter out any alkaline particles that could result in a false indication of a combustion leak
- Test results in the second chamber will provide a true indication of a combustion leak
- · Colour change provides positive proof of a leak

UVW 560000

Replacement Combustion **Leak Tester Fluid** UVW 560500



· Gasoline Engines - Tester fluid changes from

· Diesel Engines - Tester fluid changes from blue



## UV Phazer™ BLACK Leak Detection Light

- Powerful, true UV LED illuminates up to 11X brighter
- 400nm wavelength fluoresces dyes brighter
- · Provides more contrast than blue light, making leaks easier to identify
- Adjustable lens allows quick scan for larger leaks, or a concentrate of light for hard to find smaller leaks.
- · A compact housing allows for access into tight spaces
- Includes: Set of AAA Batteries and Yellow Inspection Glasses



UVW 413075



## UView Rechargeable Phazer NEO™ Kit

- True UV: Fluoresces dyes brighter than blue LED light
- Adjustable Lens Focus allows for focusing light intensity
- Rechargeable Lithium-Ion Battery







# A/C SERVICE SYSTEMS / LIFTING AND SUPPORT

## LEAK DETECTION KITS

## **Uview Spotgun R-1234yf Injection Kit**

- All UView A/C Dyes are Certified to Meet SAE |2297 for use in R-134a/PAG and R-1234yf/PAG systems
- Services up to 64 vehicles
- Includes: Spotgun injection gun, R-1234yf adapter, A/C ExtenDye cartridge (8 oz/240 mL), service stickers









#### **UView Spotgun Oil injection Kits**

- Pull the trigger to inject a precise amount of oil into the A/C system and you're done
- Allows for compliance with J2788 or J2843 SAE standards (separate oil injection)

Excellent for use with SAE certified A/C equipment

## R-12 and R-134a Compliant with J2788

- Kit includes Spotgun<sup>™</sup> injector
- R-12 and R-134a adapters
- PAG 46 oil cartridge 240 mL

UVW 481500 **12** 

### R-1234vf Compliant with I2843

- Kit includes Spotgun<sup>™</sup> injector
- R-1234vf adapters
- PAG 46 HFO oil cartridge 240 mL

UVW 481500YF





## MITYVAC® COOLANT TEST AND REFILL KITS

### Mityvac® Cooling System Pressure Test Kit

• Run complete cooling system test includes easy-to-grip adapters to test most US and Asian vehicles

- Large capacity hand pump requires fewer strokes to pressurize system
- Thumb operated relief valve for quick pressure release

LIN MV4530 \$39999

## Mityvac® Universal Cooling System Test Kit

- Replaces more than 20 individual adapters for cars, vans, light- and heavy-duty trucks
- · Built to ensure an air-tight seal with a radiator or coolant bottle neck
- The high-volume, hand-operated pump builds pressure quickly to locate leaks
- The tester features a large, easy-to-read 2.5" diameter gauge with clearly indicated pressure test zones
- Convenient push-button valve safely relieves pressure when testing is complete

LIN MV4534 **\$230** 



## PRESSURE/COMPRESSION TEST KITS

## MityVac® Vacuum/Pressure Test Kit

- · Performs engine performance diagnostics, brake bleeding, fluid transfer, evacuation, sampling, windshield repair and more
- Includes components needed to perform hundreds of diagnostic and mechanical tests



Mityvac.

## Mityvac® Cooling System Pressure Test Kit

- Pinpoints external leaks caused by loose clamps or leaky hoses. connectors, water pumps or radiators
- Contains adapters to test most US and Asian cars and light trucks, as well as many European cars







## **BOTTLE IACKS**

## DieHard® Bottle Jacks **20-Ton EQP DH20029**

Min. height: 9-1/2" Max height: 17-3/4"

Max height: 18-1/4"

6-Ton EQP DH20027

Min. height: 8-1/4"

2-Ton EQP DH20026

Min. height: 9-1/16"

DieHard



## **IACK STANDS** DieHard

### DieHard® Ratcheting Jack Stands

2-Ton EOP DH20011

3-Ton EOP DH20005

Min. height: 10.32" Max height: 16.22"

Min. height: 11.33" Max height: 16.65"

4-Ton EQP DH20014

Min. height: 13.63" Max height: 20.38" 6-Ton EQP DH20006

Min. height: 15.75" Max height: 24.4"



#### DieHard® 2-Ton Trolley Jack & **DieHard** 2 Jack Stands Combo

2-Ton Trolley Jack Min. height: 5.12" Max height: 13"

2-Ton Jack Stands Min. height: 10.32" Max height: 16.22

EQP DH20007

STRONGARM® 6 Ton Ratcheting STRONGARM **Jack Stands** 

6-Ton JET 032244

Min. height: 15-1/2" Max height: 24'

## **SERVICE JACKS**

## DieHard® 2.5 Ton Hydraulic Trolley Jack **DieHard**

- Safety over load system prevents use beyond rated capacity
- · Hydraulic oil by-pass system protects ram from being over-extended
- Swivel saddle & rear casters for easy jack positioning

EOP DH20013

Min. height: 5.32" Max height: 15.23"



## Die Hard® 2 Ton Hydraulic Trolley Jack **Die Hard**

- · Safety over load system prevents use beyond rated capacity
- Hydraulic oil by-pass system protects ram from being over-extended
- Swivel saddle & rear casters for easy jack positioning

EOP DH20008

Min. height: 5.12"





## SERVICE JACKS

## DieHard® 3.5 Ton Low Profile Floor Jack **DieHard**

- Dual pump raises vehicle 5 times faster than standard jacks
- Low-profile design for maximum access, which fits easily and safely under vehicle
- Heavy-duty all steel construction
- Over pump bypass protection
- Full swivel rear casters for easy positioning



EQP DH20022

\$**309**99

Min. height: 3.88" Max height: 21.06"

## DieHard® 2.5 Ton Aluminum/Steel Service Jack **DieHard**

- Built with high strength aircraft grade aluminum
- Hydraulic oil by-pass system protects ram from being over-extended
- Full 360 degree swivel saddle with rubber grip seat



**EQP DH20020** 

\$**249**<sup>99</sup>

Min. height: 3.94" Max height: 18.31"

## DieHard® 3 Ton Low Profile Floor Jack **DieHard**.

- •Dual pump raises vehicle 5 times faster than standard jacks
- ·Low-profile design for maximum access, which fits easily and safely under vehicle
- Heavy-duty all steel construction
- Over pump bypass protection
- •Full swivel rear casters for easy positioning



**EQP DH20023** 

\$**289**<sup>99</sup>

Min. height: 3.75" Max height: 18.31"

## DieHard® 3 Ton Garage Jack **DieHard**

- Safety bypass system prevents ram over travel for safe operation
- Swivel saddle and rear casters provide easy jack positioning

EQP DH20021

\$**199**<sup>99</sup>

Min. height: 5.12" Max height: 18.31"

## DieHard® 1.5 Ton Aluminum/Steel Service Jack **DieHard**

- Built with high strength aircraft grade aluminum
- Hydraulic oil by-pass system protects ram from being over-extended
- Full 360 degree swivel saddle with rubber grip seat

EQP DH20019

\$**209**<sup>99</sup>

Min. height: 3.5" Max height: 14.13"



## DieHard® 3 Ton SUV Trolley Jack **DieHard**

- 360 degree handle
- Safety over load system prevents use beyond rated capacity
- Hydraulic oil by-pass system protects ram from being over-extended





Min. height: 7.56" Max height: 21"



## **SERVICE JACKS**

## Die Hard® Professional 2.5 Ton Hydraulic Service Jack **Die Hard**

- Meets ASME PASE 2019 Specs
- 2.5 Ton (5,000 lbs) capacity
- · Constructed with heavy duty steel
- Built in safety over load system prevents use beyond rated capacity
- Swivel saddle and rear casters for easy positioning
- Safety bypass system

EQP 1225DHP

\$199<sup>99</sup>

Min. height: 5.5" Max height: 18.5"



## DieHard® 2.5 Ton Quick Start Low **DieHard** Profile Trolley Jack

- Quick Start for faster operation to contact point
- · Safety over load system prevents use beyond rated capacity
- Hydraulic oil by-pass system protects ram from being over-extended

**EQP DH20001** 

\$**119**99

Min. height: 3.37" Max height: 14.37"



## DieHard® Scissor Jack

1-1/2-Ton

EQP DH20012 \$319

Min. height: 4.13" Max height: 15.13"

**DieHard** 



## **DieHard® Steel Wheel Chocks**

Set of 2

**EQP DH20024** 

**\$24**99

**DieHard** 



## JET® Standard and Lever VLP Series Chain Hoists

- Grade 80 load chain.
- Top and bottom safety hooks bend slowly to warn of overloads
- Load tested to 150% of rated capacity with certificate
- Meets ASME standards

3-Ton 5 ft. Lift

JET 110304 \$54999

VCH Series 1-Ton 10 ft. Lift

ET 101012 **\$249**99






## **DieHard® Engine Leveler**

- 1,500 lb. Capacity
- Allows the center of gravity to be easily changed while working on the engine



EQP DH20009 \$4999

DieHard



## LIFTING AND SUPPORT **ENGINE LIFTS AND STANDS DieHard® 2-Ton Engine Crane** Fully adjustable boom slides in or out for the correct lifting weight, includes chain and hook · Folds in half for easy storage EOP DH20025 **DieHard** DieHard® 750 Lbs Engine Stand · Head plate locks in eight positions and rotates 360 degrees • Feet constructed from heavy gauge welded square tubular steel Extra long handle with rubber grip for easy rotation and maneuvering **EQP DH20003 DieHard** TRANSMISSION JACKS STRONGARM® 1 Ton High Lift Air / Hydraulic Transmission Jack • Telescopic two-stage hydraulics for greater lift range, precise load control and rapid lift • Extendable height from 37" to 76-3/8" Convenient foot-operated pump • Fully adjustable universal saddle with hand adjustable corner brackets and

JET 030538

safety chain

\* Contact your local store for pricing and availability

load-limiting standard

FINANCE IT

STRONGARM

#### STRONGARM® 1/2 Ton High Lift Air Transmission Jack

- Telescopic two-stage hydraulics for greater lift range, precise load control and rapid lift
- Extendable height from 37" to 76-3/8"

 Wide base with four swivel caster wheels
 Safety overload system prevents jack from being used beyond the ASME/PASE

 Convenient foot-operated pump allows mechanic to use both hands to position and align saddle with transmission

 Fully adjustable universal saddle with hand adjustable corner brackets and safety chain

 Wide base with four swivel caster wheels for easier, more efficient under-hoist positioning

 Safety overload system prevents jack from being used beyond the ASME/PASE load-limiting standard

## Also Available:

JET 030535

1/2 Ton Manual Transmission Jack

## JET 030536

\* Contact your local store for pricing and availability



<u>STRONGARM</u>





## 2-POST SERVICE LIFTS

A John Bean® EELR532A 10,000 lb.



- Vehicles can be positioned and lifted symmetrically or asymmetrically
- Power column can be arranged on either the driver or the passenger side
- · Vehicle protection with padded overhead shut off

#### JBN EELR532A

\* Contact your local store for pricing and availability

FINANCE IT

Rise: 77-3/4" Overall Height: 147-1/2" Overall Width: 131-3/4" Drive Through: 98-3/8" Front Arm Reach: 21-3/4"-39-1/4" Rear Arm Reach: 38-1/4"-55-3/8"

# B John Bean® EELR537A January 12,000 lb.

- Superior symmetric two post lifting
- Heavy-duty two stage front and rear lift arms
- Insert adjustable screw lifting pads with rubber contact surface for quick and easy vehicle setup
- Rubber door guards secure against door to column damage
- Single point safety lock release system
- Padded overhead safety shut off bar for improved vehicle clearance

## JBN EELR537A

\* Contact your local store for pricing and availability

FINANCE IT

Rise: 78-1/8" Overall Height: 175" Overall Width: 139-3/4" Drive Through: 103" Arm Reach: 35-3/4"-54-1/2"



D SPO12-TA

Includes Screw-Up

**Stack Adapters** 

## 2-POST SERVICE LIFTS

## C Coats® 4TV21NSR1 2-in-1 COALS 10,000 lb.

- Three piece, offset 2 in 1 Arms front and rear for asymmetric and symmetric loading
- Non Fatigue Cables and Pulleys
- Up to 20% heavier than many competitors for a stronger and more
- Steel components are wheel-a-brator shot blasted and acid washed before "double bake" powder coat finish is applied
- Rubber door bumpers are mounted on the face of both lifting carriages to reduce door damage
- Rubber mounting grommets reduce unit noise to less than 75 decibels



Rise: 76" Overall Width: 135-1/2" Overall Height: 138" Drive Thru Clearance: 112-3/4" Arm Reach Min.-Max.: Front: 19-3/4" - 42" Rear: 35"-60"


#### COA 4TV21NSR1

\* Contact your local store for pricing and availability

FINANCE IT







- Front and rear 3-stage arms
- Available in alternate height configurations



## DOV SPO12-TA

\* Contact your local store for pricing and availability


FINANCE IT

Rise: 80" Overall Width: 137" Overall Height: 164" Drive Thru Clearance: 102" Arm Reach Min.-Max.: Front: 27"-59' Rear: 27"- 59"



## Forward Lift® F10 10,000 lb. Lift





- 2-stage rear arms • Low 3-5/8" adapter height
- Direct pull cylinders
- Closed loop hydraulic system
- Includes 3-1/2", and 5" adapter extensions
- · Available in red and blue



#### DOV F10

\* Contact your local store for pricing and availability

FINANCE IT

Rise: 76" Overall Height: 143" Overall Width: 131" Drive Through: 99" Arm Reach: 24-1/2" - 44-3/8"

43

<sup>\*</sup> Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

## 2-POST SERVICE LIFTS

A Forward Lift® BP9 FORWARD FOR 9,000 lb. Lift

- · For facilities with low ceilings
- Dual hydraulic cylinders
- Carriage latch system engages every 3"
- Adapter extensions included
- · Secondary lock system includes a spring actuated slack chain locking device







**B** 4T212SSR1

With extensions: 80-1/2" Overall Height: 111-1/4" Overall Width: 138-1/2" Drive Through: 97-1/4" Arm Reach: 30" - 46-1/4"



coats

#### DOV BP9

\* Contact your local store for pricing and availability

FINANCE IT



#### Coats® 12,000lb coats Two Post Symmetrical Lift

- 3/8" Non Fatigue Cables with 3.5" Pulleys that are double the lifespan of plastic pulleys
- 2 Field Adjustable Height Settings
- Double Screw Universal pad with 4-1/8" rubber pad contact area & nickel plated to prevent corrosion



\* Contact your local store for pricing and availability

FINANCE IT

Raised Height: 76" Overall Height: 158 7/8" Overall Width: 145-1/8" Drive Thru: 89 1/8" Arm Reach: 33" - 62"

## **4-POST SERVICE LIFTS**



- Features a single point latch release system, jack track, and multiple position latch points on each structural leg
- The new column design provides a higher rise height for better access
- New and improved heavy-duty, high-performance cable and sheaves system conveniently conceals under the runway for greater capacity and durability
- Self chocking approach ramps and wheel chocks are supplied standard
- Multi-position lock components allow the lift to be level at any lock position
- Easy access to air operated latch release and power unit controls
- Optional Bolt-on Alignment system sold separately



Rise: 78-3/4" Overall Length: 250" Overall Width: 131-3/4" Drive Through: 116-1/4" Runway Width: 20"



#### DOV CR14


\* Contact your local store for pricing and availability





## 4-POST SERVICE LIFTS

# D Rotary® AR18 Heavy Duty Drive-On Alignment Lift 4-Post 18,000 Lb.



- Longer slip plate designed to accommodate a greater wheelbase range for two and four wheel alignments
- Comes standard with two 9,000 lbs. capacity rolling jacks.
- Single point lock release that releases all four columns at the same time.
- Multi-position lock components allow lift to be level at any lock position
- Cylinders are hidden under runway



#### DOV AR18

\* Contact your local store for pricing and availability





Rise: 68" Overall Width: 138" Overall Length: 274" Runway Width: 22" Width Between Runways: 43" — 46"



## John Bean® 15K 4-Post Lift 15,000 lb.

- Extended rear column drive-on clearance allows dual-wheel trucks to drive on without interference
- Ultra-low-profile allows "easy-on" approach angle for low-profile vehicles, lowered height just 8"
- Extra-long 100" rear slip plates for improved 4-wheel alignment capability for long and short wheelbase vehicles
- Open front cross beam allows easy access to service areas for hassle-free adjustments and repairs
- Ultra-wide ramps with anti-slip textured surface ramps
- · Cartridge-based locking and cable brake system for ease of maintenance

#### JBN EELR506APKG

\* Contact your local store for pricing and availability

FINANCE IT

Rise: 78" Overall Length: 277" Overall Width: 142" Drive-On Clearance: 120" Runway Width: 26"



- Open-End Design
- Dual Function Sentinel Lock™ System
- Air Filter/Regulator/Lubricator
- Single Piece Non-Welded Runway With Tracks For Rolling Jacks
- Internal Airline
- (2) 7,000 lbs. Capacity Rolling Jacks
- Stainless Steel Radius Gauges
- Rear Slip Plates
- Compatible With The New Technology Alignment Systems On The Market Today



AR14L closed beam version also available

#### DOV ARO14L

\* Contact your local store for pricing and availability

FINANCE IT

Rise: 78 3/4" Overall Length: 253" Overall Width: 140" Drive Through: 116 1/4" Runway Width: 20"

**ERICKSON TIE-DOWN STRAPS ERICKSON** 

Erickson Heavy Duty Ratcheting Tie-Downs 5500 lb. - 2-Pack • Features rubber handle ratchets • 1-1/2" x 15'

ERI 32200



- Wide handle ratchet / moulded rubber handles
- 1" x 15'

FRI 31416



Patented moulded rubber handles
 1" x 15"

ERI 31415

### **Erickson Heavy Duty Motorcycle Strap** with Safety Snap Hooks

1200 lb.

- Extra Long safety hook snaps over 1" diameter
- Polyester webbing is strong and durable

ERI 05710

## **Erickson Heavy Duty Tow Strap**

4250 lb. (Maximum Vehicle Weight), 8500 lb. (Breaking Strength)

- · With forged hooks and blue polyester web
- 2" x 15'

ERI 34405

## Erickson Ratcheting Tie-Downs 2500 lb. - 2-Pack

- Long handle ratchet with moulded rubber handles
- · Allows ease in operation
- 1-1/4" x 12'

ERI 34412

## Erickson Ratcheting Tie-Downs 4000 lb. - 2-Pack

- Top-of-the-line ratchets with rubber handles
- 2" x 10'

ERI 34410 \$33

**Erickson Retractable Ratchet Strap** 

1200 lb. - 2-Pack

• 1" x 10'

ERI 34415

#### Erickson Ratchet Strap 5000 lb.

• 2" x 25'

ERI 02400



## **ERICKSON TIE-DOWN STRAPS**

Erickson Double J-Hooks Ratchet Straps 10,000 lb.

- · Heavy-duty metal hook
- 2" x 27'


ERI 78627



9000 lb. (Maximum Vehicle Weight), 18,000 lb. (Breaking Strength)

- · Built in Erickson Strap Wrap makes storage easy
- Handy storage bag included
- 2" x 20'

ERI 59500



• 1" x 15'

ERI 01400



## **ERICKSON BUNGY AND** EPDM STRAPS ERICKSON

## **Erickson Bag Assortment Bungy Kit**

10-Pack

 (2) 13" x 8mm, (2) 18" x 8mm, (2) 24" x 8mm, (2) 30" x 9mm, (2) 36" x 10mm

ERI 06619

\$**@**99



## Erickson Wire Flip Anchor Ring 5000 lb. **ERICKSON**

- Mounting Bracket: 3-1/2" x 1-1/8"
- Inside Ring Dimensions: 1-5/8" x 1-1/2"
- Mounting Holes: 2-1/4" Centre to Centre (7/16" Square Holes)

2-Pack ERI 09170



## **BACKUP ALARM**

Grote® Medium Duty 97dB Backup Alarm Crote

Surface mount


LTG 73040



• Reverse Mounted Speaker

LTG 73250











## WARNING STROBES & SIGNAL LIGHTS

## Marker Lights

							V.
Size	Bulb Type	Colour	Shape	Line Code	Part Number	Price	1
4"	LED	Red	Rectangular	LTG	65202	\$16.99	
2"	Standard	Red	Round	LTG	45822	\$2.99	1
2"	LED	Red	Round	LTG	47112	\$8.29	
1"	LED	Red	Round	LTG	49332	\$10.99	
2.5"	LED	Red	Round	LTG	G1032	\$8.99	
2.5"	LED	Amber	Round	LTG	G1033	\$8.99	B
2"	LED	Red	Round	LTG	G3002	\$8.99	
Kit	Standard	Red	Square	LTG	65380-5	\$54.99	Ī
2"	LED	Amber	Round	LTG	G3003	\$8.99	
4"	LED	Amber	Rectangular	LTG	G4603	\$11.99	10
1"	LED	Amber	Round	LTG	49333	\$10.99	1









## Strobe Lights

	0						Shore
Size	Bulb Type	Colour	Shape	Line Code	Part Number	Price	
6"	LED	Amber	Oval	LTG	77363	\$66.99	
3.65"	Standard	Amber	Dome	LTG	77103	\$72.99	
5"	LED	Amber	Dome	LTG	77473	\$94.99	
4.5"	LED	Amber	Dome	LTG	77913	\$64.99	W. Comp
4"	LED	Amber	Round	LTG	77353	\$64.99	3





Size	Bulb Type	Colour	Shape	Line Code	Part Number	Price
6.25"	Standard	Red	Oval	LTG	52892	\$10.99
15"	LED	Red	Oval	LTG	53582	\$49.99
6"	LED	Red	Oval	LTG	53962	\$39.99
6"	LED	Red	Oval	LTG	54172	\$22.99
6"	LED	Red	Oval	LTG	G6002	\$29.99
4"	Standard	Red	Round	LTG	52772	\$6.99
4"	LED	Red	Round	LTG	53252	\$24.99
4"	LED	Red	Round	LTG	G4002	\$24.99
4"	LED	Red/Amber	Round	LTG	G5300	\$79.99







#### **Specialized Functional Lighting**

Size	Bulb Type	Colour	Shape	Line Code	Part Number	Price
4"	LED	Clear	Round	LTG	62691	\$39.99
6.5"	LED	Clear	Rectangular	LTG	62751	\$39.99
6.32"	LED	Amber	Rectangular	LTG	76983	\$399.99

## **Grote 10 Light Electromechanical 2-Pin Flasher**

- 60 to 120 flashes per minute
- Flash rate is electronically controlled
- Steady flash rate for all LED and incandescent loads





## **Grote Economy Courtesy Lights**

- Illuminates instrument panel and compartments
- Clear plastic lens





## WARNING STROBES & SIGNAL LIGHTS

# Grote HiCount® Oval Front or Rear Turn, Amber Grote

- Fits same connection as female incandescent lamps
- · Fits all popular mountings and grommets
- · Lower amp draw of LED reduces battery drain



LTG G6003 **52999** 

## Grote SuperNova® LED Bar Lamp, Red

- Rugged reinforced polycarbonate bar with snap-on replacment lamps
- Easy to install with included sealed flow-through UBS harness
- 12V / .18A

LTG 49182



## **Grote Trilliant® Mini LED WhiteLight™ Work Lights**

- LEDs are rated for 50,000-hour for long-lasting service
- Flood pattern gives a wide cast near the mounting source
- · Greater lumen output with lower power consumption than leading competitors' versions
- Polycarbonate, hard-coated lens provides many years of service
- Perfect for mounting in situations where bumps or knock-off might be a problem
- · Durable, rugged housing with replaceable rock/chip guard
- 3 x 5 makes this light a natural LED upgrade for many incandescent and halogen sealed beams



LTG 63611-5 \$129

#### **Grote Submersible LED Trailer Lighting Kits**

- Replacement lighting kit for submersible LED trailer lights
- Popular square design
- 7-function submersible kit
- Kit includes lamps, trailer harness, license bracket and mounting hardware
- · Ideal for boat trailers, utility trailers, and other light-duty, recreational trailers



LTG 65330-5 **3159** 

## **Grote® Triangle Warning Marker Kit**

- Reflective up to 1/2 mile
- Folds for easy storage in included carrying case

LTG 71422

\$**48**99 Grote



## **Grote Sealed Marker Light Pigtails**

- Sealed to resist corrosion
- · Slim-line .180" male connector
- Factory-molded plugs for use with ULTRA-BLUE-SEAL
- Fits 2", 21/2" round, and beehive-style LED and incandescent lamps

LTG 67001



## **Grote® Master Battery Disconnect Switches**

- · Continuous Rating: 180A @ 6V-36V, 1,000A in rush
- · For battery circuit



LTG 82-2103



<sup>\*</sup> Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

## WIRING ACCESSORIES

Hopkins® Break- Away Switch

HPK 20005







## Hopkins® Engager™ Break-Away System with Battery Meter

HPK 1200200099







## Hopkins® Traditional Break-Away Kit

HPK 20001







## Hopkins® LED Compatible HOPKINS **Taillight Converter**

- For vehicles equipped with independent bulb turn signals or common bulb systems
- Protects tow vehicle electronics from wiring shorts
- Includes 14 ga. power lead wire, fuse & fuse assembly, splices, and cable ties
- Includes vehicle side 4 flat HPK 1200462055





#### Hopkins® Power Taillight Converter

HPK 1200488095





### Hopkins® 7 Blade Molded Connector w/ Cable

- 6' SAE wiring for extended reach
- Robust molded connector for reliable connections
- Designed by Hopkins, a leader in automotive parts

HPK 1200202045





## Hopkins® 7 Blade Vehicle Side Connector HOPKINS

- Commonly used for towing large trailers
- Provides functions for left/right turn, taillight, ground, auxiliary, electric brake and reverse
- Meets SAE standards

HPK 1200484085



### Hopkins® 7 Blade

**Plastic** 

HPK 1200485005







#### Hopkins® 7 Blade to 4 Flat

**Plastic** HPK 1200473055







## WIRING ACCESSORIES


## Hopkins® Multi-Tow 7 Blade and 4 Flat Connector HOPKINS

- Multi-Tow connector provides multiple towing options from one connector
- Utilizes OEM connectors to create an exact fit and maximum weatherproofing
- Impact and corrosion resistant
- Pre-greased terminals for added protection



HPK 1200409074 **\$3299** 

#### Hopkins® Plug-In Simple!® Multi-Tow® 7:4 Adapter



- Provides sockets for towing both 7 RV blade and 4-wire flat trailers
- · Utilizes OEM connectors to create an exact fit and maximum weatherproofing

HPK 1200409055

NOTE: Part is vehicle specific. Verify part number before ordering Ford/Chevy/GMC



# Grote Conspicuity Tape Grote

- 5-year warranty
- Easy installation
- Exceeds DOT requirements
- Reflects light even in daytime
- Bright prismatic appearance
- Durable, impact- and solvent-resistant





## BRAKE CONTROL

## Hopkins® Impulse™ Digital Brake Control

HOPKIN5 Plug-In simple® connection allows for quick installation and removal

- Percentage of braking power shown in a digital LED display
- 6-brake capacity

HPK 1200472035 **\$7599** 



## Hopkins® Agility™ Proportional Brake Control

- Plug-In simple® connection allows for quick installation and removal
- · Percentage of braking power shown in a digital LED display
- 8-brake capacity

HPK 1200472094 **512199** 



## Hopkins® Reliance™ Plug-In Simple!® Brake Control HOPKINS

Time-based braking

- Percentage of braking power shown
- Plug In Simple Feature
- · Controls up to 4 trailer brakes
- Limited Lifetime Warranty

HPK 1200472084



## Hopkins® Brake-Force™ Brake Control

- Plug-In Simple® connection allows for quick installation and removal
- · LED indicator shows braking intensity
- · 4-brake capacity







## CURT™ TRAILER JACKS **© CURT**

## **CURT™ Marine Jack with 6" Wheel**

- Rated for 1,000 lbs. support capacity and 1,000 lbs. lift capacity
- Side-wind handle easily raises or lowers trailer coupler
- 6" wheel for convenient trailer mobility and coupling
- Swivel bracket allows jack to fully swing up and out of the way for travel
- Heavy-duty pull-pin keeps jack securely locked in place
- 10" of vertical travel to accommodate multiple ball heights
- Protected by a durable zinc-plated finish
- 3/8-16 x 4" bolt-on hardware included to fit 2" x 2" to 3" x 5" trailer frames

TOW 28100 **\$9999** 

· Bolt-on hardware included for secure mounting

TOW 28101 **56199** 

## **CURT® Bracket Mount Swivel Jacks**

Top Wind 15"

TOW 28304 **\$9,899** 

#### **CURT™ A-Frame Jack with Side Handle**

- Designed to be mounted on an A-frame trailer tongue
- Rated for 3,000 lbs. support capacity and 2,000 lbs. lift capacity
- Side-wind handle easily raises or lowers trailer coupler
- 14-1/2" of vertical travel to accommodate multiple ball heights
- Can be bolted or welded on (hardware not included)

TOW 28204 \$5699



### **Deadbolt Hitch Lock**

- 1/4" pin fits latch-type couplers with a max span of 7/8"
- Protected by a durable chrome-plated finish

TOW 23021

#### **CURT™ Universal Trailer Coupler Lock** Fits most couplers

- Prevents trailer ball from being inserted into the coupler
- · Protected by a durable hammer-tone epoxy finish



## CURT™ ZINC HITCH PINS • Fits 2" x 2" receiver tubes

5/8"

Pin Diameter Weight 0.88

Pin Diameter Weight 0.5

#### **CURT™ Safety Pin**

- Secures coupler latches, jack legs, pintle hooks and more
- Square retainer wire clip provides a quick latch and added clearance
- Constructed from high-strength carbon steel
- Protected by a durable zinc-plated finish

1/4" Pin Diameter, 2-3/4" Pin Length TOW 25081







## **CURT™ RECEIVER TUBES**

**CURT™ Reducer Sleeves** 

Reduces 2-1/2" to 2" Opening, 5-1/2" Length TOW 45405

1-7/8"



## CURT™ CHROME FINISH SECURT **TOW/TRAILER BALLS**

Part Ball Size Diameter x Length Capacity Code **Number Price** 2" \$10.99 1" x 2-1/8" 6,000lbs. TOW 40166 2-5/16" 1" x 2-1/8" 7,500lbs. TOW 40167 \$12.99 2" 1" x 3" 6.000lbs. TOW 40074 \$14.99 1-7/8" 1" x 3" 3,500lbs. TOW 40072 \$15.99



## **CURT™ OEM Puck System 2-5/16" Gooseneck Kit**

2,000lbs.

TOW

40071

\$13,99

- OEM Puck System 2-5/16" Gooseneck Kit, Chevrolet, Ford, GMC, Nissan (30K)
- Rated for 30,000 lbs. GTW and 7,500 lbs. vertical load
- 2-5/16" gooseneck ball installs easily with quarter-turn latch system
- · Tested for safety to meet U.S. VESC V-19 specifications

3/4" x 3"

TOW 60692 **3** 



## CURT™ COUPLERS SCURT

Straight-Tongue Coupler with Posi-Lock 3,500 Lbs.

- Passes SAE-684 performance testing as a class 2 coupler
- Spring and nut posi-lock mechanism allows for easy adjustment
- · Constructed from die-cut, punched out steel

Fits 1-7/8" wide straight trailer tongues TOW 25128

Fits 2" wide straight trailer tongues TOW 25153






## **CURT™ BALL MOUNTS**

**CURT™ Class 3 Ball Mounts** 

7.500 Lbs. 2" Shank, 6" Drop, 9-1/4" Long TOW 45870

7.500 Lbs. 2" Shank, 2" Drop, 7-1/2" Long TOW 45830



2" Shank, 4" Drop, 8-1/2" Long







## **TRAILER & TOWING / PB&E**

## CURT™ BALL MOUNTS SECURT

#### **CURT™ Multi-Ball Mount with Hook**

2" Solid Shank, 1-7/8", 2" & 2-5/16" Chrome Balls

- Allows for quick switching between trailer ball sizes
- Tow hook perfect for vehicle recovery towing applications
- Mounts on trailer hitches with a 2" x 2" receiver tube opening
- · Tow hook limited to trailer hitch capacity
- Shank constructed from solid steel for optimum strength

TOW 45675 \$77.499



#### **CURT™ Multi-Ball Trailer Hitch Ball Mount,**

1-7/8 in., 2 in. 2-5/16 in. Balls, Fits 2-Inch Receiver, 10,000 lbs

- Features 3 welded trailer balls on a hollow shank
- Allows for quick switching between trailer ball sizes
- Mounts on trailer hitches with a 2 in. x 2 in. receiver tube opening
- Fits 1-7/8 in., 2 in. or 2-5/16 in. couplers

TOW 45652 **\$4.4.99** 



**CURT™ Fusion Ball Mounts** Includes hitch pin and clip

- Permanently attached trailer ball cannot be loosened or stolen
- Fits 2" receiver

2" Ball, 2" Drop

TOW 45134



## **CURT™ TRAILER HITCHES**

#### Class 3 Trailer Hitch, 2" Receiver, Fits Select Dodge, Ram 1500, 2500, 3500

- Rated to 6,000 lbs. gross trailer weight and 600 lbs. tongue weight
- Compatible with weight distribution hitch (10,000 lbs. WD / 1,000 lbs. WDTW)
- Tested for safety in accordance with SAE J684
- Co-cured in a rust-resistant liquid Bonderite coating

TOW 13333 **\$19999** 

## Class 3 Trailer Hitch, 2" Receiver, Fits Select Ford Escape, Mazda Tribute, Mercury Mariner

• Rated to 3,500 lbs. gross trailer weight and 350 lbs. tongue weight

- Compatible with weight distribution hitch (5,000 lbs. WD / 500 lbs. WDTW)
- Tested for safety in accordance with SAE 1684
- Co-cured in a rust-resistant liquid Bonderite coating

TOW 13650 \$39999



## Class 3 Trailer Hitch, 2" Receiver, Select Silverado, Sierra 1500, 2500

- Rated to 6,000 lbs. gross trailer weight and 600 lbs. tongue weight
- Compatible with weight distribution hitch (10,000 lbs. WD / 1,000 lbs. WDTW)
- Tested for safety in accordance with SAE J684
- · Co-cured in a rust-resistant liquid Bonderite coating



## **CURT™ TRAILER HITCHES**



Class 3 Trailer Hitch, 2" Receiver, Select Silverado, Sierra 1500

- Rated to 6,000 lbs. gross trailer weight and 600 lbs. tongue weight
- Compatible with weight distribution hitch (10,000 lbs. WD / 1,000 lbs. WDTW)
- Tested for safety in accordance with SAE I684
- · Co-cured in a rust-resistant liquid Bonderite coating



### Class 3 Trailer Hitch, 2" Receiver, Fits Select Chrysler, Dodge, Volkswagen, RAM Minivans

- Rated to 4,000 lbs. gross trailer weight and 400 lbs. tongue weight
- Compatible with weight distribution hitch (5,000 lbs. WD / 500 lbs. WDTW)
- Tested for safety in accordance with SAE I684



TOW 13301

#### Xtra Duty Class 5 Hitch, 2", Select Silverado, Sierra 2500, 3500 HD

- Rated to 16,000 lbs. gross trailer weight and 2,400 lbs. tongue weight
- Compatible with weight distribution hitch (17,000 lbs. WD / 2,400 lbs. WDTW)
- Tested for safety in accordance with SAE J684
- · Co-cured in a rust-resistant liquid A-coat, inside and out



\* Contact your local store for pricing and availability

FINANCE IT



## POP® Hand Rivet Tool

Designed to set rivets up to 3/16" (4.8mm)







# **LUBRICATION / FUELING**

Mityvac<u>.</u>

## MITYVAC® FLUID EXTRACTOR SYSTEMS

8.8 Litre Fluid Evacuator Plus

• Hand operated pump – 2-way valve allows for draining/refilling - no shop air or electricity required

LIN MV7201

#### 8.8 Litre Pneumatic Vac Evacuator

• Includes brake bleeding adapter kit and muffler for silent operation

LIN MV7300 **\$2**2

7.3 Litre Fluid Evacuator

 Hand operated pump, Includes 5' long flex hose and (2) dipstick hoses.

LIN MV7400





## **IET® 20 Gallon Heavy-Duty Parts Washer**

- Lid equipped with fusible link for added fire safety
- 41.8 litre working capacity tank includes basket and work shelf
- Flexible delivery spigot
- Screened inlet protects pump from foreign material
- 115 volt /60 Hz./0.5 Amp. motor



Tank dimensions: 30" W x 21" D x 36" H (open)





## **GREASE GUNS**

## Legacy® Workforce™ Grease Guns

 Workforce™ Grease Guns feature an automatic bleeder, 3-way loading; bulk filler, nipple, and cartridge with a 4-jaw coupler



**Heavy-Duty** 16 oz. **Suction Gun** 

**LEG L1700** 



**LEG L1310** 

#### Plews LubriMatic **Grease Guns**

Standard-Duty **Lever Action** 

**LEG L1325** 

- Develops up to 6,000 psi
- · Delivers 1 oz of grease/40 strokes

CPM 30-200

**Standard-Duty Pistol Grip** 

- Develops up to 5,000 PSI
- Equipped with 3-1/2" grease pipe and coupler

CPM 30-300

## LINCOLN® Grease Guns

**Heavy-Duty Pistol Grip Gun** 

• With 18" whip hose

 Extra heavy follower spring ensures positive priming and uninterrupted pumping action

LIN 1133

**Heavy-Duty Pistol Grip** 

 Exclusive flip-overfollower spring and 3-way loading

LIN 1134

Heavy-Duty Lever Action

 Flip-over-follower and 3-way loading

LIN 1142 **54999** 



**LINCOLN** 

## FILL-RITE® FUEL NOZZLES

### FILL-RITE® 3/4" Automatic Diesel Spout Nozzle

- Cast-Aluminum Construction built to last through the most demanding applications
- Easy to Use included spout spring on automatic nozzles ensure optimal nozzle placement each time you fill, eliminating opportunity for damage
- Adjustable Latching three separate latch positions on automatic nozzles allow you to quickly and easily tailor flow rates for different equipment
- Automatic Shut-Off automatic shut-off reduces mess by preventing overfilling and spilling, keeping you safe and efficient

**Green TUT SDN075GAN** 

Red TUT SDN075RAN



#### 1" Ultra High Flow Fuel Nozzles TUT N100DAU13G



3/4" Diesel, Automatic (Green) TUT NO75DAU10



## 1" High Flow Fuel Nozzle, Automatic TUT N100DAU12G

3/4" Unleaded, **Automatic** 

**TUT N075UAU10** 

# GREASE GUN ACCESSORIES

LINCOLN® PowerLuber™ Whip Hose LINCOLN

30" LIN 1230 \$6999



## LINCOLN® Heavy-Duty Whip Hoses

- For hand operated grease guns only
- 3,000 PSI working pressure

12" LIN 75912CL

18" Flex Hose

18" LIN 75918CL

24" LIN 75924CL

Plews® Standard Duty Grease Gun Hose

18" Flex Hose - Air Operated

## LINCOLN® Fluid Transfer Pump Kit

 Includes 2 intake/discharge hoses, 2 intake/discharge hose connectors, inline reducer, air pressure hose, and dipstick hose

LIN MV7241





## **FLUID TRANSFER**

## **OIL DRAINS**

#### LINCOLN® 25-Gallon Fuel Caddy

· Includes 2-way rotary pump, a sight gauge, ground wires and anti-spark pads

LIN 3675 \$129999 LINCOLN



## LINCOLN® Pressurized Oil Drain

- Preset air regulator (up to 150 PSI)
- 14" bowl adjusts from 45" to 72"
- Reinforced dispensing hose doubles as a sight gauge to prevent over-filling

18-Gallon

LIN 3601 **\$490** 



## LINCOLN® Low Capacity Oil Drain

- Adjusts from 36" to 65" to collect fluids without splashing
- · Allows oil to drain quickly
- Integrated oil filter drain shelf eliminates the need for a secondary surface to drain the filter
- · Added raised area acts as a splash guard

8-Gallon



#### LINCOLN® Low-Profile Truck Drain

- With 120V Electric Pump
- Overall height is only 7-3/4"
- The top of the reservoir features a large 20" x 29" recessed area for capturing fluid and a removable metal screen covers

LIN 3669



# BATTERY OPERATED GREASE GUNS

### Milwaukee® M18™ Cordless 2-Speed Grease Gun Kit

- 10,000 PSI max operating pressure • Max flow-rate of up to 10 oz/min
- · Air bleeder valve for quick priming
- Lock-on/lock-off trigger delivers added
- user convenience Includes M18<sup>™</sup> Cordless 2-Speed Grease Gun,
- (2) M18™ RED LITIUM Batteries, Multi-Volt Battery Charger and Hard Case
- Also Available as bare tool 2646-20

MLK 2646-22CT

#### **DEWALT® 20V MAX** Lithium Ion Grease Gun Kit

With LED Assist Light

· Kit includes Fast Charger, 42" flexible hose, (1) 20V MAX XR Li-lon battery, shoulder strap and Kitbox

SBD DCGG571M1





## **BATTERY OPERATED GREASE GUNS**

## LINCOLN® 20V Li-Ion PowerLuber™ Kit LINCOLN

- Built-in 3-point stand keeps the tool upright
- · Built-in LED worklight
- Outputs grease in cold temperatures down to -12°C
- Dispenses up to 14 grease cartridges per charge

20V (1) Battery Kit LIN 1882

20V (2) Battery Kit LIN 1884



## LINCOLN® Professional Air Operated Grease Gun

- · Continuous operation when trigger is pulled
- 40:1 ratio motor design with low pressure operation
- Includes 18" whip hose



## **BARREL AND HAND PUMPS**

### FILL-RITE® Piston Action Hand Pump

with Hose and Nozzle, 20 gallons per 100 strokes.

- Aluminum body with stainless steel liner
- · Anti-siphon valve
- Pump can be set-up for reverse flow

**TUT FR152** 

#### FILL-RITE® Rotary Vane Hand Pump **FILL-RITE**

6 Gallons per 100 Revolutions.

- 2" NPT threaded bung adapter
- 1" polymer suction pipe adjusts for 15 to 55 gallon drums
- Pumps medium-viscosity oils, diesel fuel, and non-corrosive fluids

TUT SD62

## **LINCOLN® Barrel Pump**

- Removable, non-drip spout allows for threaded hose connection
- Telescoping pick-up tube for 15 to 55-gallon drums
- Three-tier, threaded bung fits standard 2" and 1.5" drums



#### Plews® Heavy-Duty Barrel Pump Includes standard bung adapter

- Two piece telescoping suction tube fits 30 to 55 gallon drums
- Dispenses approximately 10 oz. of fluid per stroke

CPM 55-123

#### Plews® Manual Pail Pump

- For 5 gallon/35 lb. pail
- Self priming
- Delivers 3 oz. per stroke
- Complete with 4 ft. oil-resistant hose and drum pail cover
- · Fits open head pails/drums

CPM 55-440



# TRANSFER PUMPS

# LINCOLN® Grease Pump 6917 50:1 Ratio Grease Pump for 120lb. Drum

(Drum not included)

- Air operated
- Includes a grease control valve and universal swivel to improve access to hard-to-reach fittings
- In addition, its 4-wheel band dolly manoeuvres easily around the shop
- A standard metal follower plate

LIN 6917





**TUT FRH07512** 

**TUT FRH07514** 

**TUT FRH07520** 

**S69.99** 



FILL-RITE

## **LINCOLN® Hydraulic Coupler**

1/8" NPT Female



## TRANSFER PUMPS

#### **FILL-RITE® 115V AC Direct Drive FILL-RITE Heavy-Duty Transfer Pump**

- · Heavy-duty switch and built-in check, bypass, and pressure-relief valves
- Thermal overload protector
- Includes UL Listed 3/4" x 12' hose and manual nozzle
- 1" female NPT on suction pipe/2" male NPT on bung inlet, 3/4" NPT outlet
- Tank adapter. Full 1/3-HP 115-Volt AC/60Hz motor
- 5.5-Amp, 1725 RPM



## FILL-RITE® 115V AC Transfer Pump

15 GPM With Hose and Manual Nozzle

- Includes pump, 3/4" manual nozzle, 3/4" x 12' UL hose with static wire, 20" - 34-1/2" steel telescoping suction pipe, and elbow
- · Built-in check valve and strainer
- Self-priming
- 2" threaded base for tank mounting
- · Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20

# TUT FR610H

#### FILL-RITE® 12V DC High Flow Transfer Pump

20 GPM With Hose and Manual Nozzle

- Includes pump, 1" manual nozzle, 1" x 12' hose with static ground wire, 18' battery cable and 20" - 34" telescoping suction pipe
- · Built-in strainer
- · 2" threaded base for tank mounting
- Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20







**FILL-RITE** 

## TRANSFER PUMPS

15 GPM With Hose and Manual Nozzle

- Includes pump, 3/4" manual nozzle, 3/4" x 12' hose with static ground wire, 18' battery cable and 20" - 34" steel telescoping suction pipe
- Built-in strainer
- 2" threaded base for tank mounting
- 1/4 HP motor
- · Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20

TUT FR1210H

### FILL-RITE® 12V DC Transfer Pump

13 GPM With Hose and Automatic Nozzle

- Includes pump, 3/4" automatic nozzle, 3/4" x 10' hose with static wire, 15' 12-gauge 2-wire battery cable, 5' ground wire, 15-1/4" - 29-1/4" 2-piece polypropylene suction pipe and elbow
- Built-in strainer
- 2" threaded base for tank mounting
- 1/4 HP motor
- · Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20



TUT SD1202H

#### FILL-RITE® 12V DC Heavy-Duty Transfer Pump **FILL-RITE** 15 GPM With Hose and Automatic Nozzle

- Cast-Iron Construction durable castiron construction provides heavy-duty performance and withstands daily use in mobile tank applications
- Easy Installation adjustable electrical junction box rotates 180° for added flexibility while wiring and improved installation in tight spaces
- Long Life thermally-protected motor prevents overheating, ensuring your pump withstands the test of time
- Equipment Safeguard built-in strainer filters out particulates and prevents fuel contaminants from damaging your equipment
- Reliable On/Off Switch on/off switch lever features a cast metal stopping arm, preventing premature failure from repeated use



TUT FR1210HA

#### FILL-RITE® 115V AC Fuel Transfer Pump 20 GPM with 807c Gallon Meter

- Includes 3/4" manual nozzle
- 807C Mechanical Meter (Gallons), 3/4" X 12' UL Listed Hose with Static Ground Wire




TUT FR701V \$159999

#### FILL-RITE® 807 Mechanical Flow Meter Kit 5 - 20 GPM

- 50 PSI, +/- 1% accuracy
- · Gallon or Litre registration
- Includes 3/4" hardware fittings



**TUT 807CLMK** 



# TRANSFER PUMPS / WELDING

## FILL-RITE® RD Series

- UL and cUL certified to transfer gasoline and other flammable liquids
- Compatible with gasoline, diesel, biodiesel (up to B20), kerosene and E15
- Its compact design allows it to fit where larger pumps won't and it is configurable to accommodate a variety of needs for both inlet and outlet positioning
- Multiple Mounting Options: Bung, foot or handheld. Configurable Flanges: Position the Inlet and Outlet hoses to fit your needs. Remove 2 bolts and rotate





Pump kit includes manual nozzle, 8 ft. discharge hose, 6 ft. suction hose and quick connect power cord with alligator clips

**RD812NH Pump Kit** (8 GPM) TUT RD812NH



10-1/2"

**Parts Cleaning Brush** 

Polypropylene Handle

FNY 70508 **\$11.99** 

#### FORNEY® PARTS BRUSHES <del>Tor</del>ney

.006" Stainless Steel

## **Plastic Handle**

.006" Stainless Steel Wire, 7-1/4"

Wire, 8-5/8" FNY 70488 \$5.49 FNY 70503 \$8.49

## **Wood Shoe Handle**

.014" Carbon Steel Wire, 10-1/4"

.012" Stainless Steel Wire, 10-1/4"

FNY 70512 **\$9.49** FNY 70520 **\$12.99** 

## **Wood Long Curved Handle**

.014" Stainless Steel Wire, 13-11/16"

.014" Stainless Steel Wire, 13-3/4"

FNY 70511 \$8.59 FNY 70521 **\$11.99** 

## FORNEY® STICK ELECTRODES

Low Hydrogen 1/8" E7018

AC. 10 lbs. FNY 30686 \$58.99 10 lbs.

**FNY 30810** \$62.99 Mild Steel Stick Electrodes E7018

3/32" 5 lbs. FNY 30705

\$41.99

3/32" 5 lbs.

## **High Disposition Mild Steel E7014**

1/8" 10 lbs. FNY 32110 \$64.99

1/8" 5 lbs. FNY 32105

FNY 32005 \$35.99 \$35.99

## Mild Steel Super Sixty E6011 Deep Penetration

1/8" 5 lbs. FNY 31205 \$35.99

1/8" 10 lbs. FNY 31210

3/32" 5 lbs. FNY 31105

\$56.99 \$35.99

## Steel E6013

1/8" 5 lbs. FNY 30405 1/8" 10 lbs. 3/32"5 lbs. FNY 30410 FNY 30305

\$35.99 \$64.99 \$35.99

**Bronze Brazing Rod** Flux Core - 10 Rods 3/32" x 18"

FNY 48490

FNY 48493

\$25.99 \$35.99





1/16" and 3/32" x 18"



## FORNEY® ABRASIVES

## Forney® Wire Cup Brushes

5/8"-11 Arbour Knotted, 2-3/4" x .012" FNY 72757

\$12.99

.012" x 1/4" Hex Shank Crimped, 1" Crimped, 3" FNY 72737 FNY 72731

\$8.49 \$6.99



## Forney® Wire Wheel Knotted

4" x .020" x 5/8"-11 Arbour FNY 72759 **\$21.99** 

#### Forney® Wire Wheel Crimped

3" x .012" x 1/4" **Hex Shank** 

Size

#0

#2

#2

4" x .012" x 5/8"-11 Arbour **FNY 72788** 

CUTTING TIPS & WELDING NOZZLE

Part

60447

60449

60464

Number

FNY 72735 **\$7.89** \$19.99

Forney® Acetylene Cutting Tip

Medium duty

Medium duty

Heavy duty

Shell



<del>Tor</del>ney

**Price** 

\$29.99

\$29.99

\$29.99



## **ER70S-6 Mild Steel MIG Welding Wire**

.024" - 2 lb. Spool FNY 42290

.035" – 2 lb. Spool

FNY 42302

\$36.99

.024" – 10 lb. Spool FNY 42285

FORNEY® WELDING WIRE -----

.030" - 2 lb. Spool

**E71T-GS Flux Core Mild Steel MIG Welding Wire** 

FNY 42300

\$36.99

.030" - 2 lb. Spool FNY 42291

.030" - 10 lb. Spool

.035" - 33 lb. Spool FNY 42281

\$19.99

\$68.99

\$19.99

FNY 42303

\$129.99

\$159.99

.030" - 10 lb. Spool FNY 42286

.035" - 10 lb. Spool FNY 42287

.035" - 2 lb. Spool FNY 42292

**\$68.99** 

\$68.99

\$19.99

## **Electrical Repair Rosin Core Solder**

FNY 61535

**MIG Welding Wire** .035" - 1 lb. Spool FNY 42296 **S35.99** 

FNY 61479







1/16" - 1/4 lb. Roll | 1/32" - 1/4 lb. Roll \$22,99



#### Forney® Miller Style Welding Nozzle



Line

Code

FNY

FNY

FNY

Forney	MIG TIPS	<del></del>	ey <sup>.</sup>	
Size	Shell	Line Code	Part Number	Price
035"	Medium dut	, FNV	60172	\$10.99



<sup>\*</sup> Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# **WELDING**

## TUNGSTEN CARBIDE BURRS

Forney® Tungsten Carbide Burr

3/8" Cylindrical

3/8" Tree Radius

3/8" Tree Pointed

FNY 60121 **\$35.99** 

FNY 60125 \$35.99 FNY 60127 \$35.99

## WELDING HELMETS

## Forney® Pro Series Maple Leaf Auto Darkening **Welding Helmet**

- · Lightweight impact resistant
- 10.44 sq.-inch viewing area
- 4 Arc sensors
- Internal stepless controls
- 1/25,000 per second switching speed
- DIN 5 to 9 for low amperage MIG welding or plasma cutting
- Solar cells with 2-each replaceable 3V lithium (3V-CR2045) batteries and automatic on/off technology



#### Forney® Auto Darkening **Welding Helmets**

- 5.97 sq. inch viewing area
- High definition optical clarity with true colour technology
- Two optical arc sensors for extra protection against arc flash

**Black Matte** FNY 55857

### Forney® "Bandit I" Arc Welding Helmet

- Lift front 2" x 4-1/4" heat treated #10 shade lens, and clear glass protective lens
- Ratcheting-type headgear
- UV/IR protection
- Meets ANSI Z87.1 safety standards

FNY 55666



## Forney® "Bandit III" Arc Welding Helmet

- Lift front 4-1/2" x 5-1/4" heat treated #10 shade lens, and clear glass protective lens
- · Ratcheting-type headgear
- UV/IR protection
- Meets ANSI Z87.1 safety standards

FNY 55672



#### Forney® Face Shield with Ratchet-Type Headgear

- · Lightweight design for maximum comfort
- · Includes tough, non-warping polyethylene visor
- Not for cutting for brazing







## WELDING GLOVES

Forney® Signature Large Welding Gloves Forney's Number 1 Selling Welding Glove

- Premium full grain palm and back with reinforced patches for added protection
- 5" Split leather reinforced safety cuffs
- Kevlar® stitching and self welted seams for extra durability

FNY 53410

<sup>5</sup>56



## Forney® Heavy Duty Gloves with Reinforced Thumb, Blue, Large

- Premium side-split leather palm and back
- · Fortified with heat resistant Kevlar thread
- Cotton foam lining for moisture absorption and heat protection

FNY 53422



## **FORNEY® ACETYLENE OXY/FUEL OUTFITS**

## Forney® Tote A Torch Oxy-Acetylene Welding Kit

- · Victor style light-duty gas welding and cutting outfit - welds up to 1/2" and cuts up to 4"
- Provided with built-in check valves for safety
- T-hose provides flexibility in gas choice without needing a new hose
- · Includes reuseable cylinder tote for portability and one each of an oxygen size "R" and Acetylene size "MC" gas cylinders (empty)

FNY 1753

**\$69**9

## Forney® Medium Duty Acetylene OXY/FUEL Outfit Victor® Compatible

• Welds up to 3/8" and cuts up to 6"



11 piece set

## WELDING ACCESSORIES + ----

Forney® Acetylene/OXY Hose

1/4" x 25' FNY 86145



Forney® TIG Torch For Forney 322 and 324

FNY 85654



## WELDING

## TORCH KITS

## UltraCool Pro Torch 14.1oz Modern Substitute for MAPP Cylinder

- · High quality MAPP gas substitute with propylene, propane and dimethyl mixtures
- Ideal for professional or heavy welding as well as cutting iron and steel
- 15% more fuel
- 14% higher BTU heating output
- Burns 30% longer

CCM UF-4941

### UltraCool Pro Torch 14.1oz Propane Cylinder

- High quality propane with purity >95% (m/m)
- Net weight 14.1oz
- Ideal for professional welding and metal cutting

CCM UF-4944



#### **Ultracool Heavy Duty Industrial Torch Kit**

- Heavy-duty metal handle suitable for industrial use
- Compatible with propane and MAPP gases
- Trigger start ignition

CCM UF-4938



## **Ultracool Pro Torch Self Igniting Swivel Torch Kit**

- For use with propane, MAPP or MAPP substitutes
- · Auto ignition
- Swirl Flame
- 360 degree angled swivel tube
- Adjustable Flame
- Ideal for brazing and light soldering
- Includes 16.1oz MAPP substitute cylinder

CCM UF-4931

## **UltraCool Pro Torch Pencil Flame Brass Torch Kit**

- Manual ignition
- Pencil Flame
- Idea for soft soldering
- Includes 14.1oz propane cylinder



## **UltraCool Pro Torch Self Igniting Torch Kit**

- Auto ignition
- Stainless steel burner tube
- Adjustable Flame
- · Portable, lightweight and easy to use
- Anti-Flare feature
   Includes 14.1oz propane cylinder

CCM UF-4923



## **NuFlame Mini Torch**

- Roll dial for Adjustable Flame Control
- Precise pin point flame
- Continuous flame once lit
- · Electronic Trigger ignition
- Detachable base
- Refillable Butane Torch

CCM UF-4970 **\$2** 



#### Forney® Pencil Flame Torch

• Propane torch, adjustable flame knob for control and economy









## TORCH KITS

## Ultracool Pro Torch Heavy Duty Metal Handle Torch

For use with propane, MAPP or MAPP substitutes

- Ergonomic Metal handle
- Trigger start ignition
- Safety lock to prevent accidental ignition
- Ignition button lock for continuous use
- Swirl flame

CCM UF-4933

## Ultracool Pro Torch Self Igniting Interchangable Blazing Torch Kit

- For use with propane, MAPP or MAPP substitute
- Comes with a Fine Flame Burner Tube and a Super Cyclone flame burner tube
- Up to 1900°c flame temperature
- Adjustable flame
- Valve connection

CCM UF-4934 \$7899

### Forney® Self-Igniting Trigger Torch

- · Adjustable flame control knob
- · Ideal for soldering copper pipes, brazing, heat treating and light welding

FNY 61545 **\$8999** 





Note: MAPP and Propane cylinders available separately



## **UltraCool Pro Torch Self Igniting Swivel Torch**

- · For use with propane, MAPP or MAPP substitutes
- · Auto ignition

CCM UF-4932

- 360 degree angled swivel tube

Adjustable Flame



## MIG WELDERS

## Lincoln Electric® Easy MIG 140 Welder

- Runs on 120 V input power
- Durable cast aluminum gear box delivers added drive torque and quiet operation
- Brass-to-brass gun connection enhances conductivity
- Wide 30-140 Amp output power to weld from 24 gauge to 5/16" material

LEC K2697-1

## Lincoln Electric® MIG-PAK® 180

- Heavy Duty Wire Drive Fully adjustable drive system reduces the chance of wire tangling and crushing.
- Brass-to-brass gun connection enhances conductivity.
- · Durable cast aluminum gear box delivers added drive torque and quiet operation.
- Capable Performance- Forgiving arc makes dialing in your application easy.
- Smooth arc starts with minimal spatter.

LEC K2659-1 \$106



**FNY 261** 

• Handles .030" wire







## WELDING

## **FORNEY® MIG WELDERS**

# Forney® 270FI MiG Wire Welder 230V, 270A

- Accepts 4", 8", & 12" spools and wire up to .045" in diameter
- · Spool gun ready
- 12' MIG gun/torch with a 15' power cord ready for 230V outlet
- 5-3-1 Limited Warranty

### **FNY 319**

\* Contact your local store for pricing and availability



# Forney® 327 242 Dual MIG Welder 230V 240A

- Welds aluminum and steel with the flip of a switch
- Upgraded cast aluminum wire drive system
- Larger cabinet for 4" (1-2 lbs.), 8" (10-11 lbs.), or 12" (25-44 lbs.) spools
- Slope and burn back controls
- Dual geared idler and drive roll with de-spooler
- Ability to weld spray transfer with .035" wire
- 15' ground clamp, 15' MIG gun, gas hose and regulator
- Wire diameter range: up to .045'
- Rated output: 155 @ 60% duty cycle
- Plate thickness range: 24 gauge up to 3/8"

#### **FNY 327**

\* Contact your local store for pricing and availability

FINANCE IT

## Forney® 210FI MiG Wire Welder 230V, 210A

- Accepts 4" & 8" spools and wire up to .035" in diameter
- Welds up to 3/8" of material thickness
- 12' MIG gun/torch and a 15' power cord ready for 230V outlet
- · Robust metallic drive system, spool gun ready

#### **FNY 311**

### Forney® 190 MIG Welders 230V, 190A

- · Can be used for mild steel, stainless steel, aluminum and cast iron applications
- Large cabinet for easy access to 4" and 8" spools
- · Forney 5-3-1 Limited Warranty
- Each welder includes: 12' welding torch, ground clamp, 8' power cable, gas hose and regulator
- Welding Range: Up to 190A with 230V input
- Welds up to 3/8" of material thickness

# FNY 318 \$129999

# Forney® 140 MIG Welders 230V, 140A

- · Can be used for mild steel, stainless steel and cast iron applications
- Large cabinet for easy access to 4" and 8" spools
- Forney 5-3-1 Limited Warranty
- · Each welder includes: 12' welding torch, ground clamp, 8' power cable, gas hose and regulator
- Welding Range: Up to 140A with 1200V input
- Welds up to 1/4" of material thickness





## FORNEY® PLASMA CUTTERS

- Forney® 45 P PRO Plasma Cutter
   Dual-Voltage: Provides the operator flexibility for where their machine can be used
- Built Tough: Constructed with an all-metal case, built tough to take on the day to day
- CSA Certified: Reduces environmental impact and ensures quality and safety

#### **FNY 445**

Contact vour local store for pricing and availability

FINANCE IT



## Forney® Easy Weld™ 20P Plasma Cutter

- 20A Plasma Cutter
- Cuts up to 1/4" of mild steel
- 120V input power

**FNY 251** 



## **FORNEY® STICK ARC WELDERS**

## Forney® AC/DC Arc Welder

235FI 230V 230A

- Amperage Range: 45-235A
- AC/DC CC welding from 24 gauge to .5 inch thickness at 45 to 235 amps
- Dinse style connection provides easy polarity change and cable repairs
- · Illuminated on/off switch and fan cooling system
- For use with 1/16 in 5/32 in electrodes
- CSA-Approved

20% @ 235A; 50% @ 150A AC, 20% @ 180A: 35% @ 135A DC

#### FNY 314



# Forney® Easy Weld™ 140MP Welder • Multi-process welder: MIG/DC TIG/Stick welder

(TIG torch not included)

- Welds up to 5/16", uses gases wire .030"/.035", solid wire .024"/.030"
- Up to 1/8" stick electrode
- 120V input power
- · Gauges & gas hose not included

#### **FNY 271**



#### Forney® 298 Stick Arc EASY WELD™ 100ST 120V 90A

- Inverter power system with 120V input, 90A output
- TIG capable (sold separately)
- · Flip a switch and change between Stick and TIG
- Integrated consumable/storage area
- Handles up to 1/8" electrode
- Welds 16 gauge up to 5/16"









## INVENTORY REDUCTION ALL ITEMS OFFERED ON THIS PAGE ARE LIMITED QUANTITIES, WHILE SUPPLIES LAST. PLEASE CONTACT YOUR LOCAL STORE FOR AVAILABILITY. Specialty & Hand Tools POWERBUILT® 82 Pc. 1/4", 3/8" & 1/2" Drive SAE/Metric Socket & Wrench Set TI S 640076 \$99.99 POWERBUILT® 3/4" Drive 21 Pc. **SAE Socket Set** TLS 640174 \$394,99 POWERBUILT® 61 Pc. Technicians 1/4" & 3/8" Drive SAE/Metric Socket, Hex Keys, Wrench & Screwdriver with Hex **Bits Tool Set** TLS 640743 \$64.99 POWERBUILT® 101 pc Socket Set 1/4", 3/8" & 1/2" Drive Set TLS 640744 \$109.99 POWERBUILT® 161 Pc. Technicians 1/4", 3/8" & 1/2" Drive SAE/Metric Socket, Hex Keys, Wrench & Screwdriver with Hex Bits Tool Set TLS 640745 \$179.99 A A A A A A A A A A A A A A A A **POWERBUILT® 40-Piece** Tap & Die Set **SAE Set TLS 647772 S41.99** 6 4 6 6 X X X X 4 4 4 4 **POWERBUILT®** 11-Piece Combo Wrench Sets TLS 642460 \$43.99

**POWERBUILT® SAE Long Pattern** Combination Wrench Set. 7 Pc. TLS 640436

\$29.99

**POWERBUILT® 10-Piece T-Handle HEX Key Wrench Set** TLS 940201

**\$24.99** 

POWERBUILT® 10Pc 3/8" Dr. Mm 12Pt Socket Set TLS 940177

**POWERBUILT® 13 pc Titanium** Coated Drill Bit Set TLS 642603

**\$8.99** 

Lisle® 11-Piece Ratcheting Serpentine Kit LST 59650

**\$94.99** 



Hillin

## **Specialty & Hand Tools**

Ken-Tool® Professional Lug Wrench 17, 19, 21, 22mm **KEN 35656** 

\$69,99

Ken-Tool® Standard **Light Truck Lug Wrench** 

25", 7/8" deep well, 15/16", 1", 1-1/16" KEN 35690

\$64.99

Lisle® Cable Slitter

LST 55480 \$49.99



CP 3/8" Cordless **Impact** CP CP8738

**\$267.99** 

Milwaukee® M18 FUEL" 3/8" & 1/2" Mid-Torque Impact Wrench Kit MIK 2988-22R

\$999.99

ITC® Heavy-Duty 1/2" **Electric Impact Wrench IET 011903** 

\$120.99

**DeWALT® 12V MAX** SBD DCF813S2



CP 3/8" Heavy-Duty Impact

CP CP724H **\$267.99** 

CP 1/2" General-Duty Impact

CP CP734H **\$236.99** 

CP 3/4" Heavy-Duty Impact

CP CP772H \$585.99

**CP Standard-Duty** Die Grinder

CP CP872 **\$88.99** 

## **Pressure Washers**

MS Gregson Gas Powered, **Cold Water Pressure Washer** MSG JET2700S

\$1169.99



Flexzilla® Pro Reactionless 3/8" Mini Air Ratchet Kit LEG AT8535FZ

\$159.99

Flexzilla® 1/2" **Pro Mini Impact** Wrench Kit LEG AT8505FZ

\$249,99

5/8" x 75'

Flexzilla® Pro Water Hose

1FG HF7WP575 \$99.99

Legacy Workforce® Blue PVC Air Hose 3/8" x 25', 1/4" NPT

LEG HWF3825BL2 **\$25.99** 

1/4" x 25', 1/4" NPT CPE 31561

\$18.99

Carquest® Heavy-Duty Rubber Air Hose 1/4" x 50', 1/4" NPT

CPE 31676 **\$26.99** 

#### **Tool Storage**

41" 9 Drawer Roller Cabinet 41" W x 24-1/2" D x 39" H, Storage Capacity: 18,010 cu. in. HMK RD04041092

\$1599.99

**Tire Service** 

TSI CH-10 \$329.99

### **Diagnostic tools**

AIT MX808

\$469,99

Autel® AutoLink® AL529 AIT AL529

\$119.99

LAUNCH® USA BST880D Battery Testing & Vehicle Diagnosis Tool LCH 301050669

**\$419.99** 

Video Borescopes Recordable Inspection Camera MTP MTF3003BMPX

**S268.99** 







## INVENTORY REDUCTION

OUANTITIES, WHILE SUPPLIES LAST. PLEASE CONTACT YOUR LOCAL STORE FOR AVAILABILITY.

## **Trailer & Towing** Erickson 06946 Flat Bungey Cord, **Hook End** ERI 06946 \$16.99 Cliplight 3 Incandescent work light SWL 100307 **\$28.99 Lifting & Support OTC® Heavy Duty Crane** 2,200 LB OTC 1819 \* Contact your local store for pricing and availability OTC® Air/Hydraulic Service Jack 6-Ton OTC 5106 \* Contact your local store for pricing and availability 10-Ton OTC 5110 \* Contact your local store for pricing and availability **TEQ CORRECT Trolley Jack** 2-1/2-Ton EQP TQ3490 \$34.99 2-Ton EQP TQ924 **\$23.99 TEO Professional** Service Jacks 2-1/2-Ton EOP 1225PV **TEO Correct Professional** 2-1/2 Ton Aluminum Service Jack EQP 941PV \$191.99 TEQ Correct 1-1/2-Ton Aluminum/Steel Service Jacks EQP 3460PV \$134.99 **TEQ Correct Ratcheting** Jack Stands 2 Ton EQP TQ942 \$18.99 **TEQ Correct Engine Leveler** EQP TQ932 \$15.99

**TEQ Correct Scissor** 

EOP T0926 \$10.99

Scissor Jack 1-1/2-Ton

EOP AC926 \$9.99

lack 1-1/2-Ton





Forney® Tungsten Carbide Burr, 1/4 in Tree Radius

FNY 60124 **\$18.99** 

FNY 60053

\$5.99

Forney® Miller Style Welding Nozzle

FNY 60164 \$8.99

Forney® Tweco Style Contact Tip

FNY 60179 \$6.99

Forney® Flap Wheel, Shank Mounted, 3 inch x 1 inch

FNY 60181 **\$9.99** 

FNY 60182 **\$9.99** 

Forney® Solder, General Purpose Repair, Acid Core, 1/16 in

FNY 61402 **\$5.99** 

Forney® Solder, Electrical Repair, Rosin Core, 1/16 in

FNY 61473 **\$8.99** 

Forney® Premium Scribe FNY 70714 \$6.99

Lincoln Electric® K2185-1 Handy MIG Welder Kit

LEC K2185-1 \$669.99





Mag-Torch 3-in-1 **Butane Torch** 

MGT MT780 **\$26.99** 

Mag-Torch **Butane Cylinder** 

MGT MT150B-4 \$4.49



## **Battery Service**

Schumacher® 1000 Peak Amp Jump Starter and USB Power Source

CBC SL1397 \$119.99

Schumacher® 50A 12V Fully Automatic **Battery Charger/Engine Starter** 

CBC SC1361 \$89.99

Schumacher® 6V/12V 2-Bank 2A Battery Charger/Maintainer

CBC SC1410 \$76.99

Schumacher® 200A 12V Automatic **Battery Charger/Engine Starter** 

CBC SC1324 \$199.99



## Lighting

Bayco® 60 LED Worklight with Magnetic Hook 6', 18/2 SJT cord BAY BA-2116

\$49.99

Bayco® Nightstick Rechargeable Work Light BAY NSR-2168BL

\$69.99

Bavco® 13W On Reel with Spotlight **BAY SL-825** 

\$76.99

Bavco® 13W Professional Fluorescent Worklight

BAY SI-520 **\$29.99** 

13W Bounce Lite

CTI 12010 \$178.99



## Oil & Lube

LINCOLN® 12V Li-Ion PowerLuber™ Kit

Includes battery

LIN 1264 \$357.99

LINCOLN® 14.4V PowerLuber<sup>™</sup> Kits LIN 1401

\$99.99



## **TOOL STORAGE**





## **HOMAK® PRO II SERIES**

- Homak
- Full length aluminum drawer pulls with black plastic end caps
- 100 lb. capacity drawers with removable ball-bearing glides
- EVA Foam drawer liners included

#### 27" 12-Drawer 2-Section Combo

A 27" 5 Drawer Top Chest 26-1/2" W x 24-1/4" D x 21-3/8" H, Storage Capacity: 7,200 cu. in.

Colour	Line Code	Part Number
<b>■</b> Black	HMK	BK02027052
■ Blue	HMK	BL02027052
Red	HMK	RD02027052
<b>YOUR CHOI</b>	CE	

FINANCE IT

#### Lift latch drawer pulls

• 5"x2" Casters with 520 lb. weight capacity each

### 27" 7 Drawer Roller Cabinet 27" W x 24-1/2" D x 39" H, Storage Capacity: 9,115 cu. in.

Colour	Line Code	Part Number
Black	HMK	BK04027702
■ Blue	HMK	BL04027702
Red	HMK	RD04027702
VALID CHAI	CE	

Hamak

FINANCE IT

## HOMAK® RS PRO SERIES

- Full length aluminum drawer pulls with black plastic end caps Lift latch drawer pulls
- 100 lb. capacity drawers with removable ball-bearing glides 5"x2" Casters with 520 lb. weight capacity each
- PVC Foam Drawer Liners Included

# 54" 18-Drawer 2-Section Combo

**54" 8 Drawer Top Chest** 54" W x 23-1/2" D x 21-3/8" H, Storage Capacity: 14,300 cu. in.

Colour	Line Code	Part Number
Black	HMK	BK02065800
Blue	НМК	BL02065800
Red	HMK	RD02065800

#### **YOUR CHOICE**

\* Contact your local store for pricing, delivery cost, and availability

**FINANCE IT** 

## 54" 10 Drawer Roller Cabinet 54" W x 23-1/2" D x 30-3/8" H,

Storage Capacity: 19,800 cu. in.

Line Code	Part Number
HMK	BK04054010
HMK	BL04054010
HMK	RD04054010
	НМК

Homak

#### **YOUR CHOICE**

\* Contact your local store for pricing, delivery cost, and availability

**FINANCE IT** 

RS

## 7-Drawer Black Top Chest

40-1/2"W x 23-1/2"D x 21-3/8"H

- UV Protective Finish
- 100lb ball bearing slides (per pair)
- · Lift Latch Drawer Pulls
- Each drawer has PVC drawer liners

HMKBK02004173 **\$149999** 

## Homak® PolyPropylene 36" Service Čart

- High Impact Polypropylene won't Chip, Rust or Dent
- Four 4" X 1" Casters. 2 Swivel, 2 Fixed
- Bottom Shelf for Extra Storage
- 500 lb. Maximum Capacity

HMKPP06046021 \$44999 Homak




# **GET THE EQUIPMENT YOU NEED**

## WITH THE FINANCING THAT FITS

Select your equipment and reach out. We'll take care of the rest!

- Earn Carquest Dollars Flexible Payment Terms
- Variety of Leasing Options
- Instant Approvals



Call 1-855-209-0999 or visit groupesfa.com/carquest to apply today



On approved credit. Minimum total equipment cost of \$2000 plus applicable taxes. Please note, finance payments vary with every transaction, based on size, prevailing rates, credit history and other factors. Terms may vary. All programs subject to final approval by Affiliated Financial Services. See our ad on page 2 for more details. E.A.O.E.



